

THE UNIVERSITY OF BRITISH COLUMBIA



Centre for Health Services and Policy Research
429 - 2194 Health Sciences Mall
Vancouver, B.C. Canada V6T 1Z3
Tel: (604) 822-4810
Fax: (604) 822-5690

7 June 1994

Dear Reader:

We have recently become aware that a computing error was made during the production of Tables 21(b), 22(b), 23(b), 24(b), 25(b), 26(b), 27(b), 28(b), 29(b), 30(b), 31(b), 32(b), 33(b), 34(b), 35(b), and 36(b) in Section VII of the publication of Fee Practice Medical Services Expenditures Per Capita, and Full-Time Equivalent Physicians in British Columbia, 1991-1992. Typographical errors have also been identified on page 12 of Section III. We apologise for any confusion and inconvenience this may have caused you, and have attached the corrected text and tables to this letter.

Yours sincerely,

A handwritten signature in cursive script that reads "Laura Wood".

Laura Wood
Research Manager
Health Human Resources Unit

Enclosures

Secondly, the specialties of Pathology and Bacteriology, and of Radiology have not been tabulated in Sections IV through VII of this report because of the diversity of billing patterns found among those practitioners. In particular, billings associated with individual practitioners are not necessarily indicative of individual activity levels, and so form an unreliable basis for FTE calculations. These types of practice are included in the per capita expenditure results of sections VIII, IX, and X.

FTE Definitions

In the tables in Sections IV and V, FTE calculations are based on all MSP payments (fee-for-service, salary and sessional). Sections VI through X are based on fee-for-service payments only. In the definitions that follow, "payments" or "receipts" refer to fee-for-service only, or the all-inclusive payments, depending on the section of the report in which they appear.

Nine alternative methods were used to compute FTE measures of physician supply, and the numbers used to identify them in the tables of the report are those that follow:

<u>Definition Number</u>	<u>Method of Supply Estimation</u>
1	Each physician receiving payments greater than \$50,059 (in 1986-87 fee-adjusted dollars ²) = 1 FTE; all others are counted as the proportion of their receipts to the mean receipts of their FTE peers.
2	Each physician receiving payments greater than \$50,059 (in 1986-87 fee-adjusted dollars ²) = 1 FTE; all others are counted as the proportion of their receipts to the FTE cutoff for that year (i.e. to \$50,509 in 1986-87 fee-adjusted dollars).
3	Each physician receiving payments equal to or greater than one-half the payment mean for his/her peer type of practice = 1 FTE; all others are counted as the proportion of their receipts to the mean receipts of their full-time type of practice peers.

²Fee-adjusted nominal payment cutoffs are as follows:

1986-87 - \$50,059
1991-92 - \$50,590

Table 21(b) Estimated number of 'Effective' FTE Fee for Service Physicians per 10,000 Population in British Columbia
by Health Region¹ by FTE Definition
for Type of Practice² ANAESTHESIA

Fiscal 1991-1992

<u>Health Region</u>	<u>Full-Time Equivalent Method</u>								
	<u>FTE 1</u>	<u>FTE 2</u>	<u>FTE 3</u>	<u>FTE 4</u>	<u>FTE 5</u>	<u>FTE 6</u>	<u>FTE 7</u>	<u>FTE 8</u>	<u>FTE 9</u>
1 East Kootenay	0.48	0.53	0.39	0.51	0.31	0.49	0.30	0.30	0.36
2 Central Kootenay	0.93	0.93	0.93	0.93	0.85	0.92	0.55	0.54	0.65
4 North Okanagan	0.55	0.57	0.55	0.56	0.55	0.56	0.56	0.55	0.66
5 South Okanagan	0.70	0.70	0.70	0.70	0.70	0.70	0.77	0.77	0.92
6 South Central	0.77	0.77	0.77	0.77	0.77	0.77	0.93	0.93	1.11
7 Upper Fraser Valley	0.65	0.70	0.65	0.69	0.65	0.68	0.78	0.78	0.94
8 Central Fraser Valley	0.32	0.32	0.29	0.32	0.29	0.31	0.30	0.30	0.36
9 Boundary	0.51	0.52	0.51	0.52	0.51	0.51	0.46	0.46	0.55
10 Simon Fraser	1.20	1.21	1.20	1.21	1.20	1.20	1.18	1.18	1.42
11 Coast Garibaldi	0.24	0.24	0.24	0.24	0.24	0.24	0.18	0.18	0.21
13 Central Vancouver Island	0.69	0.74	0.69	0.73	0.69	0.73	0.59	0.59	0.71
14 Upper Vancouver Island	0.70	0.74	0.70	0.73	0.70	0.72	0.65	0.65	0.78
15 Cariboo	0.09	0.22	0.09	0.19	0.08	0.17	0.08	0.08	0.10
16 Skeena	0.42	0.50	0.41	0.48	0.41	0.47	0.39	0.39	0.46
17 Peace River	0.00	0.01	0.00	0.01	0.00	0.01	0.00	0.00	0.01
18 Northern Interior	0.55	0.55	0.55	0.55	0.55	0.55	0.57	0.57	0.68
20 Vancouver	2.08	2.19	2.05	2.16	2.05	2.14	2.13	2.12	2.54
30 Burnaby	0.44	0.44	0.44	0.44	0.44	0.44	0.44	0.44	0.52
40 North Shore	0.80	0.85	0.80	0.84	0.80	0.83	0.80	0.80	0.96
50 Richmond	0.45	0.48	0.45	0.47	0.45	0.47	0.47	0.46	0.56
60 Victoria	1.11	1.13	1.11	1.13	1.11	1.12	1.09	1.09	1.31
TOTAL	0.88	0.91	0.87	0.91	0.87	0.90	0.87	0.87	1.04

¹ The health region is that of the referring physician or, if no referral, of the attending physician.

See Figure 1 and Section II B.

² See text for explanation of classification of each physician's type of practice.

Prepared by:

*Centre for Health Services and Policy Research
The University of British Columbia*

Table 22(b) Estimated number of 'Effective' FTE Fee for Service Physicians per 10,000 Population in British Columbia
by Health Region¹ by FTE Definition
for Type of Practice² DERMATOLOGY

Fiscal 1991-1992

Health Region	Full-Time Equivalent Method								
	FTE 1	FTE 2	FTE 3	FTE 4	FTE 5	FTE 6	FTE 7	FTE 8	FTE 9
1 East Kootenay	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
2 Central Kootenay	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
4 North Okanagan	0.07	0.07	0.07	0.07	0.07	0.07	0.08	0.08	0.10
5 South Okanagan	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.10
6 South Central	0.10	0.10	0.10	0.10	0.09	0.10	0.10	0.10	0.13
7 Upper Fraser Valley	0.12	0.12	0.11	0.12	0.11	0.12	0.11	0.11	0.14
8 Central Fraser Valley	0.13	0.14	0.13	0.13	0.13	0.13	0.14	0.14	0.17
9 Boundary	0.17	0.17	0.17	0.17	0.17	0.17	0.17	0.16	0.20
10 Simon Fraser	0.19	0.19	0.18	0.19	0.18	0.19	0.20	0.20	0.24
11 Coast Garibaldi	0.10	0.10	0.10	0.10	0.10	0.10	0.09	0.08	0.10
13 Central Vancouver Island	0.09	0.12	0.09	0.11	0.09	0.10	0.08	0.08	0.09
14 Upper Vancouver Island	0.08	0.08	0.08	0.08	0.08	0.08	0.09	0.09	0.11
15 Cariboo	0.03	0.03	0.03	0.03	0.02	0.03	0.02	0.02	0.03
16 Skeena	0.05	0.05	0.05	0.05	0.05	0.05	0.04	0.04	0.04
17 Peace River	0.02	0.02	0.02	0.02	0.02	0.02	0.01	0.01	0.02
18 Northern Interior	0.08	0.08	0.08	0.08	0.08	0.08	0.07	0.07	0.08
20 Vancouver	0.35	0.36	0.31	0.34	0.30	0.34	0.31	0.30	0.37
30 Burnaby	0.18	0.19	0.17	0.18	0.17	0.18	0.17	0.16	0.20
40 North Shore	0.24	0.26	0.22	0.24	0.22	0.24	0.20	0.20	0.25
50 Richmond	0.13	0.14	0.13	0.13	0.13	0.13	0.14	0.14	0.17
60 Victoria	0.15	0.16	0.15	0.16	0.15	0.16	0.16	0.16	0.19
TOTAL	0.18	0.17	0.15	0.18	0.15	0.18	0.15	0.15	0.18

¹ The health region is that of the referring physician or, if no referral, of the attending physician.

See Figure 1 and Section II B.

² See text for explanation of classification of each physician's type of practice.

Prepared by:

Centre for Health Services and Policy Research
The University of British Columbia

Table 23(b) Estimated number of 'Effective' FTE Fee for Service Physicians per 10,000 Population in British Columbia

**by Health Region¹ by FTE Definition
for Type of Practice² GENERAL PRACTICE**

Fiscal 1991-1992

<u>Health Region</u>	<u>Full-Time Equivalent Method</u>								
	<u>FTE 1</u>	<u>FTE 2</u>	<u>FTE 3</u>	<u>FTE 4</u>	<u>FTE 5</u>	<u>FTE 6</u>	<u>FTE 7</u>	<u>FTE 8</u>	<u>FTE 9</u>
1 East Kootenay	9.42	10.02	9.42	9.95	9.42	9.94	9.39	9.38	11.81
2 Central Kootenay	10.29	11.36	10.18	11.23	10.18	11.21	9.50	9.48	11.94
4 North Okanagan	8.21	8.55	8.14	8.51	8.14	8.50	8.48	8.47	10.66
5 South Okanagan	8.20	8.61	8.20	8.56	8.20	8.56	8.86	8.84	11.13
6 South Central	9.21	9.47	9.15	9.44	9.15	9.43	9.95	9.94	12.51
7 Upper Fraser Valley	7.69	7.92	7.65	7.89	7.65	7.89	8.96	8.95	11.26
8 Central Fraser Valley	7.08	7.32	7.06	7.29	7.06	7.29	7.69	7.68	9.67
9 Boundary	7.21	7.50	7.17	7.46	7.17	7.46	8.27	8.26	10.40
10 Simon Fraser	8.65	8.91	8.61	8.88	8.61	8.88	8.54	8.53	10.73
11 Coast Garibaldi	10.50	11.15	10.50	11.08	10.50	11.07	8.84	8.83	11.11
13 Central Vancouver Island	9.32	9.98	9.28	9.90	9.28	9.89	9.19	9.18	11.55
14 Upper Vancouver Island	7.74	8.24	7.67	8.17	7.67	8.17	8.04	8.03	10.11
15 Cariboo	7.89	8.55	7.79	8.47	7.79	8.46	7.76	7.75	9.75
16 Skeena	7.49	7.72	7.41	7.69	7.33	7.68	8.04	8.03	10.11
17 Peace River	6.74	7.10	6.74	7.06	6.74	7.05	7.18	7.17	9.02
18 Northern Interior	8.08	8.46	8.00	8.41	8.00	8.41	8.90	8.89	11.18
20 Vancouver	14.00	15.50	13.87	15.32	13.85	15.29	12.90	12.89	16.22
30 Burnaby	7.30	7.48	7.22	7.45	7.20	7.45	7.54	7.53	9.48
40 North Shore	9.20	9.85	9.08	9.77	9.08	9.75	8.50	8.49	10.69
50 Richmond	7.15	7.57	7.15	7.52	7.15	7.52	7.35	7.34	9.24
60 Victoria	11.64	12.45	11.46	12.35	11.40	12.33	10.04	10.03	12.62
TOTAL	9.36	9.98	9.29	9.90	9.28	9.89	9.29	9.28	11.68

¹ The health region is that of the referring physician or, if no referral, of the attending physician.

See Figure 1 and Section II B.

² See text for explanation of classification of each physician's type of practice.

Prepared by:

*Centre for Health Services and Policy Research
The University of British Columbia*

Table 24(b) Estimated number of 'Effective' FTE Fee for Service Physicians per 10,000 Population in British Columbia
by Health Region¹ by FTE Definition
for Type of Practice² GENERAL SURGERY
Fiscal 1991-1992

<u>Health Region</u>	<u>Full-Time Equivalent Method</u>								
	<u>FTE 1</u>	<u>FTE 2</u>	<u>FTE 3</u>	<u>FTE 4</u>	<u>FTE 5</u>	<u>FTE 6</u>	<u>FTE 7</u>	<u>FTE 8</u>	<u>FTE 9</u>
1 East Kootenay	0.48	0.49	0.47	0.48	0.47	0.48	0.41	0.41	0.62
2 Central Kootenay	0.59	0.60	0.59	0.60	0.59	0.60	0.59	0.59	0.90
4 North Okanagan	0.50	0.52	0.49	0.51	0.49	0.51	0.61	0.62	0.93
5 South Okanagan	0.68	0.81	0.67	0.77	0.68	0.78	0.64	0.64	0.97
6 South Central	0.76	0.84	0.70	0.81	0.76	0.82	0.66	0.67	1.01
7 Upper Fraser Valley	0.48	0.48	0.48	0.48	0.48	0.48	0.56	0.57	0.86
8 Central Fraser Valley	0.45	0.50	0.45	0.49	0.45	0.49	0.46	0.47	0.70
9 Boundary	0.44	0.45	0.44	0.45	0.44	0.45	0.49	0.49	0.74
10 Simon Fraser	0.53	0.63	0.48	0.59	0.49	0.60	0.48	0.48	0.73
11 Coast Garibaldi	0.69	0.69	0.68	0.69	0.68	0.69	0.64	0.65	0.98
13 Central Vancouver Island	0.67	0.73	0.66	0.71	0.66	0.71	0.63	0.64	0.96
14 Upper Vancouver Island	0.43	0.44	0.43	0.44	0.43	0.44	0.52	0.53	0.80
15 Cariboo	0.93	0.93	0.82	0.90	0.82	0.91	0.61	0.62	0.93
16 Skeena	0.54	0.63	0.54	0.60	0.54	0.60	0.49	0.50	0.75
17 Peace River	0.52	0.52	0.52	0.52	0.52	0.52	0.57	0.57	0.86
18 Northern Interior	0.38	0.39	0.38	0.39	0.38	0.39	0.46	0.46	0.70
20 Vancouver	0.92	1.02	0.88	0.98	0.90	0.99	0.80	0.81	1.22
30 Burnaby	0.48	0.55	0.47	0.52	0.47	0.53	0.53	0.53	0.81
40 North Shore	0.57	0.66	0.48	0.61	0.48	0.62	0.49	0.50	0.75
50 Richmond	0.51	0.52	0.51	0.51	0.51	0.52	0.40	0.40	0.60
60 Victoria	0.46	0.53	0.46	0.51	0.46	0.51	0.53	0.53	0.81
TOTAL	0.59	0.65	0.57	0.63	0.58	0.63	0.57	0.58	0.87

¹ The health region is that of the referring physician or, if no referral, of the attending physician.
See Figure 1 and Section II B.

² See text for explanation of classification of each physician's type of practice.

Prepared by:
Centre for Health Services and Policy Research
The University of British Columbia

Table 25(b) Estimated number of 'Effective' FTE Fee for Service Physicians per 10,000 Population in British Columbia
by Health Region¹ by FTE Definition
for Type of Practice² INTERNAL MEDICINE

Fiscal 1991-1992

<u>Health Region</u>	<u>Full-Time Equivalent Method</u>								
	<u>FTE 1</u>	<u>FTE 2</u>	<u>FTE 3</u>	<u>FTE 4</u>	<u>FTE 5</u>	<u>FTE 6</u>	<u>FTE 7</u>	<u>FTE 8</u>	<u>FTE 9</u>
1 East Kootenay	0.39	0.39	0.38	0.39	0.38	0.39	0.42	0.42	0.56
2 Central Kootenay	1.11	1.16	1.10	1.13	1.10	1.13	0.96	0.96	1.28
4 North Okanagan	0.80	0.80	0.76	0.79	0.76	0.79	0.77	0.78	1.03
5 South Okanagan	1.26	1.28	1.22	1.25	1.22	1.25	1.36	1.37	1.81
6 South Central	0.87	0.87	0.86	0.87	0.86	0.87	1.03	1.04	1.38
7 Upper Fraser Valley	0.72	0.77	0.69	0.74	0.69	0.74	0.82	0.82	1.09
8 Central Fraser Valley	0.78	0.82	0.73	0.79	0.73	0.79	0.71	0.71	0.94
9 Boundary	0.86	0.92	0.81	0.87	0.81	0.88	0.85	0.85	1.13
10 Simon Fraser	1.10	1.14	1.04	1.10	1.05	1.10	1.00	1.01	1.34
11 Coast Garibaldi	0.60	0.62	0.47	0.58	0.47	0.59	0.46	0.47	0.62
13 Central Vancouver Island	0.85	0.86	0.83	0.85	0.83	0.85	0.88	0.88	1.16
14 Upper Vancouver Island	0.64	0.66	0.61	0.65	0.62	0.65	0.61	0.62	0.82
15 Cariboo	0.56	0.57	0.55	0.56	0.55	0.56	0.50	0.50	0.66
16 Skeena	0.50	0.52	0.49	0.51	0.49	0.51	0.46	0.46	0.62
17 Peace River	0.29	0.31	0.28	0.30	0.28	0.30	0.35	0.35	0.46
18 Northern Interior	0.44	0.50	0.43	0.47	0.43	0.47	0.65	0.65	0.87
20 Vancouver	2.42	2.70	2.09	2.46	2.10	2.47	1.92	1.92	2.55
30 Burnaby	0.85	0.90	0.81	0.86	0.81	0.86	0.84	0.85	1.12
40 North Shore	1.24	1.27	1.17	1.24	1.17	1.24	1.11	1.12	1.48
50 Richmond	0.93	1.03	0.82	0.94	0.83	0.94	0.84	0.85	1.12
60 Victoria	1.22	1.27	1.14	1.22	1.15	1.22	1.12	1.12	1.49
TOTAL	1.11	1.19	1.03	1.13	1.03	1.13	1.03	1.03	1.37

¹ The health region is that of the referring physician or, if no referral, of the attending physician.
See Figure 1 and Section II B.

² See text for explanation of classification of each physician's type of practice.

Prepared by:

*Centre for Health Services and Policy Research
The University of British Columbia*

Table 28(b) Estimated number of 'Effective' FTE Fee for Service Physicians per 10,000 Population in British Columbia
by Health Region¹ by FTE Definition
for Type of Practice² NEUROLOGY
Fiscal 1991-1992

<u>Health Region</u>	<u>Full-Time Equivalent Method</u>								
	<u>FTE 1</u>	<u>FTE 2</u>	<u>FTE 3</u>	<u>FTE 4</u>	<u>FTE 5</u>	<u>FTE 6</u>	<u>FTE 7</u>	<u>FTE 8</u>	<u>FTE 9</u>
1 East Kootenay	0.05	0.05	0.04	0.04	0.04	0.04	0.06	0.06	0.07
2 Central Kootenay	0.13	0.13	0.12	0.13	0.12	0.13	0.17	0.18	0.21
4 North Okanagan	0.09	0.09	0.08	0.09	0.08	0.09	0.08	0.08	0.10
5 South Okanagan	0.19	0.20	0.19	0.19	0.19	0.19	0.18	0.18	0.21
6 South Central	0.11	0.11	0.10	0.11	0.10	0.11	0.16	0.17	0.20
7 Upper Fraser Valley	0.11	0.11	0.10	0.11	0.10	0.11	0.08	0.08	0.10
8 Central Fraser Valley	0.08	0.08	0.07	0.08	0.07	0.08	0.07	0.07	0.09
9 Boundary	0.10	0.10	0.09	0.09	0.09	0.10	0.09	0.09	0.10
10 Simon Fraser	0.19	0.19	0.18	0.19	0.19	0.19	0.22	0.22	0.26
11 Coast Garibaldi	0.13	0.13	0.12	0.13	0.12	0.13	0.10	0.10	0.12
13 Central Vancouver Island	0.12	0.12	0.11	0.12	0.11	0.12	0.13	0.13	0.16
14 Upper Vancouver Island	0.08	0.08	0.07	0.07	0.07	0.08	0.07	0.07	0.08
15 Cariboo	0.08	0.08	0.08	0.08	0.08	0.08	0.09	0.09	0.10
16 Skeena	0.08	0.08	0.07	0.08	0.07	0.08	0.07	0.07	0.08
17 Peace River	0.04	0.04	0.03	0.04	0.03	0.04	0.04	0.04	0.04
18 Northern Interior	0.14	0.14	0.14	0.14	0.14	0.14	0.17	0.17	0.20
20 Vancouver	0.39	0.40	0.33	0.38	0.34	0.38	0.28	0.28	0.34
30 Burnaby	0.15	0.15	0.14	0.15	0.14	0.15	0.14	0.15	0.17
40 North Shore	0.24	0.25	0.23	0.24	0.24	0.24	0.19	0.19	0.23
50 Richmond	0.15	0.15	0.14	0.15	0.14	0.15	0.10	0.10	0.12
60 Victoria	0.20	0.20	0.17	0.19	0.17	0.19	0.22	0.23	0.27
TOTAL	0.17	0.18	0.16	0.17	0.16	0.17	0.16	0.16	0.19

- ¹ The health region is that of the referring physician or, if no referral, of the attending physician.
See Figure 1 and Section II B.
² See text for explanation of classification of each physician's type of practice.

Prepared by:
Centre for Health Services and Policy Research
The University of British Columbia

Table 27(b) Estimated number of 'Effective' FTE Fee for Service Physicians per 10,000 Population in British Columbia

by Health Region¹ by FTE Definition

for Type of Practice² NEUROSURGERY

Fiscal 1991-1992

Health Region	Full-Time Equivalent Method								
	FTE 1	FTE 2	FTE 3	FTE 4	FTE 5	FTE 6	FTE 7	FTE 8	FTE 9
1 East Kootenay	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2 Central Kootenay	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.04
4 North Okanagan	0.04	0.04	0.04	0.04	0.04	0.04	0.05	0.05	0.06
5 South Okanagan	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.08
6 South Central	0.13	0.13	0.13	0.13	0.13	0.13	0.17	0.17	0.19
7 Upper Fraser Valley	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.04
8 Central Fraser Valley	0.03	0.03	0.03	0.03	0.03	0.03	0.04	0.04	0.04
9 Boundary	0.03	0.03	0.03	0.03	0.03	0.03	0.04	0.04	0.04
10 Simon Fraser	0.09	0.09	0.09	0.09	0.09	0.09	0.11	0.11	0.12
11 Coast Garibaldi	0.06	0.06	0.06	0.06	0.06	0.06	0.05	0.05	0.06
13 Central Vancouver Island	0.05	0.05	0.05	0.05	0.05	0.05	0.04	0.04	0.04
14 Upper Vancouver Island	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
15 Cariboo	0.07	0.07	0.07	0.07	0.07	0.07	0.08	0.08	0.09
16 Skeena	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
17 Peace River	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
18 Northern Interior	0.10	0.10	0.10	0.10	0.10	0.10	0.09	0.09	0.09
20 Vancouver	0.14	0.15	0.14	0.15	0.14	0.15	0.13	0.13	0.14
30 Burnaby	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06
40 North Shore	0.10	0.10	0.10	0.10	0.10	0.10	0.09	0.09	0.10
50 Richmond	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
60 Victoria	0.08	0.08	0.08	0.08	0.08	0.08	0.06	0.06	0.07
TOTAL	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07

¹ The health region is that of the referring physician or, if no referral, of the attending physician.

See Figure 1 and Section II B.

² See text for explanation of classification of each physician's type of practice.

Prepared by:

Centre for Health Services and Policy Research
The University of British Columbia

Table 28(b) Estimated number of 'Effective' FTE Fee for Service Physicians per 10,000 Population in British Columbia
by Health Region¹ by FTE Definition
for Type of Practice² OBSTETRICS AND GYNAECOLOGY

Fiscal 1991-1992

Health Region	Full-Time Equivalent Method								
	FTE 1	FTE 2	FTE 3	FTE 4	FTE 5	FTE 6	FTE 7	FTE 8	FTE 9
1 East Kootenay	0.16	0.16	0.16	0.16	0.16	0.16	0.13	0.13	0.16
2 Central Kootenay	0.35	0.43	0.34	0.38	0.34	0.38	0.29	0.29	0.35
4 North Okanagan	0.35	0.36	0.35	0.35	0.35	0.35	0.30	0.30	0.36
5 South Okanagan	0.47	0.48	0.47	0.47	0.47	0.47	0.38	0.38	0.46
6 South Central	0.44	0.50	0.44	0.46	0.44	0.46	0.41	0.41	0.50
7 Upper Fraser Valley	0.30	0.30	0.29	0.30	0.29	0.30	0.32	0.32	0.39
8 Central Fraser Valley	0.41	0.42	0.33	0.38	0.33	0.38	0.37	0.37	0.45
9 Boundary	0.30	0.31	0.29	0.30	0.29	0.30	0.39	0.39	0.47
10 Simon Fraser	0.34	0.35	0.32	0.34	0.32	0.34	0.37	0.37	0.45
11 Coast Garibaldi	0.38	0.39	0.38	0.39	0.38	0.39	0.31	0.31	0.37
13 Central Vancouver Island	0.47	0.47	0.46	0.47	0.43	0.47	0.43	0.43	0.52
14 Upper Vancouver Island	0.34	0.36	0.34	0.35	0.34	0.35	0.28	0.28	0.34
15 Cariboo	0.21	0.23	0.21	0.22	0.21	0.22	0.23	0.23	0.28
16 Skeena	0.30	0.32	0.30	0.31	0.30	0.31	0.25	0.25	0.30
17 Peace River	0.38	0.43	0.27	0.40	0.27	0.39	0.22	0.22	0.27
18 Northern Interior	0.27	0.28	0.26	0.27	0.26	0.27	0.31	0.31	0.37
20 Vancouver	0.82	0.88	0.76	0.83	0.76	0.82	0.75	0.75	0.91
30 Burnaby	0.31	0.32	0.29	0.31	0.29	0.31	0.35	0.34	0.42
40 North Shore	0.38	0.41	0.34	0.38	0.34	0.38	0.34	0.34	0.41
50 Richmond	0.33	0.34	0.33	0.34	0.33	0.34	0.32	0.32	0.39
60 Victoria	0.45	0.46	0.42	0.45	0.42	0.44	0.37	0.37	0.45
TOTAL	0.43	0.45	0.40	0.43	0.40	0.43	0.40	0.40	0.49

¹ The health region is that of the referring physician or, if no referral, of the attending physician.

See Figure 1 and Section II B.

² See text for explanation of classification of each physician's type of practice.

Prepared by:

*Centre for Health Services and Policy Research
The University of British Columbia*

Table 29(b) Estimated number of 'Effective' FTE Fee for Service Physicians per 10,000 Population in British Columbia
by Health Region¹ by FTE Definition
for Type of Practice² OPHTHALMOLOGY

Fiscal 1991-1992

<u>Health Region</u>	<u>Full-Time Equivalent Method</u>								
	<u>FTE 1</u>	<u>FTE 2</u>	<u>FTE 3</u>	<u>FTE 4</u>	<u>FTE 5</u>	<u>FTE 6</u>	<u>FTE 7</u>	<u>FTE 8</u>	<u>FTE 9</u>
1 East Kootenay	0.15	0.15	0.15	0.15	0.15	0.15	0.08	0.08	0.10
2 Central Kootenay	0.31	0.32	0.22	0.26	0.22	0.26	0.20	0.20	0.25
4 North Okanagan	0.46	0.50	0.38	0.42	0.38	0.42	0.31	0.32	0.39
5 South Okanagan	0.44	0.47	0.39	0.42	0.39	0.42	0.39	0.40	0.49
6 South Central	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.19	0.23
7 Upper Fraser Valley	0.47	0.47	0.42	0.44	0.42	0.45	0.50	0.50	0.62
8 Central Fraser Valley	0.32	0.32	0.28	0.32	0.31	0.32	0.24	0.25	0.30
9 Boundary	0.21	0.21	0.19	0.20	0.19	0.21	0.18	0.18	0.22
10 Simon Fraser	0.55	0.55	0.48	0.53	0.48	0.53	0.57	0.58	0.72
11 Coast Garibaldi	0.24	0.25	0.14	0.19	0.14	0.20	0.16	0.16	0.19
13 Central Vancouver Island	0.53	0.54	0.50	0.52	0.50	0.53	0.45	0.46	0.56
14 Upper Vancouver Island	0.22	0.22	0.21	0.22	0.21	0.22	0.19	0.19	0.24
15 Cariboo	0.08	0.08	0.08	0.08	0.08	0.08	0.07	0.07	0.08
16 Skeena	0.07	0.07	0.06	0.07	0.06	0.07	0.07	0.07	0.08
17 Peace River	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.07
18 Northern Interior	0.33	0.33	0.33	0.33	0.33	0.33	0.22	0.23	0.28
20 Vancouver	1.00	1.07	0.83	0.95	0.86	0.95	0.88	0.89	1.10
30 Burnaby	0.53	0.53	0.49	0.51	0.49	0.51	0.45	0.45	0.56
40 North Shore	0.40	0.45	0.35	0.40	0.35	0.40	0.38	0.38	0.47
50 Richmond	0.31	0.32	0.20	0.29	0.21	0.30	0.23	0.23	0.28
60 Victoria	0.65	0.67	0.60	0.64	0.60	0.64	0.54	0.55	0.67
TOTAL	0.48	0.50	0.42	0.47	0.43	0.47	0.42	0.43	0.53

¹ The health region is that of the referring physician or, if no referral, of the attending physician.

See Figure 1 and Section II B.

² See text for explanation of classification of each physician's type of practice.

Prepared by:

*Centre for Health Services and Policy Research
The University of British Columbia*

Table 30(b) Estimated number of 'Effective' FTE Fee for Service Physicians per 10,000 Population in British Columbia
by Health Region¹ by FTE Definition
for Type of Practice: ORTHOPAEDIC SURGERY
Fiscal 1991-1992

<u>Health Region</u>	<u>Full-Time Equivalent Method</u>								
	<u>FTE 1</u>	<u>FTE 2</u>	<u>FTE 3</u>	<u>FTE 4</u>	<u>FTE 5</u>	<u>FTE 6</u>	<u>FTE 7</u>	<u>FTE 8</u>	<u>FTE 9</u>
1 East Kootenay	0.32	0.32	0.32	0.32	0.32	0.32	0.41	0.40	0.49
2 Central Kootenay	0.46	0.46	0.46	0.46	0.46	0.46	0.47	0.46	0.56
4 North Okanagan	0.45	0.45	0.45	0.45	0.45	0.45	0.45	0.45	0.54
5 South Okanagan	0.46	0.47	0.46	0.47	0.46	0.47	0.43	0.43	0.52
6 South Central	0.48	0.48	0.48	0.48	0.48	0.48	0.41	0.41	0.49
7 Upper Fraser Valley	0.40	0.40	0.40	0.40	0.40	0.40	0.43	0.42	0.51
8 Central Fraser Valley	0.38	0.40	0.37	0.39	0.37	0.39	0.41	0.40	0.49
9 Boundary	0.35	0.36	0.32	0.34	0.32	0.34	0.29	0.29	0.35
10 Simon Fraser	0.38	0.39	0.36	0.38	0.34	0.38	0.32	0.32	0.39
11 Coast Garibaldi	0.35	0.36	0.35	0.35	0.35	0.35	0.36	0.36	0.43
13 Central Vancouver Island	0.45	0.45	0.41	0.43	0.41	0.43	0.40	0.39	0.48
14 Upper Vancouver Island	0.36	0.36	0.36	0.36	0.36	0.36	0.38	0.38	0.46
15 Cariboo	0.27	0.27	0.25	0.27	0.25	0.26	0.23	0.23	0.27
16 Skeena	0.17	0.18	0.17	0.17	0.17	0.17	0.19	0.19	0.23
17 Peace River	0.21	0.21	0.11	0.20	0.11	0.19	0.11	0.11	0.13
18 Northern Interior	0.25	0.27	0.25	0.26	0.25	0.26	0.23	0.23	0.28
20 Vancouver	0.53	0.57	0.49	0.54	0.49	0.53	0.51	0.50	0.61
30 Burnaby	0.36	0.36	0.33	0.36	0.33	0.35	0.31	0.31	0.37
40 North Shore	0.32	0.33	0.31	0.32	0.31	0.32	0.36	0.36	0.43
50 Richmond	0.27	0.27	0.27	0.27	0.26	0.27	0.26	0.26	0.32
60 Victoria	0.38	0.40	0.36	0.39	0.36	0.38	0.38	0.38	0.45
TOTAL	0.39	0.41	0.37	0.39	0.37	0.39	0.37	0.37	0.45

- ¹ The health region is that of the referring physician or, if no referral, of the attending physician.
See Figure 1 and Section II B.
² See text for explanation of classification of each physician's type of practice.

Prepared by:
Centre for Health Services and Policy Research
The University of British Columbia

Table 31(b) Estimated number of 'Effective' FTE Fee for Service Physicians per 10,000 Population in British Columbia
by Health Region¹ by FTE Definition
for Type of Practice² OTOLARYNGOLOGY

Fiscal 1991-1992

<u>Health Region</u>	<u>Full-Time Equivalent Method</u>								
	<u>FTE 1</u>	<u>FTE 2</u>	<u>FTE 3</u>	<u>FTE 4</u>	<u>FTE 5</u>	<u>FTE 6</u>	<u>FTE 7</u>	<u>FTE 8</u>	<u>FTE 9</u>
1 East Kootenay	0.16	0.16	0.16	0.16	0.16	0.16	0.22	0.22	0.25
2 Central Kootenay	0.02	0.03	0.02	0.02	0.02	0.02	0.02	0.02	0.03
4 North Okanagan	0.14	0.15	0.14	0.14	0.14	0.14	0.16	0.16	0.18
5 South Okanagan	0.17	0.19	0.17	0.18	0.17	0.18	0.16	0.16	0.18
6 South Central	0.25	0.25	0.20	0.23	0.20	0.23	0.32	0.32	0.37
7 Upper Fraser Valley	0.14	0.14	0.14	0.14	0.14	0.14	0.16	0.16	0.19
8 Central Fraser Valley	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.18
9 Boundary	0.19	0.20	0.17	0.19	0.17	0.19	0.18	0.18	0.21
10 Simon Fraser	0.28	0.28	0.24	0.27	0.24	0.27	0.22	0.22	0.26
11 Coast Garibaldi	0.17	0.18	0.16	0.17	0.16	0.17	0.13	0.13	0.16
13 Central Vancouver Island	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.23
14 Upper Vancouver Island	0.22	0.22	0.22	0.22	0.22	0.22	0.17	0.17	0.20
15 Cariboo	0.06	0.06	0.06	0.06	0.06	0.06	0.07	0.07	0.08
16 Skeena	0.24	0.24	0.23	0.24	0.23	0.24	0.22	0.22	0.25
17 Peace River	0.07	0.12	0.06	0.09	0.06	0.08	0.06	0.06	0.08
18 Northern Interior	0.19	0.19	0.19	0.19	0.19	0.19	0.15	0.15	0.17
20 Vancouver	0.38	0.42	0.35	0.39	0.35	0.39	0.33	0.33	0.39
30 Burnaby	0.19	0.19	0.18	0.19	0.18	0.19	0.19	0.19	0.22
40 North Shore	0.23	0.24	0.19	0.21	0.19	0.21	0.19	0.19	0.22
50 Richmond	0.15	0.15	0.15	0.15	0.15	0.15	0.17	0.17	0.19
60 Victoria	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.26
TOTAL	0.22	0.23	0.20	0.22	0.20	0.21	0.20	0.20	0.24

¹ The health region is that of the referring physician or, if no referral, of the attending physician.
See Figure 1 and Section II B.

² See text for explanation of classification of each physician's type of practice.

Prepared by:

*Centre for Health Services and Policy Research
The University of British Columbia*

Table 32(b) Estimated number of 'Effective' FTE Fee for Service Physicians per 10,000 Population in British Columbia
by Health Region¹ by FTE Definition
for Type of Practice² PAEDIATRICS
Fiscal 1991-1992

<u>Health Region</u>	<u>Full-Time Equivalent Method</u>								
	<u>FTE 1</u>	<u>FTE 2</u>	<u>FTE 3</u>	<u>FTE 4</u>	<u>FTE 5</u>	<u>FTE 6</u>	<u>FTE 7</u>	<u>FTE 8</u>	<u>FTE 9</u>
1 East Kootenay	0.30	0.30	0.30	0.30	0.30	0.30	0.18	0.18	0.25
2 Central Kootenay	0.31	0.32	0.31	0.32	0.31	0.33	0.29	0.30	0.42
4 North Okanagan	0.26	0.34	0.26	0.33	0.34	0.34	0.21	0.22	0.31
5 South Okanagan	0.42	0.47	0.42	0.47	0.46	0.48	0.34	0.35	0.48
6 South Central	0.46	0.47	0.46	0.47	0.47	0.48	0.31	0.32	0.44
7 Upper Fraser Valley	0.20	0.26	0.20	0.25	0.21	0.27	0.23	0.25	0.34
8 Central Fraser Valley	0.26	0.29	0.26	0.29	0.27	0.30	0.28	0.30	0.40
9 Boundary	0.23	0.26	0.23	0.26	0.24	0.26	0.35	0.37	0.51
10 Simon Fraser	0.22	0.24	0.22	0.24	0.23	0.24	0.28	0.29	0.40
11 Coast Garibaldi	0.34	0.37	0.34	0.37	0.35	0.38	0.23	0.24	0.32
13 Central Vancouver Island	0.29	0.31	0.29	0.31	0.29	0.31	0.30	0.32	0.43
14 Upper Vancouver Island	0.18	0.19	0.18	0.19	0.18	0.20	0.12	0.13	0.17
15 Cariboo	0.22	0.23	0.22	0.23	0.22	0.23	0.17	0.18	0.24
16 Skeena	0.33	0.35	0.33	0.35	0.33	0.35	0.27	0.28	0.38
17 Peace River	0.06	0.08	0.06	0.08	0.07	0.08	0.06	0.06	0.09
18 Northern Interior	0.20	0.21	0.19	0.21	0.20	0.22	0.26	0.27	0.37
20 Vancouver	0.61	0.71	0.59	0.70	0.64	0.73	0.62	0.65	0.89
30 Burnaby	0.23	0.25	0.23	0.25	0.24	0.25	0.26	0.27	0.37
40 North Shore	0.30	0.34	0.30	0.34	0.31	0.35	0.25	0.26	0.36
50 Richmond	0.25	0.27	0.25	0.27	0.26	0.28	0.25	0.26	0.36
60 Victoria	0.34	0.36	0.34	0.36	0.34	0.36	0.30	0.32	0.44
TOTAL	0.33	0.36	0.32	0.36	0.34	0.37	0.32	0.34	0.46

- ¹ The health region is that of the referring physician or, if no referral, of the attending physician.
See Figure 1 and Section II B.
² See text for explanation of classification of each physician's type of practice.

Prepared by:
Centre for Health Services and Policy Research
The University of British Columbia

Table 33(b) Estimated number of 'Effective' FTE Fee for Service Physicians per 10,000 Population in British Columbia
by Health Region¹ by FTE Definition
for Type of Practice² PLASTIC SURGERY

Fiscal 1991-1992

Health Region	Full-Time Equivalent Method								
	FTE 1	FTE 2	FTE 3	FTE 4	FTE 5	FTE 6	FTE 7	FTE 8	FTE 9
1 East Kootenay	0.01	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.01
2 Central Kootenay	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
4 North Okanagan	0.05	0.05	0.05	0.05	0.05	0.05	0.04	0.04	0.05
5 South Okanagan	0.10	0.10	0.10	0.10	0.10	0.10	0.09	0.09	0.11
6 South Central	0.17	0.17	0.17	0.17	0.17	0.17	0.18	0.18	0.21
7 Upper Fraser Valley	0.13	0.13	0.12	0.13	0.12	0.12	0.14	0.14	0.16
8 Central Fraser Valley	0.09	0.09	0.07	0.08	0.07	0.08	0.08	0.08	0.09
9 Boundary	0.10	0.10	0.09	0.10	0.09	0.10	0.10	0.10	0.11
10 Simon Fraser	0.17	0.17	0.15	0.16	0.15	0.16	0.19	0.19	0.21
11 Coast Garibaldi	0.06	0.06	0.05	0.05	0.05	0.05	0.05	0.05	0.06
13 Central Vancouver Island	0.12	0.12	0.12	0.12	0.12	0.12	0.13	0.13	0.15
14 Upper Vancouver Island	0.05	0.05	0.04	0.04	0.04	0.04	0.04	0.04	0.05
15 Cariboo	0.06	0.06	0.05	0.06	0.05	0.06	0.06	0.06	0.07
16 Skeena	0.06	0.06	0.05	0.06	0.05	0.06	0.05	0.05	0.06
17 Peace River	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
18 Northern Interior	0.17	0.17	0.16	0.16	0.16	0.16	0.18	0.18	0.20
20 Vancouver	0.28	0.28	0.26	0.27	0.26	0.27	0.21	0.21	0.25
30 Burnaby	0.14	0.15	0.13	0.14	0.13	0.14	0.14	0.14	0.16
40 North Shore	0.18	0.19	0.18	0.18	0.18	0.18	0.19	0.19	0.22
50 Richmond	0.13	0.13	0.12	0.13	0.12	0.13	0.12	0.12	0.13
60 Victoria	0.19	0.19	0.19	0.19	0.19	0.19	0.18	0.18	0.21
TOTAL	0.14	0.14	0.13	0.14	0.13	0.14	0.13	0.13	0.15

¹ The health region is that of the referring physician or, if no referral, of the attending physician.

See Figure 1 and Section II B.

² See text for explanation of classification of each physician's type of practice.

Prepared by:

Centre for Health Services and Policy Research
The University of British Columbia

Table 34(b) Estimated number of 'Effective' FTE Fee for Service Physicians per 10,000 Population in British Columbia
by Health Region¹ by FTE Definition
for Type of Practice² PSYCHIATRY

Fiscal 1991-1992

Health Region	Full-Time Equivalent Method								
	FTE 1	FTE 2	FTE 3	FTE 4	FTE 5	FTE 6	FTE 7	FTE 8	FTE 9
1 East Kootenay	0.05	0.09	0.05	0.10	0.06	0.11	0.06	0.06	0.08
2 Central Kootenay	0.23	0.23	0.23	0.23	0.23	0.23	0.36	0.37	0.46
4 North Okanagan	0.37	0.38	0.38	0.38	0.38	0.38	0.30	0.31	0.39
5 South Okanagan	0.59	0.59	0.59	0.59	0.59	0.59	0.82	0.83	1.05
6 South Central	0.24	0.24	0.24	0.24	0.24	0.24	0.34	0.34	0.43
7 Upper Fraser Valley	0.36	0.39	0.38	0.40	0.38	0.40	0.42	0.43	0.54
8 Central Fraser Valley	0.50	0.54	0.52	0.56	0.52	0.57	0.51	0.52	0.65
9 Boundary	0.63	0.68	0.65	0.70	0.66	0.70	0.70	0.71	0.90
10 Simon Fraser	0.78	0.85	0.82	0.87	0.82	0.88	0.74	0.76	0.95
11 Coast Garibaldi	0.38	0.42	0.38	0.44	0.40	0.44	0.35	0.36	0.45
13 Central Vancouver Island	0.38	0.40	0.39	0.41	0.39	0.41	0.42	0.43	0.54
14 Upper Vancouver Island	0.27	0.30	0.27	0.31	0.27	0.31	0.21	0.21	0.27
15 Cariboo	0.28	0.35	0.32	0.37	0.35	0.38	0.24	0.24	0.31
16 Skeena	0.09	0.12	0.10	0.14	0.11	0.14	0.09	0.10	0.12
17 Peace River	0.16	0.21	0.16	0.23	0.18	0.23	0.14	0.14	0.17
18 Northern Interior	0.35	0.35	0.35	0.36	0.35	0.36	0.29	0.29	0.37
20 Vancouver	2.23	2.54	2.34	2.64	2.41	2.67	2.22	2.26	2.86
30 Burnaby	0.64	0.72	0.67	0.74	0.68	0.75	0.62	0.63	0.79
40 North Shore	1.04	1.11	1.08	1.14	1.09	1.14	1.23	1.25	1.58
50 Richmond	0.79	0.90	0.81	0.93	0.86	0.94	0.80	0.82	1.03
60 Victoria	0.94	0.99	0.96	1.01	0.96	1.01	0.94	0.96	1.22
TOTAL	0.80	0.88	0.83	0.91	0.85	0.92	0.83	0.85	1.07

¹ The health region is that of the referring physician or, if no referral, of the attending physician.

See Figure 1 and Section II B.

² See text for explanation of classification of each physician's type of practice.

Prepared by:

Centre for Health Services and Policy Research

The University of British Columbia

Table 35(b) Estimated number of 'Effective' FTE Fee for Service Physicians per 10,000 Population in British Columbia
by Health Region¹ by FTE Definition
for Type of Practice² THORACIC SURGERY

Fiscal 1991-1992

<u>Health Region</u>	<u>Full-Time Equivalent Method</u>								
	<u>FTE 1</u>	<u>FTE 2</u>	<u>FTE 3</u>	<u>FTE 4</u>	<u>FTE 5</u>	<u>FTE 6</u>	<u>FTE 7</u>	<u>FTE 8</u>	<u>FTE 9</u>
1 East Kootenay	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2 Central Kootenay	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
4 North Okanagan	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.03
5 South Okanagan	0.11	0.11	0.11	0.11	0.11	0.11	0.14	0.14	0.19
6 South Central	0.01	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.01
7 Upper Fraser Valley	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
8 Central Fraser Valley	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.04
9 Boundary	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.04
10 Simon Fraser	0.21	0.21	0.20	0.20	0.20	0.20	0.20	0.20	0.27
11 Coast Garibaldi	0.02	0.02	0.01	0.02	0.01	0.02	0.01	0.01	0.01
13 Central Vancouver Island	0.03	0.03	0.02	0.03	0.02	0.03	0.02	0.02	0.03
14 Upper Vancouver Island	0.11	0.11	0.04	0.09	0.04	0.09	0.04	0.04	0.06
15 Cariboo	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
16 Skeena	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
17 Peace River	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
18 Northern Interior	0.02	0.02	0.02	0.02	0.02	0.02	0.01	0.01	0.02
20 Vancouver	0.37	0.39	0.31	0.36	0.29	0.36	0.29	0.28	0.38
30 Burnaby	0.05	0.05	0.05	0.05	0.05	0.05	0.04	0.04	0.06
40 North Shore	0.08	0.08	0.04	0.06	0.04	0.06	0.04	0.04	0.06
50 Richmond	0.12	0.12	0.04	0.08	0.04	0.08	0.04	0.04	0.05
60 Victoria	0.19	0.20	0.13	0.17	0.13	0.16	0.14	0.14	0.19
TOTAL	0.12	0.12	0.09	0.11	0.09	0.11	0.09	0.09	0.12

¹ The health region is that of the referring physician or, if no referral, of the attending physician.
See Figure 1 and Section II B.

² See text for explanation of classification of each physician's type of practice.

Prepared by:
Centre for Health Services and Policy Research
The University of British Columbia

Table 38(b) Estimated number of 'Effective' FTE Fee for Service Physicians per 10,000 Population in British Columbia
by Health Region¹ by FTE Definition
for Type of Practice² UROLOGY
Fiscal 1991-1992

<u>Health Region</u>	<u>Full-Time Equivalent Method</u>								
	<u>FTE 1</u>	<u>FTE 2</u>	<u>FTE 3</u>	<u>FTE 4</u>	<u>FTE 5</u>	<u>FTE 6</u>	<u>FTE 7</u>	<u>FTE 8</u>	<u>FTE 9</u>
1 East Kootenay	0.05	0.14	0.05	0.07	0.05	0.07	0.05	0.05	0.05
2 Central Kootenay	0.15	0.15	0.15	0.15	0.15	0.15	0.17	0.17	0.19
4 North Okanagan	0.16	0.20	0.16	0.17	0.16	0.17	0.13	0.13	0.14
5 South Okanagan	0.23	0.25	0.20	0.23	0.20	0.23	0.19	0.19	0.21
6 South Central	0.17	0.17	0.17	0.17	0.17	0.17	0.18	0.18	0.20
7 Upper Fraser Valley	0.18	0.18	0.18	0.18	0.18	0.18	0.19	0.19	0.21
8 Central Fraser Valley	0.14	0.14	0.14	0.14	0.14	0.14	0.13	0.13	0.14
9 Boundary	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.13
10 Simon Fraser	0.17	0.18	0.17	0.17	0.17	0.17	0.14	0.14	0.16
11 Coast Garibaldi	0.12	0.12	0.12	0.12	0.12	0.12	0.13	0.13	0.14
13 Central Vancouver Island	0.13	0.13	0.13	0.13	0.13	0.13	0.16	0.16	0.18
14 Upper Vancouver Island	0.13	0.13	0.13	0.13	0.13	0.13	0.11	0.11	0.12
15 Cariboo	0.19	0.19	0.19	0.19	0.19	0.19	0.15	0.15	0.17
16 Skeena	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.17
17 Peace River	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.06
18 Northern Interior	0.17	0.17	0.17	0.17	0.17	0.17	0.16	0.16	0.18
20 Vancouver	0.25	0.26	0.25	0.25	0.25	0.25	0.26	0.26	0.29
30 Burnaby	0.19	0.19	0.19	0.19	0.19	0.19	0.17	0.17	0.19
40 North Shore	0.20	0.20	0.20	0.20	0.20	0.20	0.17	0.17	0.19
50 Richmond	0.12	0.13	0.12	0.12	0.12	0.12	0.12	0.12	0.14
60 Victoria	0.20	0.21	0.20	0.20	0.20	0.20	0.22	0.22	0.24
TOTAL	0.17	0.18	0.17	0.17	0.17	0.17	0.17	0.17	0.19

¹ The health region is that of the referring physician or, if no referral, of the attending physician.
See Figure 1 and Section II B.

² See text for explanation of classification of each physician's type of practice.

Prepared by:
Centre for Health Services and Policy Research
The University of British Columbia