

Table 1. Maternal and pregnancy characteristics of cohort of pregnant women with SLE

Maternal and pregnancy characteristics	
Age at delivery, mean (s.d.), years	31.6 (5.1)
SLE duration, median (IQR), years	3.7 (1.8, 6.6)
SLE nephritis, n (%)	42 (11.2%)
BMI, mean (s.d.), kg/m ²	24.8 (5.0)
Neighbourhood income quintile	
20 th percentile	89 (23.7%)
40 th percentile	74 (19.7%)
60 th percentile	82 (21.8%)
80 th percentile	80 (21.3%)
80-100 th percentile	49 (13.0%)
Gestational weeks at delivery, mean (s.d.)	37.5 (2.6)
Number of antenatal visits, mean (s.d.)	8.9 (4.6)
Caesarean section delivery	142 (37.8%)
Parity	
Nulliparous	143 (38.0%)
Multiparous	233 (62.0%)
Obstetric history	
Prior premature birth	44 (11.7%)
Prior spontaneous abortion	118 (31.4%)
Prior congenital anomalies	7 (1.9%)
Prior stillbirth	14 (3.7%)
Prior low birthweight	25 (6.7%)
Depression	21 (5.6%)
Anxiety	47 (12.5%)

*Abbreviations: s.d. – standard deviation

