

## 12 APPENDIX i BIBLIOGRAPHY

### SALIENT BIBLIOGRAPHY ALPHABETICALLY BY SUBJECT

#### **Comparative Anatomy of Branches, Roots and Wood of Some North American Dicotyledonous and Coniferous Trees and Woody Shrubs Used in Ethnographic Artifacts: Identification and Conservation Concerns**

#### **ARCHAEOLOGICAL WOOD**

- Barbour, R.J. and L.Leney.1981, Shrinkage and Collapse in Waterlogged Archaeological Wood. *In proceedings of the Icom Waterlogged Wood Group Conference. Editors, D.W.Grattan, C.J. McCawley. Ottawa :The International Council of Museums Committee for Conservation, Waterlogged Working Group. pp85-98*
- Blanchette,R.A. 2000. A review of microbial deterioration found in archaeological wood from different environments. *International Biodeterioration & Biodegradation* 46:189-204.
- Capretti, C., N. Macchioni and B. Pizzo.2008.Characterization of waterlogged archaeological wood: the three roman ships found in Naples (Italy). *Archaeometry* 50(5):855-876.
- Coles, John; Coles, Bryony. 1986. Sweet Track to Glastonbury: the Somerset Levels in prehistory. *London: Thames and Hudson. ISBN 0-500-39022-3.*
- Čufar1,K., J. Gričar, M. Zupančič, G. Koch, U.Schmitt. 2008. Anatomy, cell wall structure and topochemistry of waterlogged archaeological wood aged 5,200 and 4,500 years. *IAWA Journal* 29 (1):55-68.
- Florian, M.-L. E.1977.Waterlogged Artifacts: The Nature of the Materials. *CCI Journal*, 2: 11-16
- Florian, M-L. E. 1981. Analyses of different states of deterioration of terrestrial waterlogged wood: Conservation implication of the analyses. In *ICOM Committee for Conservation 6th Triennial Meeting: Ottawa, 21-25 September 198: Preprints*, Vol.2, 81/7/9-1 to 81/7/9-19. Paris: International Council of Museums.
- Florian, M.-L. E. 1987. Deterioration of Organic Materials Other Than Wood. In *Conservation of Marine Archaeological Objects*. Edited by Colin Pearson pp: 22-54. Butterworth.
- Florian, M-L. 1990. Scope and History of Archaeological Wood. *In Archaeological Wood. Properties, Chemistry, and Preservation*. Eds. R.M.Rowell and R.J. Barbour. *Advances in Chemistry Series* 225: 3-32.
- Florian, M.-L. E., C.E. Seccombe-Hett and J.C. McCawley.1978. The Physical, Chemical and Morphological Condition of Marine Archaeological Wood Should Dictate the Conservation Process. *Proceedings of the 1st Southern Hemisphere Conference on Maritime Archaeology*. Oceans Society of Australia. pp128-144.

- Hedges, J.I, G.L Cowie, J.R,Ertel,R.J.Barbous, and P.G.Hathcher. 1985, degradation of carbohydrates and lignins in buried wood. *Geochim Cosmchim Acta*, 49:701-711.
- Sandak.A., J. Sandak, M.Zborowska,, W. Pradzynski .2010.Near infrared spectroscopy as a tool for archaeological wood characterization. *Journal of Archaeological Science* 37:2093-2101.

### **BACTERIAL DAMAGE**

- Anderson, G. L., P. J. Ellis, P. Kuhn, and R. Hille. 2002. Oxidation of arsenite by *Alcaligenes faecalis*. In *Environmental Chemistry of Arsenic*, pp.343-62.ed. W. T. Frankenberger,. New York: Marcel Dekker.
- Barbour and Roger M. Rowell (editors),.Advances in Chemistry Series 225, American Chemical Society. Washington, DC.Chen R.,and K.A. Jakes 2001. Cellulolytic biodegradation of cotton fibers from a Deep-ocean environment. *JAIC*, 40(2):1- 13.
- Björkdal, C. G., T. Nilsson, and G. Daniel . 1999. Microbial decay of waterlogged archaeological wood found in Sweden: Applicable to archaeology and conservation. *International Biodeterioration and Biodegradation* 43(1-2):63-73.
- Blanchette, R. A. 1998. A guide to wood deterioration caused by microorganisms and insects. pp 55-68. In *Structural Conservation of Panel Paintings*. Edited by K. Dardes and A. Rothe. J. Paul Getty Museum Publications, Los Angeles This entire book is now on line. Reprint -see page 55 - 67 of this pdf.
- Blanchette, R. A. 2000. A review of microbial deterioration found in archaeological wood from different environments. *International Biodeterioration and Biodegradation*. 46:189-204.
- Blanchette, R. A. 2010. Microbial degradation of wood from Aquatic and Terrestrial Environments. pp 179-218. In *Cultural Heritage Microbiology: Fundamental Studies in Conservation Science*. Edited by R. Mitchell and C. J. McNamara. American Society of Microbiology Press.
- Blanchette, R. A., T Nilsson, G. Daniel,and A.Abad. 1990. Biological Degradation of Wood. In *Archaeological Wood: Properties, Chemistry, and Preservation* pp. 141–174, R. James Clausen, C.A. 1996. Bacterial associated with decaying wood: A review. *International Biodeterioration Biodegradation Journal*, 37:101-107.
- Florian, M.-L. E. 1977. "Waterlogged Artifacts: The Nature of the Materials". *CCI Journal*, 2: 11-16.
- Florian, M-L. E. 1981. Analyses of different states of deterioration of terrestrial waterlogged wood: Conservation implication of the analyses. In *ICOM Committee for Conservation 6th Triennial Meeting: Ottawa, 21-25 September 198: Preprints*, Vol. 2, 81/7/9-1 to 81/7/9-19. Paris: International Council of Museums.
- Florian, M.-L. E., C.E. Seccombe-Hett and J.C. McCawley.1978. The Physical, Chemical and Morphological Condition of Marine Archaeological Wood Should Dictate the

- Conservation Process. *Proceedings of the 1st Southern Hemisphere Conference on Maritime Archaeology. Oceans Society of Australia.* 128-144.
- Gelbrich, J., C. Mai, and H. Militz. 2008. Chemical changes in wood degraded by bacteria. *International Biodeterioration and Biodegradation* 61(1): 24-32.
- Jurgens, J.A., R. A. Blanchette and D. N. Carlson. 2003. Evaluating the Wooden Remnants of the Tektas Burnu Shipwreck. In: Koestler, R.J., Koestler, V.R., Charola, A.E., and Nieto-Fernandez, F.E., (Eds.), *Art, Biology, and Conservation: Biodeterioration of Works of Art*. The Metropolitan Museum of Art, New York, 390-409.
- Koestler, R.J., V.H Koestler., A.E.Charola and F.E.Nieto-Fernandez, (eds.). 2003. *In Art, Biology and Conservation :Biodeterioration of Works of Art.* . pp.390-407. *The Metropolitan Museum of Art, New York.*
- Landy, E. T., J. I. Mitchell, S. Hotchkiss, and R. A. Eaton. 2008. Bacterial diversity associated with archaeological waterlogged wood: Ribosomal RNA clone libraries and denaturing gradient gel electrophoresis (DGGE). *International Biodeterioration and Biodegradation* 61(1): 106-16.
- Schwarz, W. H. 2001. The cellulosome and cellulose degradation by anaerobic bacteria. *Applied Microbiology and Biotechnology* 56(5-6): 634-49.

### **BARK(TRUE BARK)**

- Baht,K.M. 1982. Anatomy , basic density, and shrinkage of Birch Bark. *IAWA Bulletin* 3:207-213.
- Bakuzis,E.1965. Balsam Fir:A Monographic Review. Univ. of Minnesota Press. An EBook.
- Chang,Y. 1954. *Anatomy of Common North American Pulpwood Barks*. Technical Association of the Pulp and Paper Industry.
- Chang,Y. 1954. *Bark Structure of North American Conifers*.Tech.Bull.1095.US Dept.of Agriculture, Wash. DC.
- Crivellaro,A.,F.H.Schweingruber, C.S.Christodoulou, T.Papachristophorou, and T.Tsintides. 2013. *Atlas of wood, bark and pith anatomy of eastern Mediterranean trees and shrubs*. Springer.
- Jensen, W.1949 The connection between the anatomical structure and chemical composition and the properties of outer bark of white birch. *The Finish Paper and Timber Journal* 31(7):113-1 16.
- Martin,R.E., and J.B.Christ.1970.Elements of bark structure and terminology. *Wood and Fiber* 2(3):269-279.
- Middleton D.J. 1993. A systematic survey of leaf and anatomical characters in the genus *Gaultheria* and related genera (Ericaceae), *Bot. J. Linn. Soc.* 113:199–215
- Srivastava, L.M.1964. Anatomy, chemistry, and physiology of bark. *International Review of Forestry Research* 1:203-77.

### **CALCIUM OXALATE CRYSTALS**

Hudgins, J.W., T.Krekling, and V.R. Franceschi. 2003. Distribution of calcium oxalate crystals in secondary phloem of conifers: a constitutive defense mechanism? *New Phytologist*, 159(3):677-690.

### **CELL WALL**

Čufar<sup>1</sup>,K., J. Gričar<sup>1</sup>, M.Zupančič<sup>1</sup>, G. Koch, U. Schmitt<sup>3</sup>. 2008. Anatomy, cell wall structure and topochemistry of waterlogged archaeological wood aged 5,200 and 4,500 years. *IAWA Journal* 29(1):55-68.

Shmulsky ,R., and PD Jones. 2011. Composition and Structure of Wood Cells. *Chapt 3 In Forest Products and Wood Science, An introduction , Sixth Edition*. Wiley-Blackwell, Ames, Iowa.

### **COLLENCHYMA**

Leroux,O. 2012. Collenchyma:a versatile mechanical tissue with dynamic cell walls. *Ann, Bot.*110(6): 1083-1098.

### **COMPRESSION WOOD.**

Jin-xing, L., and L.Zheng-li.1993. Comparative anatomy of normal wood and compression wood of Masson pine (*Pinus massoniana*). *Acta Botanica Sinica* 35(3):201-205.

Patel,R.N. 1965. Special thickenings in normal and compression wood. *Nature* 198:1225-126.

Westen, A.H. 1965. Formation of compression wood in gymnosperms. *Bot. Rev.* 31: 381-480.

Westen, A.H. 1968. Formation of compression wood in gymnosperms, II. *Bot. Rev.* 34: 51-78.

### **CONIFERS /GYMNOSPERMS-GENERAL**

Bakuzis,E.1965. Balsam Fir:A Monographic Review. Univ. of Minnesota Press. An EBook.

Bannan, M.W. 1941. Wood structure of *Thuja occidentalis*. *Bot. Gaz.* 103:295-309.

Bannan, M.W.1942. Wood structure of the native Ontario species of *Juniperus*. *Amer. Jour. Bot.* 29:245-252.

Penhallow, D.P. 1896. Taxaceae and coniferae. *Trans. Roy. Soc. Canada*, 2: 33-56.

Penhallow, D.P. 1907. *North American Gymnosperms*. Ginn and Co. Boston pp 253-265.

### **DETERIORATION**

Blanchette, R.A. 2000. A review of microbial deterioration found in archaeological wood from different environments. *International Biodeterioration & Biodegradation* 46:189-204.

Blanchette,R.A. and B.W. Held.2002. Defibrillation of wood in expedition huts of Antarctica:an unusual deterioration process occurring in the polar environment. *Polar Record* 38(207):313-322.

- Florian, M.-L.E. 1987. Deterioration of Organic Materials Other Than Wood. In *Conservation of Marine Archaeological Objects*. Editor Colin Pearson - Butterworth, pp: 22-54.
- Sakagami, H., J. Matsumura and O.Kkazuyuki. 2007. Shrinkage of tracheid cells with desorption visualized by confocal laser scanning microscopy. *IAWA Journal*, 28(1):29–37.
- Schmidt, O., and W.Liese. 1994. Occurrence and significance of bacteria in wood. *Holzforschung* 48:271–277.
- Schmidt, O., W. Liese and U.Moreth-Kebernik. 1996. Decay of timber in a water cooling tower by the basidiomycete *Physisporinus vitreus*. *Mater. Organismen* 30:161–177.
- Schmidt, O., Schmitt, U. Moreth, and T.Potsch. 1997. Wood decay by the white-rotting basidiomycete *Physisporinus vitreus*. *Holzforschung* 51:193–200.
- Schwarze, F.W.M.R. and H.Landmesser, H. 2000. Preferential degradation of pit membranes within tracheids by the basidiomycete *Physisporinus vitreus*. *Holzforschung* 54:461–462.
- Wengert, E.M., and D. Meyer. 1993. *Causes and Cures for Warp in Drying*. University of Wisconsin School of Natural Resources, Department of Forestry, No. 68.
- Wilson, K., and D.J.B. White. 1986. *The Anatomy of Wood; Its Diversity and Variability*. Stobart & Son Ltd London.
- Zimmermann, M.H. ed 1964. *The Formation of Wood in Forest Trees*. New York and London, Academic Press.
- Zimmermann, M.H. and Brown C.L. 1971. *Trees. Structure and Function*. New York, Springer Verlag.

### DICOTYLEDONOUS TREES

- Baas, P. 1976. Some Functional and Adaptive Aspects of Vessel Member Morphology, in P.Baas, A.J. Bolton, and D.M. Catling (eds). *Wood structure in Biological and Technological Research. Leiden Bot. Series No. 3*. pp157-181. The Hague, Leiden Press.
- Crivellaro, A, F.H.Schweingruber, C.S.Christodoulou, T.Papachristophorou, and T.Tsintides. 2013. *Atlas of Wood, Bark and Pith Anatomy of Eastern Mediterranean Trees and Shrubs*. Springer.
- Carlquist, S.J. 2001. *Comparative Wood Anatomy, Systematic, Ecological, and Evolutionary Aspects of Dicotyledon Wood*. 2<sup>nd</sup> ed. revised. Springer series in Wood Science. Springer-Verlag. Berlin Heidelberg New York.

### ETHNOBOTANY

- Glees, M. and S. Springer. 2008. Collaborative work towards the preservation of spruce root basketry as a living tradition. *Objects Specialty Group Postprints*, 15: 127-145.
- Senge, D.K., and E. Carlee. 2010. Examining past treatments of cedar and spruce waterlogged basketry from the Northwest. *Objects Specialty Group Postprints*, 17: 147-166.

Turner, N. J. 2014. Ancient Pathways, Ancestral Knowledge: Ethnobotany and Ecological Wisdom of Indigenous Peoples of Northwestern North America. *McGill- Queen's University Press*.

Whiting , F. 2002. What a Basket Holds. [http://www.tol.ca/ptals/6/baskets/pdfs/what a basket holds](http://www.tol.ca/ptals/6/baskets/pdfs/what%20a%20basket%20holds). Univ. of Michigan Database of foods, dyes, fibers, Native American people, derived from plants. <http://www.herb.umd.umich.edu/herb/search.pl>.

## **GENERAL**

Florian, M-L. 1990. Plant Anatomy; an Illustrated Aid to Identification pp1-28; Identification of Plant and Animal Materials in Artifacts, pp29-82. *In The Conservation of Artifacts Made From Plant materials*. Mary-Lou Florian, Dale P. Kronkright and R.E.Norton. GettyConservation Institute.

Zimmermann, M.H. ed 1964. *The Formation of Wood in Forest Trees*. New York and London, Academic Press.

Zimmermann, M.H. and Brown C.L. 1971. *Trees. Structure and Function*. New York, Springer Verlag.

## **HEARTWOOD FORMATION**

Stewart. c.m. 1966. Excretion and heartwood formation in living trees. *Science* 153(3740):1068-1074.

## **HEMICELLULOSE**

Zhang, S-Y, C-G.Wang, B-H.Fei, Y.Yu, H-T. Cheng, G-L.Tian. 2013. Mechanical function of lignin and hemicelluloses in wood cell wall revealed with microtension of single wood fiber. *BioResources*, 8(2):2376.

## **IDENTIFICATION : WOOD ANATOMY GENERAL**

Baas, P., A.J. Bolton, and D.M. Catling (eds). 1976. *Wood Structure. In Biological and Technological Research*. Leiden Bot. Series No. 3. The Hague, Leiden Press.

Cote, W.A. 1965. *Cellular Ultrastructure of Woody Plants*. Syracuse N.Y. Syracuse Univ. Press.

Greguss , P. 1955. *Identification of living Gymnosperms on the Basis of Xylotomy*. Budapest, Akademiai Kiado.

Jeffrey, E.C. 1904. The comparative anatomy of Coniferales. II The Abietineae. Mem. *Boston Soc. Nat. Hist.* 6:1-37.

Kukachka. B.A. 1960. Identification of coniferous woods. *Tappi* 43: 887-896.

Panshin, A.J. and C.de Zeeuw. 1970. *Text Book of Wood technology Vol 1 Structure, Identification, Uses and Properties of Commercial Woods of United States and Canada*. McGraw-Hill Book Company.

- Phillips E.W.J. 1941. The identification of coniferous woods by their microscopic structure. *Jour. Linn Soc. London* 52: 259-320.
- Record, S.J. 1919. *Identification of the Economic Woods of the United States*. New York, John Wiley and Co.
- Stern, W.L. 1978. A retrospective view of comparative anatomy, phylogeny and plant axonomy. *IAWA Bull.* 2-3:33-39.
- Wiesehuegel, E.G. 1932. Diagnostic characteristics of the xylem of the North American Abies. *Botanical Gazette*, 93: 55-70.

### **PHLOEM** (Primary , Secondary Phloem, Inner Bark)

- Abbe, L.B. and A.S. Crafts. 1934. Phloem of white pine and other coniferous species. *Botanical Gazette* 100 :695-722.
- Chang, Y.P. 1954a,1954b. Anatomy of Common North American Pulpwood Barks. *Technical Assn. of the Pulp and Paper Industry Monograph Series (14)*. New York, NY. Bark structure of North American conifers. Technical Bulletin No.1095. Washington, DC: U.S. Department of Agriculture.
- Den Outer, R. W.1967. *Histological investigation of secondary phloem of Gymnosperms*. Mededelingen Landbouwhogeschool Wageningen. Wageningen, Netherlands: H. Veenman & Zonen NV.
- Diettert, R.A.1938. The Morphology of *Artemisia tridentata* Nutt. *Lloydia* 1(1-4):4-74.
- Esau, K.1969. The Phloem. In *Encyclopedia of Plant Anatomy*, Vol.V. Berlin: Gebruder Borntraeger.
- Isenberg, I.H.1943. The Anatomy of Redwood Bark. *Madrona* 7(3):85-90.
- MacDaniels, L.H.1918. The histology of the phloem in certain woody Angiosperms. *Journal of Botany* 5:347-378.
- Zahur, M.S, 1959. Comparative Study of Secondary Phloem of 423 Species of Woody Dicotyledons Belonging to 85 Families. *Memoir 358, Agricultural Experimental Station, New York State College of Agriculture, Ithaca, New York*.

### **PITH**

- Crivellaro, A, F.H.Schweingruber, C.S.Christodoulou, T.Papachristophorou, T.Tsintides. 2013. *Atlas of Wood, Bark and Pith Anatomy of Eastern Mediterranean Trees and Shrubs*. Springer.
- Duncker P., and H. Spiecker. 2005. Compression Wood Formation and Pith Eccentricity in *Picea abies* L. Depending on Selected Site-related Factors: Detection of Compression Wood by its Spectral Properties in Reflected Light. In: *Gärtner H., Esper J., Schleser G. (eds): TRACE – Tree Rings in Archaeology, Climatology and Ecology. Proceedings of the Dendrosymposium 2004. Volume 3. Birmensdorf, 22.–24. April 2004. Jülich, Forschungszentrum Jülich: 150–158*.
- Longuetaud, F. and Y. Caraglio. 2009. Pith: a marker of primary growth in *Picea abies* (L.) Karst. *Trees – Structure and Function*, 23: 325-334.

Nakaba, S., Y. Yamagishi, Y. Sano, R. Funada. 2011. Temporally and spatially controlled death of parenchyma cells is involved in heartwood formation in pith regions of branches of *Robinia pseudoacacia* var. *Inermis*. *Journal of Wood Science* 58(1): 69-76.

### PRIMARY TISSUE

Larson, P.R. 1976. Procambium vs cambium and protoxylem vs metaxylem in *Populus deltoides* seedlings. *Amer.J. Biol.* 63(10): 1312- 1348.

Islam, M.A., S. Begum, S. Nakaba, and R. Funada. 2012. Distribution and patterns of available storage starch and cell death of ray parenchyma cells of a conifer tree (*Larix kaempferi*). *Research Journal of Recent Sciences* 1(5):28-37.

### RAMETS/CLONES

Czkiewicz, A.B., and W. Prus-głowacki. 2005. Morphological and anatomical variability of isozymatically identified clones of *Pinus Mugo Turra*. *Acta Biologica Cracoviensia series, Botanica* 47(2):33-40.

Klinka, K. and D. Brisco. 2009. Silvics and Silviculture of Coastal Western Red Cedar Literature Review. *B.C. Min.For. Range, For. ci. Prog., Victoria, B.C. Spec. Rep. Ser.* 11.

Lamhamedi, M.S., H. Chamberland, P.Y. Bernier, and F.M. Tremblay. 2000. Clonal variation in morphology, growth, physiology, anatomy and ultrastructure of container-grown white spruce somatic plants. *Tree Physiology* 20: 869-880.

de Witte, L.C., and J. Stöcklin. 2010. Longevity of clonal plants: why it matters and how to measure it. *Ann. Bot.* 106(6):859-870.

### RAY TRACHEIDS

Holden, R. 1913. Ray tracheids in the Coniferales. *Bot. Gazette*, 55(1):56-65.

Thompson, W.P. 1910. Origin of ray tracheids in Coniferae. *Bot. Gaz.* 50:101-116.

Thompson, W.P. 1912. Ray tracheids in *Abies*. *Bot Gaz.* 53:331-338.

### ROOTS NORMAL and ADVENTITIOUS

Abarca D, D?az-Sala C: **Adventitious root formation in conifers**. In *Adventitious Root Formation of Forest Trees and Horticultural Plants - from Genes to Applications*. Edited by Niemi K, Scagel C. India: Research Signpost Publishers; 2009:227-257.

Bernabei, M., and J. Bontadi. 2011. Distinguishing root- and stem-wood of *Picea abies*. *IAWA Journal*, 32 (3): 375-382.

Bogar GD, Smith FH. 1965. Anatomy of seedling roots of *Pseudotsuga menziesii*. *Am. J. Bot.* 52: 720-729

Cutler, D.F. 1976. Variation in root wood anatomy. *Leiden Botanical Series*, No.3 pp 143-156.

Denne, P. and P. Gasson. 2008. Ray structure in root- and stem-wood of *Larix decidua*: implications for root identification and function. *IAWA Journal*, 29(1): 17-23.



- Denne, P. and S. Turner, 2009. Ray structure differences between rootwood and stemwood in a range of softwood species. *IAWA Journal* , 30 (1): 71-80.
- Fegel, A.C.1941. Comparative anatomy and varying physical properties of trunk, branch and root wood in certain northeastern trees. *N.Y. State Coll Forestry, Techn. Bull.* 55:1-20.
- Gerrath J. M., L. Covington, J. Doubt, D.Larson .2002. Occurrence of phi thickenings is correlated with gymnosperm systematics. *Canadian Journal of Botany*, 80(8): 852-860.
- Glees, M.and S. Springer.2008. Collaborative work towards the preservation of spruce root basketry as a living tradition. *Objects Specialty Group Postprints*,15:127-145.
- Krasowski, M.J., and J.N. Owens. 2000. Tracheids in white spruce seedlings long lateral roots in response to nitrogen availability. in Stokes, A. 2000. *The Supporting Roots of Trees and Woody Plants: Form, Function, and Physiology*. Kluwer Academic Press Dordrecht/Boston/London pp 357-370.
- Lovell,P.H., and J.White. 1986. Anatomical changes during adventitious root formation. *In New Root Formation in Plants and Cuttings*. Development in Plant and Soil Sciences, 20:111-140.
- Patel, R.N. 1965. A comparison of the anatomy of the secondary xylem in roots and stems. *Holzforchung* 19: 72-79.
- Peterson, C.A., D.E. Enstone and J H.Taylor. 2000. Pine root structure and its potential significance for root function , in Stokes, A. ed. *The Supporting Roots of Trees and Woody Plants: Form, Function and Physiology*. Kluwer Academic Press Doordrecht/Boston/London. pp347- 355.
- Rundrettg , M.B., R.urasea, and B.Endrick. 1990. Comparative anatomy of roots and mycorrhizae of common Ontario trees. *Canadian Journal of Botany* 68(3): 551-578.
- Satoo, S. 1956: Anatomical studies on the rooting of cuttings in coniferous species. *Bull. Tokyo Univ. For., 51: 109-57.*
- Stokes, A. 2000. *The Supporting Roots of Trees and Woody Plants: Form, Function, and Physiology*. Kluwer Academic Press Dordrecht/Boston/London.
- Sutton, R.F. 1980. Root system morphogenesis. *New Zealand Journal of Forest Science* 10(1): 264-292.
- Sutton, R.F. and R.W. Tinus. 1983. *Root and Root System Terminolgy*. Forest Science Monograph 24.

### **SAPWOOD/BRANCHES.**

- Bakuzis,E.1965. Balsam Fir:A Monographic Review. Univ. of Minnesota Press. An EBook.
- Barnard ,D.M.,B. Lachenbruch, K.Mcculloh , P.Kitin, and F.C.Meinze. 2013. Do ray cells provide a pathway for radial water movement in the stems of conifer trees? *American Journal of Botany* 100(2): 222-231.
- Denne, M.P. 1979. Wood structure and production within the trunk and branches of *Pinus sitchensis* in relation to canopy formation. *Canada J. For. Res.* 9:406-427.

- Hejnowicz, A. 2007. Anatomy, Embryology, and Karyology-Bud Structure and Shoot Development. *In Biology and Ecology of Norway Spruce*. Eds. M.J.Tjoelker, A. Boratyński and W.Bugala, pp.49-70. Springer Press.
- Kyker-Snowman, T.D., B. F. Wilson. 1988. Total wood, sapwood, and heartwood in branch bases of three conifers. *Canadian J. For. Res.* 18:1332-1336.
- Schweingruber, F. H., and A. Borner. 2006. *Atlas of Woody Plant Stems: Evolution, Structure, and Environmental Modifications*. Springer –Verlag, Berlin.
- Schweingruber, F.H., A.B.Ernst-Detlef Schulze. 2011. *Atlas of Stem Anatomy in Herbs, Shrubs and Trees, Volume 1*, Springer –Verlag, Berlin.
- Tjoelker, M.G., A. Boratynski, W. Bugala, (Eds.) 1998. Biology and Ecology of Norway Spruce Series. *Forestry Sciences*, Vol. 78. Original Polish edition published by Bogucki Wydawnictwo Naukowe, Poznan, Poland. Jointly published with Bogucki Wydawnictwo Naukowe, Poznan, Poland.

## **SECONDARY XYLEM HEARTWOOD**

- Bamber, R.K. 1977. Sapwood and heartwood. *Forestry Commission of New South Wales. Technical Publication No.2.*
- Bannan, M.W. 1965. The length, tangential diameter and length ratio of coniferous tracheids. *Can. J. of Botany* 43: 967-984.
- Brown, F.B.H. 1922. The secondary xylem of Hawaiian trees. *Occas. Pap. B.P. Bishop Mus.* 7(6):217-371.
- Carlquist, S. 1975. *Ecological Strategies of Xylem Evolution*. U. of Cal. Press Berkeley/LA.
- Denne, M.P. 1973. Tracheid dimensions in relation to shoot vigor in *Picea*. *Forestry* 46:117-124.
- Dinwoodie, J.M. 1963. Variation of Tracheid Length in *Picea sitchensis* arr. *Forest Prod. Research. Spec. Rep 16*. D.S.I.R. London.
- Spurr, S.H. and M.J. Hyvarinen. 1954. Wood fiber lengths as related to position in the tree growth. *Bot. Rev.* 20:561-575. .
- Tyree, M.T. and M.H. Zimmermann. 2002. *Xylem Structure and the Ascent of Sap*. 2<sup>nd</sup> ed. Springer Series on Wood Science. Springer –Verlag Berlin Heidelberg New York.
- Wiesehuegel, E.G. 1932. Diagnostic characteristics of the xylem of the north American *Abies*. *Botanical Gazette*, 93: 55-70.

## **SPIRALS/HELICALS**

- Meylan, B.A., and B.G. Butterfield. 1978. Occurrence of helical thickenings in vessels of New Zealand Woods. *New Phytologist* 81:139-146. (hardwoods).
- Timell, T.E. 1978. Helical thickenings and helical cavities in normal and compression wood of *Taxus baccata*. *Wood Science Technol.* 12:1-15.

Yoshizawa, N. T. Itoh and K. Shimaji. 1985. Helical thickenings in normal and compression wood of soft woods. *IAWA Journal* 6(2):131-138.

### **TAPPA CLOTH**

Brown, F.B.H. 1922. The secondary xylem of Hawaiian trees. *Occas. Pap. B.P. Bishop Mus.* 7(6):217-371.

Funk, E. 1979. Anatomical Variations of Fibers in Five Genera of Hawaiian *Urticaceae* Its Significance to Ethnobotany. Master Thesis. Univ. of Hawai'i Dept. of Botany, 102pp.

Pang, B 1992. *The Identification of Plant Fibers in Hawaiian Kapa*. Master's of Science thesis In Botanical Sciences, Univ. of Hawai'i.

### **TOTEM POLES**

Florian, M.-L. E. 1980. "The Weathered Surface of Totem Poles: Pros & Cons of Surface Treatment". *Museum Round-up* Summer, 1980. No. 79, p. 14-17.

Florian, M.-L. E. and R. Hebda. 1981. "The totem poles and the vegetation at Ninstints Village, Anthony Island. *DATUM. Heritage Conservation Branch, B.C. Newsletter.* Vol. 6, No. 3, p. 10-16.

Florian, M.-L. E., R. Beauchamp and B. Kennedy. 1983. Haida Totem Pole Conservation Program Ninstints Village, Anthony Island, B.C. *ICOMOS. Wood Committee International Meeting, Ottawa, June 14-18, 1982.* p. 53-82.

### **TRANSLOCATION- WATER, NUTRIENTS, WASTE PRODUCTS**

Stewart. c.m. 1966. Excretion and heartwood formation in living trees. *Science* 153(3740):1068-1074.

### **WARPING OF WOOD**

Wengert, E. M. and D. Meyer. 1993, **Causes and Cures for Warp in Drying**  
University of Wisconsin School of Natural Resources, Department of Forestry  
No. 68 - November

### **WOOD ANATOMY RAY TRACHEIDS**

Thompson, W.P. 1910. Origin of ray tracheids in the Coniferae. *Bot Gaz.* 101-116.

Thompson, W.P. 1912. Ray tracheids in *Abies*. *Bot Gaz.* 53:331-338.

Holden, R. 1914. Ray tracheids in Coniferales. *Bot. Gazette*, 55:56-65.

### **WOOD ANATOMY SPECIFIC SPECIES**

Bannan, M.W. 1941. Wood structure of *Thuja occidentalis*. *Bot. Gaz.* 103:295-309.

Bannan, M.W. 1942. Wood structure of the native Ontario species of *Juniperus*. *Amer. Jour. Bot.* 29:245-252.

- Jeffrey, E.C. 1903. The comparative anatomy of Coniferales. I. The genus Sequoia. *Mem. Boston Soc. Nat. Hist.* 5:441-439.
- Jeffrey, E.C. 1904. The comparative anatomy of Coniferales. II. The Abietineae. *Mem. Boston Soc. Nat. Hist.* 6:1-37.
- Minore, D. 1983. *Western Redcedar-a literature review*. US Dept. of Agriculture. Forest Service . General Technical Report. PNW-150 Feb.
- Penhallow, D.P. 1904. The anatomy of North American Coniferales. *Amer. Nat.* 38:243-273.

### **WOOD VARIABILITY**

- Bruyne, A.S. de. 1952. Wood structure and age. *Proc. Koninkl, Nederl. Akad. Wet. Amsterdam, Series C*, 55:282-286.
- Burley J. 1982. Genetic Variation in Wood Properties, in P. Baas(ed) *New Perspectives in Wood Anatomy*, pp151-170. Martinus Nijhoff Publishers. The Hague.
- Carlquist, S. 1975. *Ecological Strategies of Xylem Evolution*. U. of Cal. Press Berkeley/LA.
- Carlquist, S. 1980. Further concepts in ecological wood anatomy with comments on recent work. *Aliso* 9(4):499-553.
- Dadswell, H.E., J.M. Fielding, J.W.P. Nicholls and A.G. Brown. 1961. Tree to tree variation and gross heredability of wood characteristics of *Pinus radiata*. *Tappi*, 44:174-179.
- Denne, M.P. 1973. Tracheid dimensions in relation to shoot vigor in Picae. *Forestry* 46:117-124.
- Elliot G.K. 1970. *Wood Density in Conifers*. Technical Communications. Imperial Forestry Bureau Tech Commun Commonwealth.No.8.
- Graaff, N.A. van der, and P. Baas. 1974. Wood anatomical variation in relation to latitude and altitude. *Blumea* 22:101-121.
- Novruzova, A.F. 1963. Spiral grain in trees. a review. *For. Prod J.* 13: 266-275.
- Wilson, K. and D.J.B. White. 1986. *The Anatomy of Wood; its Diversity and Variability*. Stobart & Son Ltd London.
- Zobel, B., R. Stonecypher, C. Browne and R.C. Kellison. 1968. Inheritance of spiral grain in young loblolly pine. *For. Sci* 14: 376-379.