PROVINCIAL BOARD OF HEALTH

FIFTY-SEVENTH REPORT

OF

VITAL STATISTICS

OF THE

PROVINCE OF BRITISH COLUMBIA

FOR THE YEAR 1928

PRINTED BY
AUTHORITY OF THE LEGISLATIVE ASSEMBLY.

VICTORIA, B.C.:
Printed by CHARLES F. BANFIELD, Printer to the King's Most Excellent Majesty.
1930.

VICTORIA, B.C., November 30th, 1929.

To His Honour ROBERT RANDOLPH BRUCE,
Lieutenant-Governor of the Province of British Columbia.

MAY IT PLEASE YOUR HONOUR:

The undersigned has the honour to present the Report of the Vital Statistics Branch of the Provincial Board of Health for the year 1928.

S. L. HOWE,
Provincial Secretary.

OFFICE OF REGISTRAR, BIRTHS, DEATHS, AND MARRIAGES,
VICTORIA, B.C., November 30th, 1929.

The Honourable Samuel L. Howe,
Provincial Secretary, Victoria, B.C.

SIR,—I have the honour to submit the Fifty-seventh Report of the Vital Statistics Branch of the Provincial Board of Health.

I have the honour to be,
Sir,
Your obedient servant,

H. E. YOUNG,
Registrar of Births, Deaths, and Marriages.

FIFTY-SEVENTH REPORT
UNDER THE VITAL STATISTICS ACT.

OFFICE OF REGISTRAR, BIRTHS, DEATHS, AND MARRIAGES,
VICTORIA, B.C., November 30th, 1929.

H. E. Young, Esq., M.D., C.M., LL.D.,
Registrar, Births, Deaths, and Marriages, Victoria, B.C.

SIR,—I have the honour to submit the Fifty-seventh Report of Vital Statistics for the year ended December 31st, 1928.

POPULATION.

The census for the year 1921 gave the population of the Province as 524,582. The Dominion Bureau of Statistics gives the estimates of population for subsequent years as follows:—

1922	535,000
1923	544,000
1924	553,000
1925	561,000
1926	568,000
1927	575,000
1928	583,000

REGISTRATIONS.

The following table shows the total number of registrations, including Indian returns, received by this office for the years 1926, 1927, and 1928:—

Divisions.	Births.			Deaths.			Marriages.		
	1926.	1927.	1928.	1926.	1927	1928.	1926.	1927.	1928.
Victoria	1,135	1,112	1,100	731	714	744	510	542	603
Nanaimo	803	755	784	307	318	325	196	190	206
Vancouver	4,604	4,719	5,036	2,215	2,422	2,484	2,237	2,390	2,458
New Westminster	1,627	1,582	1,610	742	776	834	475	524	550
Ashcroft	288	238	241	115	95	122	60	80	89
Grand Forks	1,045	1,065	1,122	522	494	542	342	334	371
Alberni	610	636	671	230	235	295	140	184	156
Beaton	1,227	1,206	1,132	479	458	430	365	408	341
Indian Reserves	486	453	512	383	530	501	127	113	127
Totals	11,825	11,766	12,208	5,724	6,042	6,277	4,452	4,765	4,901

BIRTHS.

The total number of living births in the Province, including Indians, for the year 1928 was 10,385, as against 10,084 for the year 1927, giving a rate of 17.8 per 1,000 population, as against 17.5 for the year 1927.

Permission has been granted to this Department by the Postmaster-General to place notices in all post-offices in the Province calling the attention of parents to the importance of registering the births of their children—a privilege which is much appreciated, and which will probably be the means of securing better results as regards registration.

Very large numbers of delayed registrations of births continue to be received.

The following table gives an analysis of births for the past five years:—

Year and Sex.	Total Births.		Single.		Twin.			Triplet.			Legitimate.	Illegitimate.
	Born alive.	Still-born.	Born alive.	Still-born.	No.	Born alive.	Still-born.	No.	Born alive.	Still-born.		
1924.												
Male	5,203	.....	5,119	146	.....	83	6	....	....	....	5,121	82
Female	4,916	.....	4,814	120	.....	103	4	....	....	3	4,828	88
Totals	10,119	279	9,933	266	98	186	10	1	....	3	9,949	170
1925.												
Male	5,329	.....	5,241	143	.....	95	10	....	....	....	5,214	115
Female	5,013	.....	4,921	111	.....	101	16	....	....	....	4,921	92
Totals	10,342	280	10,162	254	111	196	26	....	....	....	10,135	207
1926.												
Male	5,168	.....	5,043	153	.....	124	18	....	1	....	5,062	106
Female	4,895	.....	4,776	125	.....	117	15	....	2	....	4,807	88
Totals	10,063	311	9,819	278	137	241	33	1	3	....	9,869	194
1927.												
Male	5,134	.....	5,029	159	.....	105	3	....	....	....	5,015	119
Female	4,950	.....	4,845	110	.....	105	9	....	....	....	4,865	85
Totals	10,084	281	9,874	269	111	210	12	....	....	....	9,880	204
1928.												
Male	5,169	.....	5,073	183	.....	96	6	....	....	....	5,042	127
Female	5,216	.....	5,084	130	.....	130	10	....	2	1	5,076	140
Totals	10,385	330	10,157	313	121	226	16	1	2	1	10,118	267

NATURAL INCREASE.

The natural increase for the past five years is shown in the following table:—

Year.	Male.			Female.			Both Sexes.	Population (estimated).	Rate of Natural Increase per 1,000 Population.
	Births.	Deaths.	Excess of Births over Deaths.	Births.	Deaths.	Excess of Births over Deaths.	Excess of Births over Deaths.		
1924	5,203	3,080	2,123	4,916	1,924	2,992	5,115	553,000	9.2
1925	5,329	3,047	2,282	5,013	1,898	3,115	5,397	561,000	9.6
1926	5,168	3,332	1,836	4,895	2,142	2,753	4,589	568,000	8.0
1927	5,134	3,550	1,584	4,950	2,200	2,750	4,334	575,000	7.5
1928	5,169	3,663	1,506	5,216	2,247	2,969	4,475	583,000	7.6

DEATHS.

There were 5,910 deaths in the Province for the year 1928, and of these 3,663 were males and 2,247 females. The rate per 1,000 population was 10.1, as against 10 for the year 1927.

INFANT MORTALITY.

There was a marked decrease in deaths of children under 1 year of age in the year 1928, there being 524 deaths, as against 606 in the year 1927; the rate per 1,000 living births being

50.4, as compared with 60.09 in the year 1927. The following table gives the principal causes of death of children under 1 year of age for the five-year period, 1924 to 1929:—

Cause of Death.	1924.	1925.	1926.	1927.	1928.
Premature	158	158	183	173	152
Congenital debility	40	49	37	44	35
Malformations	52	50	83	53	56
Diarrhœa	38	39	26	26	21
Bronchopneumonia	17	37	36	36	24
Injury at birth	28	32	20	19	29
Pneumonia	34	20	32	36	34
Whooping-cough	19	27	23	26	7
Influenza	12	10	15	24	12
Convulsions	7	14	8	11	6
Tuberculosis	13	12	11	8	12
Other causes	156	121	114	150	136
Totals	574	569	588	606	524
Living births	10,119	10,342	10,063	10,084	10,385
Rate per 1,000 living births	56.7	55.0	58.4	60.09	50.4

MATERNAL MORTALITY.

Cause of Death.	1924.	1925.	1926.	1927.	1928.
Accidents of pregnancy:					
(*a.*) Abortion	6	2	....	4	....
(*b.*) Ectopic gestation	1	....	2	....	5
(*c.*) Other accidents of pregnancy	4	....	2	2	4
Puerperal hæmorrhage	11	6	9	11	4
Other accidents of childbirth:					
(*a.*) Caesarean section	....	2	5	3	1
(*b.*) Other surgical and instrumental delivery	1	5	2	2	....
(*c.*) Others under this title	2	6	....	....	8
Puerperal septicæmia	21	19	15	24	23
Phlegmasia alba dolens, embolism, sudden death	3	10	7	3	2
Puerperal albuminuria and convulsions	15	3	19	17	12
Following childbirth (not otherwise defined)	5	6	3	2	2
Puerperal diseases of the breast	....	1	1	....	....
Totals	69	60	65	68	61
Rate per 1,000 living births	6.8	5.9	6.4	6.7	5.8

TUBERCULOSIS.

Deaths attributed to tuberculosis show a considerable increase this year, numbering 633, as against 551 in the year 1927; the rate per 1,000 population being 1.08, as against 0.94 in the year 1927.

Cause of Death.	1924.	1925.	1926.	1927.	1928.
Respiratory system	439	443	431	455	523
Meninges—central nervous system	42	41	44	45	42
Intestines and peritoneum	17	14	17	20	24
Vertebral column	10	10	11	7	12
Joints	4	7	2	3	5
Other organs	6	8	14	8	12
Disseminated tuberculosis	9	15	13	13	15
Totals	527	538	532	551	633
Rate per cent., all deaths	10.5	10.8	9.72	9.58	10.79
Rate per 1,000 population	0.95	0.95	0.93	0.94	1.08

The following analysis of deaths from tuberculosis is of interest:—

CHINESE, BRITISH COLUMBIA.

Year.	Deaths from Tuberculosis.	Deaths, all Causes.	T.B. Rate per Cent., all Deaths.	Chinese Population.	T.B. Rate per 1,000 Population.
1921	49	220	22.26	23,533	2.08
1922	64	232	27.58	23,533	2.72
1923	44	228	19.29	23,533	1.87
1924	40	211	18.95	23,533	1.70
1925	44	195	22.56	23,533	1.87
1926	59	224	26.34	23,533	2.55
1927	50	211	23.69	23,533	2.12
1928	45	224	20.08	23,533	1.91

BRITISH COLUMBIA INDIANS.

Year.	Deaths from Tuberculosis.	Deaths, all Causes.	T.B. Rate per Cent., all Deaths.	Indian Population.	T.B. Rate per 1,000 Population.
1921	104	364	28.57	25,694	4.05
1922	99	370	26.76	24,744	4.00
1923	133	432	30.79	25,694	5.18
1924	125	457	27.35	25,694	4.86
1925	155	436	35.55	24,316	6.37
1926	145	416	34.85	24,316	5.96
1927	151	524	28.81	24,316	6.20
1928	175	497	35.21	24,316	7.19

JAPANESE, BRITISH COLUMBIA.

Year.	Deaths from Tuberculosis.	Deaths, all Causes.	T.B. Rate per Cent., all Deaths.	Japanese Population.	T.B. Rate per 1,000 Population.
1921	33	142	23.24	15,006	2.19
1922	22	190	11.58	15,806	1.38
1923	24	158	15.19	16,004	1.49
1924	23	150	15.33	17,418	1.32
1925	33	195	16.92	18,226	1.81
1926	28	161	17.39	19.048	1.47
1927	35	209	16.74	19.048	1.83
1928	27	170	15.88	19,048	1.41

RACES OTHER THAN CHINESE, JAPANESE, AND BRITISH COLUMBIA INDIANS.

Year.	Deaths from Tuberculosis.	Deaths, all Causes.	T.B. Rate per Cent., all Deaths.	Population.	T.B. Rate per 1,000 Population.
1921	326	3,846	8.47	460,349	0.70
1922	322	4,115	7.82	474,917	0.67
1923	324	4,179	7.75	478,769	0.67
1924	339	4,186	8.09	486,355	0.69
1925	306	4,119	7.42	494,925	0.61
1926	300	4,673	6.42	501,103	0.59
1927	315	4,806	6.55	508,103	0.61
1928	386	5,019	7.69	516,103	0.74

BRITISH COLUMBIA, ALL RACES INCLUDED.

Year.	Deaths from Tuberculosis.	Deaths, all Causes.	T.B. Rate per Cent., all Deaths.	Population.	T.B. Rate per 1,000 Population.
1921	512	4,572	11.19	524,582	0.97
1922	507	4,907	10.33	539,000	0.94
1923	525	4,997	10.50	544,000	0.96
1924	527	5,004	10.53	553,000	0.95
1925	538	4,945	10.87	561,000	0.95
1926	532	5,474	9.72	568,000	0.93
1927	551	5,750	9.58	575,000	0.95
1928	633	5,919	10.79	583,000	1.08

CANCER.

Deaths from cancer numbered 576, an increase of 59 over the year 1927; the rate per 1,000 population being 0.98, as against 0.88 in the year 1927.

Cause of Death.	1924.	1925.	1926.	1927.	1928.
Buccal cavity	18	19	22	16	10
Stomach and liver	177	181	202	198	207
Peritoneum, intestines, rectum	73	73	90	91	93
Female genital organs	53	36	55	48	76
Breast	41	63	44	55	49
Skin	8	7	6	8	12
Unspecified	87	94	107	101	129
Totals	457	473	526	517	576
Rate per cent., all deaths	9.13	9.56	9.60	8.99	9.74
Rate per 1,000 population	0.82	0.84	0.92	0.88	0.98

AGES OF DECEDENTS.

Year and Sex.	Under 1 Year.	1 Year.	2 Years.	3 Years.	4 Years.	5 to 9 Years.	10 to 19 Years.	20 to 29 Years.	30 to 39 Years.	40 to 49 Years.	50 to 59 Years.	60 to 69 Years.	70 to 79 Years.	80 to 89 Years.	90 to 99 Years.	100 Years and up.	Age not stated.	Totals.
1924.																		
Male	325	58	36	31	25	72	142	176	299	445	443	458	355	169	25	1	20	3,080
Female	249	46	25	19	21	65	106	145	180	233	201	254	223	139	17	....	1	1,924
1925.																		
Male	318	68	34	19	23	68	123	209	254	379	448	506	363	174	27	....	34	3,047
Female	251	42	28	20	16	49	88	151	160	190	220	277	259	119	22	4	2	1,898
1926.																		
Male	336	52	20	21	28	63	127	181	259	470	484	550	509	181	31	4	16	3,332
Female	252	54	30	21	19	56	111	165	193	242	236	307	273	151	28	2	2	2,142
1927.																		
Male	345	70	52	29	22	69	175	229	259	425	531	588	483	214	26	7	26	3,550
Female	261	59	39	30	23	67	146	167	184	224	234	292	286	155	27	5	1	2,200
1928.																		
Male	285	43	46	22	19	93	161	221	268	490	525	673	562	216	28	1	10	3,663
Female	239	40	24	18	20	76	132	142	180	263	280	309	310	182	27	3	2	2,247

CLASSIFIED DEATHS.

Cause of Death.	1924.	1925.	1926.	1927.	1928.
General diseases	1,654	1,538	1,701	1,862	1,804
Nervous system	358	317	405	406	434
Circulatory system	807	864	995	1,020	1,132
Respiratory system	335	353	441	457	469
Digestive system	340	354	326	344	395
Non-venereal—genito-urinary system	302	335	367	398	410
The puerperal state	69	60	65	68	61
Diseases of the skin and cellular tissue	24	26	23	26	26
Diseases of the bones and organs of locomotion	9	6	21	18	11
Malformations	60	56	58	59	65
Diseases of early infancy	252	260	297	285	263
Old age	77	88	83	85	77
External causes	614	595	639	642	692
Ill-defined	103	93	53	80	71
Totals	5,004	4,945	5,474	5,750	5,910
Rate per 1,000 population	9.0	8.8	9.6	9.8	10.1

SPECIFIED DISEASES.

Cause of Death.	1924.	1925.	1926.	1927.	1928.
Typhoid fever	15	13	15	13	10
Smallpox	6	3	3	1	.....
Measles	90	4	10	38	7
Scarlet fever	19	3	5	7	5
Whooping-cough	31	32	38	46	13
Diphtheria	55	28	33	22	40
Influenza	109	117	197	287	146
Tuberculosis	527	538	532	551	633
Cancer	457	473	526	517	576
Bronchitis	16	26	31	20	24
Bronchopneumonia	68	87	115	124	97
Pneumonia	185	179	226	241	257
Diarrhœa and enteritis	71	104	58	55	61
The puerperal state	69	60	65	68	61
Congenital malformations	96	56	94	59	65
Early infancy	252	260	297	285	263
Senility	77	88	83	85	77
Suicides	78	89	101	106	100
Automobile accidents	56	45	60	77	91
Drowning, accidental	108	117	104	100	108
Mines, accidental	21	15	21	19	30
Homicides	22	14	20	22	12

MARRIAGES.

There were 4,942 marriages in the Province in the year 1928, as against 4,720 in the year 1927; the rate per 1,000 population being 8.4 for the year 1928, as compared with 8.2 for the previous year.

ORIENTAL RACES.

Chinese.—The total number of Chinese births registered during the year ended December 31st 1928, was 182—95 males, 87 females—as against 228 registrations in the year 1927. Chinese children born and registered during the year 1928 numbered 137—males 77, females 60—the balance being registrations of births that occurred prior to the year 1927, and 2 still-births.

The total number of Chinese deaths registered during the year ended December 31st, 1928, including 2 still-births, was 218—males 203, females 15—as against 211 in the preceding year. Deaths from tuberculosis and cancer numbered 45 and 14 respectively. There were 12 deaths of children under 1 year of age.

Japanese.—The total number of Japanese births, including 22 still-births, registered during the year ended December 31st, 1928, was 1,485—753 males, 732 females—as against 1,354 registrations during the previous year. The number of Japanese children born alive and registered during the year 1928 was 771, as against 715 the preceding year.

Japanese deaths registered in the year 1928 numbered 192—117 males, 75 females—as against 209 in the year 1927. Deaths from tuberculosis and cancer numbered 27 and 5 respectively. Deaths of Japanese children under 1 year of age, exclusive of 22 still-births, numbered 44.

INDIAN RETURNS.

The total number of registrations of births of Indians for the year ended December 31st, 1928, excluding 4 still-births, was 508—males 249, females 259—and of these 332 were registrations of children born in the year 1928. Excluding 4 still-births, there were 497 deaths of Indians registered during the year 1928, males numbering 250, females 247. Deaths of children under 1 year of age, 71. Deaths from tuberculosis were 175, and from cancer 8.

Marriages registered during the year numbered 127, as against 113 in the year 1927.

"ADOPTION ACT."

Particulars of birth relating to 118 children adopted under the "Adoption Act" were received and filed in this office during the year 1928.

GENERAL REMARKS.

In order to convey some idea of the growth of work in the Department in recent years, the following table showing comparisons, where possible, between the years 1923 and 1928 is given:—

	1923.	1928.	Increase per Cent., 1928 over 1923.
Letters inward	4,973	10,423	109.5
Letters outward	*	9,084	.....
Searches	2,594	7,153	175.7
Certificates issued	2,470	7,044	185.1
Certificates, mothers' pensions	*	818	.....
Certificates, old-age pensions	*	961	.....
Certificates, S.C.R.	*	593	.....
Hospital returns checked	*	741	.....
Cash receipts	$2,179.82	$5,299.68	143.1
Marriage licences	295.00	415.00	40.6

* No record.

It is again a pleasurable duty to have the opportunity to express to all officers connected with this branch of the Health Department and to all members of my staff the thanks due for their unfailing courtesy and willing co-operation.

All tabulated statements follow.

I have, etc.,

HERBERT B. FRENCH, M.A.,
Deputy Registrar of Births, Deaths, and Marriages.

TABLE 1.—GENERAL SUMMARY OF BIRTHS, DEATHS, AND MARRIAGES IN BRITISH COLUMBIA, BY CENSUS DIVISIONS AND CITIES OF 1,000 POPULATION AND OVER, 1928.

PROVINCE, DIVISIONS, AND CITIES.	BIRTHS (Exclusive of Still-births).			DEATHS.									STILL-BIRTHS.	MARRIAGES.
				All Ages.			Under 1 Year.		1–4 Years.		5 Years and over.			
	Total.	M.	F.	Total.	M.	F.	M.	F.	M.	F.	M.	F.		
British Columbia	10,385	5,169	5,216	5,910	3,663	2,247	285	239	130	102	3,248	1,906	330	4,942
Victoria Division	1,016	491	525	763	457	306	25	25	15	9	417	272	31	607
New Westminster Division	1,387	703	648	850	510	340	48	33	16	22	446	285	43	585
Nanaimo Division	667	329	338	333	208	125	20	15	8	7	180	103	23	211
Beaton Division	1,037	502	535	418	287	131	28	18	9	5	250	108	22	346
Alberni Division	797	397	400	460	286	174	32	27	23	12	231	135	27	222
Ashcroft Division	250	123	127	178	111	67	14	15	5	5	92	47	10	103
Grand Forks Division	997	505	492	540	369	181	26	19	9	13	324	149	38	393
Vancouver Division	4,234	2,119	2,115	2,368	1,445	923	92	87	45	29	1,308	807	136	2,475
Cities:														
Chilliwack	110	60	50	51	36	15	4	3	1	.....	31	12	2	29
Cranbrook	105	41	64	57	42	15	3	2	2	.....	37	13	6	46
Cumberland	53	21	32	28	17	11	3	1	.....	1	14	9	2	14
Duncan	92	46	46	32	24	8	2	2	1	2	21	4	1	17
Fernie	93	40	53	35	21	14	1	1	.....	.....	20	13	.....	38
Grand Forks	35	18	17	26	18	8	1	.....	.....	.....	17	8	1	16
Kamloops	163	82	81	117	86	31	6	2	2	1	78	28	10	84
Kelowna	153	75	78	46	24	22	2	2	2	4	20	16	4	51
Ladysmith	58	28	30	35	18	17	3	3	.....	.....	15	14	3	7
Merritt	50	28	22	24	15	9	.....	1	.....	1	15	7	1	13
Nanaimo	188	98	90	78	42	36	6	3	2	2	34	31	4	107
Nelson	139	78	61	70	50	20	1	1	1	3	48	16	2	90
New Westminster	535	244	291	297	156	141	18	11	1	12	137	118	22	271
North Vancouver	177	90	87	66	39	27	4	2	2	1	33	24	7	72
Port Alberni	55	31	24	32	21	11	3	3	.....	1	18	7	5	8
Port Coquitlam	39	20	19	2	2	.....	.....	.....	.....	.....	2	.....	.....	8
Port Moody	13	6	7	2	.....	2	.....	.....	.....	.....	.....	2	1	8
Prince George	73	33	40	30	25	5	3	.....	1	1	21	4	6	40
Prince Rupert	123	63	60	62	42	20	4	3	3	.....	35	17	4	56
Revelstoke	59	27	32	23	17	6	.....	.....	.....	.....	17	6	2	32
Rossland	57	28	29	20	10	10	.....	1	.....	.....	10	9	1	11
Trail	192	89	103	51	32	19	7	9	2	.....	23	10	3	49
Vancouver City, South Vancouver, and Point Grey	3,812	1,895	1,917	2,201	1,335	866	84	80	38	25	1,213	761	128	2,347
Vernon	105	55	50	37	23	14	2	2	1	1	20	11	6	53
Victoria	723	346	377	558	322	236	18	17	4	5	300	214	28	330

NOTE.—" Age not stated " included in 5 years and over.

TABLE 2.—BIRTHS (EXCLUSIVE OF STILL-BIRTHS) BY MONTHS, CLASSIFIED AS RURAL AND URBAN BY DIVISIONS, BRITISH COLUMBIA, 1928.

PROVINCE AND DIVISIONS.	TOTAL.	MONTHS.											
		Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
British Columbia	10,385	869	843	947	838	902	920	855	877	928	803	777	826
Rural	3,183	265	274	289	247	255	279	276	272	278	243	239	266
Urban	7,202	604	569	658	591	647	641	579	605	650	560	538	560
Victoria Division	1,016	74	76	99	95	84	82	93	100	93	83	63	74
Rural	201	13	11	19	19	15	21	12	21	18	21	13	18
Urban	815	61	65	80	76	69	61	81	79	75	62	50	56
Duncan (c.)	92	5	5	12	9	10	9	11	9	7	5	5	5
Victoria (c.)	723	56	60	68	67	59	52	70	70	68	57	45	51
New Westminster Division	1,387	113	113	149	108	125	133	101	123	117	99	94	112
Rural	690	56	59	74	44	54	75	57	64	49	49	49	60
Urban	697	57	54	75	64	71	58	44	59	68	50	45	52
Chilliwack (c.)	110	4	12	13	12	9	11	9	7	5	8	7	13
New Westminster (c.)	535	49	41	56	47	55	43	34	48	54	40	34	34
Port Coquitlam (c.)	39	3	1	5	3	5	4	.....	2	6	1	4	5
Port Moody (c.)	13	1	.....	1	2	2	.....	1	2	3	1	.....	.....
Nanaimo Division	667	58	69	55	50	65	68	46	51	54	54	47	50
Rural	368	36	39	30	24	30	37	29	32	31	26	33	21
Urban	299	22	30	25	26	35	31	17	19	23	28	14	29
Cumberland (c.)	53	2	9	3	4	4	5	5	5	4	5	1	6
Ladysmith (c.)	58	6	1	7	2	10	6	3	2	6	3	2	10
Nanaimo (c.)	188	14	20	15	20	21	20	9	12	13	20	11	13
Beaton Division	1,037	83	87	81	84	92	91	102	86	88	84	81	78
Rural	392	28	29	30	35	36	39	48	31	31	35	24	26
Urban	645	55	58	51	49	56	52	54	55	57	49	57	52
Cranbrook (c.)	105	8	10	9	7	9	3	8	13	9	9	10	10
Fernie (c.)	93	9	10	5	6	12	5	9	8	8	5	8	8
Nelson (c.)	139	9	12	10	13	7	12	13	10	16	11	11	15
Revelstoke (c.)	59	5	6	5	5	4	6	5	.....	4	9	6	4
Rossland (c.)	57	8	2	4	4	7	5	1	2	9	6	5	4
Trail (c.)	192	16	18	18	14	17	21	18	22	11	9	17	11
Alberni Division	797	59	71	70	76	70	60	52	70	91	46	64	68
Rural	619	42	59	56	59	53	40	38	56	74	38	48	56
Urban	178	17	12	14	17	17	20	14	14	17	8	16	12
Port Alberni (c.)	55	5	5	4	4	8	6	3	3	3	2	8	4
Prince Rupert (c.)	123	12	7	10	13	9	14	11	11	14	6	8	8
Ashcroft Division	250	26	22	19	24	18	19	29	17	17	16	20	23
Rural	177	26	19	11	16	15	11	19	9	10	11	12	18
Urban	73	.....	3	8	8	3	8	10	8	7	5	8	5
Prince George (c.)	73	.....	3	8	8	3	8	10	8	7	5	8	5
Grand Forks Division	997	70	74	93	70	79	90	92	83	89	87	76	94
Rural	491	34	39	47	32	35	41	47	38	49	47	37	45
Urban	506	36	35	46	38	44	49	45	45	40	40	39	49
Grand Forks (c.)	35	3	2	4	5	2	3	2	2	3	2	3	4
Kamloops (c.)	163	14	10	17	13	12	12	14	17	9	15	13	17
Kelowna (c.)	153	10	13	15	7	13	20	15	9	15	14	10	12
Merritt (c.)	50	3	5	4	6	5	1	5	5	3	2	5	6
Vernon (c.)	105	6	5	6	7	12	13	9	12	10	7	8	10
Vancouver Division													
Rural	4,234	386	331	381	331	369	377	340	347	379	334	332	327
Urban	245	30	19	22	18	17	15	26	21	16	16	23	22
North Vancouver (c.)	3,989	356	312	359	313	352	362	314	326	363	318	309	305
Vancouver City, Point Grey, and South Vancouver	177	13	10	14	17	17	19	16	13	20	11	11	16
	3,812	343	302	345	296	335	343	298	313	343	307	298	289

NOTE.—"Urban" includes cities and towns of 1,000 population and over according to the census of 1921; "Rural" the remaining parts.

TABLE 3.—TOTAL BIRTHS (EXCLUSIVE OF STILL-BIRTHS) AND BIRTHS IN PUBLIC INSTITUTIONS, SHOWING THE NUMBER OF MOTHERS NON-RESIDENT IN BRITISH COLUMBIA, 1928.

PROVINCE.	ALL BIRTHS.		IN PUBLIC INSTITUTIONS.	
	Total.	Births to Mothers Non-resident in Province.	Total.	Births to Mothers Non-resident in Province.
British Columbia	10,385	77	5,115	51

TABLE 4.—BIRTHS (EXCLUSIVE OF STILL-BIRTHS) TO RESIDENT AND NON-RESIDENT MOTHERS AND BIRTHS IN PUBLIC INSTITUTIONS IN CITIES AND TOWNS OF 5,000 POPULATION AND OVER, BRITISH COLUMBIA, 1928.

ALL BIRTHS.

CITIES AND TOWNS.	Total.	To Resident Mothers.	To Mothers Non-resident in City or Town where Birth occurred who were	
			Resident in Province.	Non-resident in Province.
Nanaimo	188	154	34	.....
Nelson	139	89	48	2
New Westminster	535	330	203	2
North Vancouver	177	137	38	2
Prince Rupert	123	105	17	1
Vancouver City, Point Grey, and South Vancouver	3,812	3,384	400	28
Victoria	723	590	119	14
BIRTHS IN PUBLIC INSTITUTIONS.				
Nanaimo	73	48	25	.....
Nelson	106	58	46	2
New Westminster	409	216	192	1
North Vancouver	81	47	32	2
Prince Rupert	93	75	17	1
Vancouver City, Point Grey, and South Vancouver	2,589	2,195	371	23
Victoria	100	62	36	2
BIRTHS ELSEWHERE THAN IN PUBLIC INSTITUTIONS.				
Nanaimo	115	106	9	.....
Nelson	33	31	2	.....
New Westminster	126	114	11	1
North Vancouver	96	90	6	.....
Prince Rupert	30	30	.....	.....
Vancouver City, Point Grey, and South Vancouver	1,223	1,189	29	5
Victoria	623	528	83	12

TABLE 5.—BIRTHS (EXCLUSIVE OF STILL-BIRTHS) CLASSIFIED AS LEGITIMATE OR ILLEGITIMATE FOR THE PROVINCE, AND IN CITIES AND TOWNS OF 5,000 POPULATION AND OVER, BRITISH COLUMBIA, 1928.

PROVINCES, CITIES, AND TOWNS.	TOTAL BIRTHS.			LEGITIMATE.			ILLEGITIMATE.		
	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.
Total for Province	10,385	5,169	5,216	10,118	5,042	5,076	267	127	140
Cities, 5,000 and over:									
Nanaimo	188	98	90	187	98	89	1	.....	1
Nelson	139	78	61	136	76	60	3	2	1
New Westminster	535	244	291	523	239	284	12	5	7
North Vancouver	177	90	87	176	90	86	1	.....	1
Prince Rupert	123	63	60	120	62	58	3	1	2
Vancouver City, Point Grey, and South Vancouver	3,812	1,895	1,917	3,660	1,822	1,838	152	73	79
Victoria	723	346	377	703	337	366	20	9	11

TABLE 6.—PLURAL BIRTHS CLASSIFIED TO SHOW NUMBER OF CHILDREN BORN ALIVE AND STILL-BORN BY SEX FOR BRITISH COLUMBIA, 1928.

CLASSIFICATION OF BIRTHS.		Total.
Cases of twins		121
Two males (both living)		25
One male and one female (both living)		39
Two females (both living)		44
One male living and one male still-born		4
One male living and one female still-born		3
One female living and one female still-born		3
Two males (both still-born)		1
Two females (both still-born)		2
Cases of triplets		1
Two females living and one female still-born		1
Total multiple births	No.	122
,,	M.	102
,,	F.	143
Total single still-births	No.	313
,,	M.	183
,,	F.	130
Total single living births	No.	10,157
,,	M.	5,073
,,	F.	5,084
Total confinements		10,592

TABLE 7.—BIRTHS (EXCLUSIVE OF STILL-BIRTHS) CLASSIFIED ACCORDING TO AGES OF PARENTS, BRITISH COLUMBIA, 1928.

AGE OF FATHER.	TOTAL.	AGE OF MOTHER. 12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
16 years	1						1													
17 ,,	5					2		1		1				1						
18 ,,	10				1		2	4	1	2										
19 ,,	22						4	6	4	2	4		2							
20 ,,	57					1	6	12	15	11	2	5	2		1		1			1
21 ,,	137					2	14	24	23	28	25	9	4	3	2	1		1		1
22 ,,	214				1	1	4	28	33	35	45	26	19	9	6	3			1	
23 ,,	268					3	10	20	25	41	50	34	38	23	7	7	2	3	1	1
24 ,,	366				1	3	10	20	37	47	34	69	41	38	26	14	12	6	1	2
25 ,,	386				1	4	6	16	31	30	41	53	48	53	40	28	15	7	5	5
26 ,,	417							20	16	33	45	40	49	42	50	54	35	14	8	5
27 ,,	468					1	4	7	24	36	42	51	48	52	54	51	39	29	11	4
28 ,,	530					2	2	12	12	37	42	45	56	42	58	60	44	47	26	14
29 ,,	463							6	15	21	22	40	43	45	42	43	57	53	30	18
30 ,,	460						1	5	8	19	36	20	32	35	46	38	52	50	34	43
31 ,,	412					1	2	3	11	11	24	23	27	31	24	37	31	43	42	32
32 ,,	451						1	2	8	10	22	26	25	25	30	29	35	46	27	40
33 ,,	401						1	3	3	7	13	22	28	24	20	33	34	32	33	25
34 ,,	439						1	7	4	7	2	23	18	37	23	34	27	43	31	35
35 ,,	419						1	3	5	8	14	10	15	19	31	32	19	45	24	34
36 ,,	388							4	1	6	7	13	12	15	21	32	26	24	21	29
37 ,,	384							5	3	5	5	3	8	13	16	17	41	25	19	18
38 ,,	434							1	1	4		12	5	23	16	16	33	39	14	36
39 ,,	402							1	1	2	2	6	10	13	15	15	22	24	34	26
40 ,,	389									3	7	5	6	6	10	5	15	32	22	38
41 ,,	202									4	4	2	3	2	10	7	9	17	13	15
42 ,,	295							1				4	4	4	4	4	6	11	12	17
43 ,,	219							1		2	2	3	4	5	2	6	5	9	6	8
44 ,,	257								1		2		1	8	3	9	6	7	6	14
45 ,,	199								3		2	1		2	4	3	3	8	10	9
46 ,,	174								2		2		1	6	1	3	4	3	7	3
47 ,,	138										2	1	2	2	1	2	2	4	3	10
48 ,,	119									1	2		1	2	5	3	7	4	5	2
49 ,,	89										1		1			1	3	3	2	
50 ,,	81									1	1		3	1	2	2	3	1	1	2
51 ,,	55											1					1	2	2	2
52 ,,	48							1							1		1	2		1
53 ,,	29																	1	1	1
54 ,,	38										1					2		3		3
55 ,,	21														1					2
56 ,,	26							1											1	4
57 ,,	17																1			1
58 ,,	11															2			1	
59 ,,	7																			1
60 ,,	8																			
61 ,,	7											1								1
62 ,,	4											1								
63 ,,	3																			
64 ,,	2																			
65 and over	9										1					1		1		
Not stated	37					1	1			1	1							1		
Children born to—																				
Married mothers	10,118				4	21	71	214	287	415	505	549	556	581	572	594	591	640	454	503
Unmarried mothers	267	1		1	5	14	20	35	25	30	27	18	10	12	7	8	5	5	6	7
All mothers	10,385	1		1	9	35	91	249	312	445	532	567	566	593	579	602	596	645	460	510

AGE OF FATHER.	AGE OF MOTHER. 31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50 and over.	Not stated.
16 years																					
17 ,,																					
18 ,,																					
19 ,,																					
20 ,,																					
21 ,,																					
22 ,,		1						2													
23 ,,		1	1			1															
24 ,,	4			1																	
25 ,,		1		1			1														
26 ,,	1	3	1		1																
27 ,,	3	3	1	2	3	1	1			1											
28 ,,	7	11	5	4	2	2															
29 ,,	5	11	5	3	2			2													
30 ,,	20	9	5	2	3	1		1													
31 ,,	35	13	11	4	2		1		3	1											
32 ,,	37	40	11	14	13	3	2	2			1	2									
33 ,,	26	30	26	14	9	4	4	3	3	3	1										
34 ,,	24	27	34	24	20	10	5	1	2												
35 ,,	22	28	27	27	27	8	8	6		1	2	2	1								
36 ,,	25	27	24	31	22	28	9	5	2	2	1		1								
37 ,,	29	26	24	23	34	28	21	10	4	6		1									
38 ,,	25	35	29	23	27	25	23	28	7	4	4	3	1								
39 ,,	21	25	20	27	25	25	27	23	17	9	9		3								
40 ,,	22	16	19	26	27	24	19	25	30	20	8	2			1					1	
41 ,,	29	16	17	25	17	19	21	17	19	16	14	4	2								
42 ,,	19	28	26	10	21	24	16	24	17	16	12	10	5								
43 ,,	15	11	21	13	14	16	9	16	9	14	17	6	5								
44 ,,	13	27	18	17	18	21	13	23	11	6	7	7	11	5	2			1			
45 ,,	6	12	9	10	23	10	15	15	12	12	4	7	8	7	3						1
46 ,,	8	12	4	12	6	17	10	14	15	13	1	9	7	7	3	2	2				
47 ,,	7	5	5	11	5	9	22	10	6	10	6	3	2	2	3	2	1				
48 ,,	5	8	2	3	4	7	6	12	6	5	4	6	10	4	2		2		1		
49 ,,	3	3	2	8	6	12	3	7	7	4	3	11	3	3	1	1			1		
50 ,,	3	2	1	4	2	4	6	7	7	8	8	3	4	2	1		1				1
51 ,,	1	2	2	2	6	7	4	3	3	6	4	3	1	1	1	1					
52 ,,		2	3	2	2	5	5	5	1	3	3	4	2	1	3				1		
53 ,,	2	2	1		3	1	2	4		4	2	2		1		1			1		
54 ,,	1	1	1	3	1	2	2	3	3	2	1	3	1	1	1	1		2			
55 ,,		2	2	1	1	1	3	1		1	1		1	1	1			1	1		
56 ,,	1	1	2		1	2	4	2	2	2	1	1		1							
57 ,,			1		1		3	1		1	1	2			1	2	1		1		
58 ,,	1	1	1			1		2	2												
59 ,,						1			4				1								
60 ,,		1		1						1	2		1	1	1						
61 ,,			1		1	1		1			1										
62 ,,							1					1								1	
63 ,,							1				1				1						
64 ,,											1	1									
65 and over		1	1	1	1				1	1											
Not stated			2				1	1													28
Children born to—																					
Married mothers	420	444	365	349	350	320	268	276	193	172	120	93	70	37	25	10	7	4	6	2	30
Unmarried mothers	3	4	4	3	6	1	1	1	1	2			2	2							1
All mothers	423	448	369	352	356	321	269	277	194	174	120	93	72	39	25	10	7	4	6	2	31

TABLE 8.—BIRTHS (EXCLUSIVE OF STILL-BIRTHS) CLASSIFIED ACCORDING TO RACIAL ORIGIN OF PARENTS, BRITISH COLUMBIA, 1928.

RACIAL ORIGIN OF FATHER.	TOTAL.	RACIAL ORIGIN OF MOTHER.																																				
		English.	Irish.	Scotch.	Welsh.	French.	Armenian.	Austrian.	Belgian.	Bulgarian.	Chinese.	Czech and Slovak.	Danish.	Dutch.	Finnish.	German.	Greek.	Hindu.	Hungarian.	Icelandic.	Indian.	Italian.	Japanese.	Jewish.	Negro.	Norwegian.	Polish.	Rumanian.	Russian.	Serb and Croat.	Swedish.	Swiss.	Syrian.	Ukranian.†	Other.	Not specified.
English	3,805	2,680	250	580	31	61	....	3	9	....	.....	4	17	17	9	35	....	....	3	4	11	8	.....	1	....	28	8	1	7	1	27	4	1	1	4	.....
Irish	896	343	264	165	12	26	....	2	1	....	.....	3	2	13	4	21	....	....	1	3	7	3	.....	....	....	10	1	....	2	....	12	....	....	....	1	.....
Scotch	2,023	712	153	984	27	39	....	1	4	....	.....	3	1	7	3	21	....	....	1	5	6	7	.....	1	....	14	3	....	4	1	18	3	1	....	4	.....
Welsh	121	47	10	33	21	2	....	.....	.....	.....	.....	.....	.....	1	....	3	....	....	1	.....	.....	1	.....	.....	....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
French	253	79	30	29	.....	89	....	1	1	....	.....	.....	2	3	....	4	....	....	.....	.....	2	2	.....	.....	....	.....	2	....	1	1	4	3	....	....	....	.....
Armenian	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Austrian	50	6	1	1	.....	1	....	35	....	....	.....	.....	.....	.....	.....	1	....	....	.....	.....	.....	.....	.....	.....	.....	.....	2	....	1	....	1	....	....	1	....	.....
Belgian	16	4	1	2	.....	1	....	.....	7	....	.....	.....	.....	.....	.....	.....	....	....	.....	.....	.....	.....	.....	.....	.....	.....	1	....	.....	.....	.....	.....	.....	.....	.....	.....
Bulgarian	3	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	1	....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Chinese	161	2	.....	1	.....	.....	.....	.....	.....	.....	158	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Czech and Slovak	14	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	13	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Danish	56	8	5	10	.....	1	....	.....	.....	.....	.....	.....	22	.....	.....	1	....	....	.....	.....	.....	.....	.....	.....	.....	1	.....	....	1	....	7	....	....	.....	.....	.....
Dutch	74	19	5	12	1	1	....	.....	.....	.....	.....	.....	1	28	....	2	....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	....	2	....	.....	1	....	.....	.....	.....
Finnish	73	4	1	2	.....	2	....	.....	.....	.....	.....	.....	.....	.....	56	.....	....	....	.....	.....	.....	.....	.....	.....	.....	3	.....	....	1	....	2	1	....	1	.....	.....
German	188	43	10	20	.....	9	....	4	....	....	.....	.....	.....	5	....	79	....	....	.....	1	.....	.....	.....	.....	.....	1	1	1	5	....	5	2	1	1	.....	.....
Greek	27	3	2	1	.....	1	....	.....	.....	.....	.....	.....	.....	.....	1	2	13	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	2	.....
Hindu	36	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	35	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Hungarian	8	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....
Icelandic	10	4	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Indian	431	.....	1	.....	.....	1	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	427	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1
Italian	292	28	8	10	1	3	....	1	3	....	.....	.....	.....	.....	.....	2	....	....	2	.....	.....	229	.....	.....	.....	1	.....	.....	.....	1	2	1	.....	.....	.....	.....
Japanese	838	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	836	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Jewish	30	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	28	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Negro	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Norwegian	196	46	8	11	.....	5	....	.....	.....	.....	.....	.....	2	.....	2	1	.....	.....	.....	.....	1	.....	.....	.....	.....	107	1	.....	.....	1	9	.....	.....	2	.....	.....
Polish	56	3	.....	2	.....	1	....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	2	41	1	1	.....	.....	.....	.....	2	.....	.....
Rumanian	14	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	7	1	.....	.....	.....	.....	.....	1	.....
Russian	73	13	1	2	1	1	....	3	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	3	2	40	.....	.....	.....	.....	3	.....	.....
Serb and Croat	44	1	1	.....	.....	1	....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	38	.....	.....	.....	.....	.....	.....
Swedish	213	42	15	26	3	5	....	.....	.....	.....	.....	.....	2	1	6	5	.....	.....	.....	1	1	1	.....	.....	.....	10	.....	.....	.....	1	94	.....	.....	.....	.....	.....
Swiss	28	10	.....	2	1	1	....	.....	.....	.....	.....	.....	.....	1	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	8	.....	.....	.....	.....
Syrian	3	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Ukranian*	68	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	3	.....	1	.....	.....	.....	.....	58	1	.....
Other	12	5	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	5	.....
Not specified	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Children born to married mothers.....Total	10,118	4,111	769	1,897	98	251	....	51	25	2	158	25	49	76	82	185	13	36	16	17	457	252	836	30	6	181	68	13	70	44	182	24	4	70	19	1
,, ...M.	5,042	2,025	371	940	49	138	....	28	12	....	85	10	33	29	47	86	8	18	8	11	237	114	434	9	4	84	35	9	34	29	90	14	3	37	10	1
,, ...F.	5,076	2,086	398	957	49	113	....	23	13	2	73	15	16	47	35	99	5	18	8	6	220	138	402	21	2	97	33	4	36	15	92	10	1	33	9	.....
Children born to unmarried mothers.....Total	267	91	16	64	2	8	....	.....	1	....	1	2	.....	5	4	13	.....	.....	.....	1	29	4	1	.....	.....	9	5	.....	3	1	4	1	.....	1	1	.....
,, ...M.	127	40	6	39	.....	.....	.....	.....	.....	.....	1	1	.....	.....	1	7	.....	.....	.....	1	14	2	1	.....	.....	5	2	.....	2	.....	3	1	.....	1	.....	.....
,, ...F.	140	51	10	25	2	8	....	.....	1	....	.....	1	.....	5	3	6	.....	.....	.....	.....	15	2	.....	.....	.....	4	3	.....	1	1	1	.....	.....	.....	1	.....
Children born to all mothers .....Total	10,385	4,202	785	1,961	100	259	....	51	26	2	159	27	49	81	86	198	13	36	16	18	486	256	837	30	6	190	73	13	73	45	186	25	4	71	20	1
,, ...M.	5,169	2,065	377	979	49	138	....	28	12	....	86	11	33	29	48	93	8	18	8	12	251	116	435	9	4	89	37	9	36	29	93	15	3	38	10	1
,, ...F.	5,216	2,137	408	982	51	121	....	23	14	2	73	16	16	52	38	105	5	18	8	6	235	140	402	21	2	101	36	4	37	16	93	10	1	33	10	.....

* Including Galician. † Including Bukovinian.

TABLE 9.—BIRTHS (EXCLUSIVE OF STILL-BIRTHS) CLASSIFIED ACCORDING TO BIRTHPLACE OF PARENTS, BRITISH COLUMBIA, 1928.

BIRTHPLACE OF FATHER.	TOTAL.	BIRTHPLACE OF MOTHER. Canada.										British Isles.					British Possessions.		Europe.															Asia.					
		Prince Edward I.	Nova Scotia.	New Brunswick.	Quebec.	Ontario.	Manitoba.	Saskatchewan.	Alberta.	British Columbia.	Prov. not spec.	England.	Ireland.	Scotland.	Wales.	Other.	Newfoundland.	Other.	Austria.	Belgium.	Denmark.	Finland.	France.	Germany.	Holland.	Hungary.	Italy.	Norway.	Poland.*	Rumania.†	Russia.‡	Sweden.	Other.	China.	Japan.	Other.	United States.	Various.	Not specified.
Canada	3,651	17	74	53	87	392	253	116	113	1,266	4	576	35	184	17	5	12	29	7		2	8	5	6	2	3	3	13	3	1	7	8	7	14	6		320	3	
Prince Edward Island	57	8	1	2	1	3	4	3	3	10		8	1	3			1	1	1													1					6		
Nova Scotia	188	3	26	5	7	14	13	5	9	33		18	2	24	2	1		1											1								22	2	
New Brunswick	135		8	15	4	16	6	3	3	22		20		8				3					1		1	1		2	1				1		1		19		
Quebec	184	1	6	2	31	16	17	2	8	32		35	1	9	1			2					3	1			1	1			1		1				13		
Ontario	835	2	9	9	16	190	76	30	15	154	2	157	11	44	4	2	2	9	1		1			3			1	4			2	1	2				88		
Manitoba	337		3	7	8	40	54	16	15	62		65	6	14	3		2	3			1			1					1	1	1	2	1				31		
Saskatchewan	108		3		3	9	13	16	3	22		17		5								1				1							1				14		
Alberta	130		2	2		8	7	5	15	33		22	3	6				1	4			1									2	1	1				17		
British Columbia	1,672	3	16	11	17	96	63	36	42	897	1	232	11	71	7	2	7	9	1			6	1	1	1	1	1	6			1	3		14	5		109	1	
Province not specified	5									1	1	2																									1		
British Isles	3,392	8	27	23	21	186	118	63	63	477	2	1,310	158	625	48	9	6	29		7	2	1	7	8	2	1	2	4	3	1	3	3	8	6		3	152	6	
England	2,117	6	16	15	15	122	67	40	45	316		1,046	46	179	24	6	5	18		6	2	1	4	5	2	1	1	3	1	1	2	2	7	5		2	102	4	
Ireland	309		4	4	3	17	12	10	7	35		62	94	30	7			2					1	1				1						1			17	1	
Scotland	867	2	7	4	3	40	34	9	9	112	1	179	17	405	3		1	7		1			2	1			1		2		1						25	1	
Wales	91					6	4	4	2	14	1	22		11	14	1		2						1								1	1				7		
Other	8					1	1					1	1			2																				1	1		
British Possessions	179	1	2	1	1	10	4	1	2	30		48	1	8	2		6	43																			19		
Newfoundland	38		2	1		3	3			9		6		1			6	1																			6		
Other	141	1			1	7	1	1	2	21		42	1	7	2			42																			13		
Europe	1,206		6	6	1	25	31	24	27	111	2	61	4	26	2			5	47	6	25	58	9	20	22	7	181	90	69	16	79	84	84	1			74	3	
Austria	55					1	1	1	4	3		1						1	37					1					3		2								
Belgium	15							1	2	2		1		3						5																	1		
Denmark	46			1		3	3					4		4							22	2										3					4		
Finland	66					2	1		1	3	1	1		1								48						1			1	3					3		
France	24						3	2	1	3		3	1	1				1					6										1				1	1	
Germany	40					2		1	1	2		6		1					4					13	3	1		1			3						2		
Holland	38		1			1	2	1		3		3	1	1									1		18			1			2		1				2		
Hungary	7																	1								5							1						
Italy	263					3	2		2	45		10	1	3						1			1	1			181		1			1	3				6	2	
Norway	148		1	1		5	4	3		14	1	7		4				1			1	3						79			1	4	1				18		
Poland*	81		1				7	3	3	3		1		1					1					1		1		1	53	1	2						2		
Rumania†	25							1		2		1							1			1							3	12	2		2						
Russia‡	119		1			1	6	6	5	7		4			1				4										7	2	65		1	1			8		
Sweden	154		1	3		4	1	4	4	16		9	1	7	1			1			2	3						6				73					18		
Other	125		1	1	1	3	1	1	4	8		10										1	1	4	1			1	2	1	1		74				9		
Asia	987				1	3				43		7	1	2				1																116	810		2	1	
China	152				1	3				24		5	1																					116			2		
Japan	829									17		1																							810			1	
Other	6									2		1		2				1																					
United States	688	5	10	6	12	57	38	25	29	139	1	104	5	30	5		2	2		2			3	1	1		2	4	2		1	2	1				199		
Various	14				1					4		2													1		1				1						3	1	
Not specified	1											1																											
Children born to—																																							
Married mothers	10,118	31	119	89	124	673	444	229	234	2,070	9	2,109	204	875	74	14	26	109	54	15	29	67	24	35	28	11	189	111	77	18	91	97	100	137	816	3	769	14	
Unmarried mothers	267		2	2	3	14	10	21	15	91		38	5	25	1		1	2		1		5	1	1				3	2		1	1	2	1	1		17		1
All mothers	10,385	31	121	91	127	687	454	250	249	2,161	9	2,147	209	900	75	14	27	111	54	16	29	72	25	36	28	11	189	114	79	18	92	98	102	138	817	3	786	14	1

* Including Galicia. † Including Bukovina. ‡ Including Ukraine.

TABLE 10.—DEATHS OF CHILDREN UNDER ONE YEAR (EXCLUSIVE OF STILL-BIRTHS) BY MONTHS, CLASSIFIED AS RURAL AND URBAN, BRITISH COLUMBIA, 1928.

PROVINCE AND DIVISIONS	TOTAL.	MONTHS.											
		Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
British Columbia	524	43	54	61	58	36	37	38	32	42	40	43	40
Rural	200	19	19	17	33	7	15	12	12	18	15	16	17
Urban	324	24	35	44	25	29	22	26	20	24	25	27	23
Victoria Division	50	4	2	7	3	3	4	2	1	4	9	4	7
Rural	11	.....	1	2	1	1	.....	.....	.....	1	3	1	1
Urban	39	4	1	5	2	2	4	2	1	3	6	3	6
Duncan (c.)	4	.....	.....	.....	.....	1	.....	.....	1	.....	1	.....	1
Victoria (c.)	35	4	1	5	2	1	4	2	.....	3	5	3	5
New Westminster Division	81	8	4	10	11	4	6	3	6	9	2	9	9
Rural	45	5	2	4	7	1	3	1	3	6	2	6	5
Urban	36	3	2	6	4	3	3	2	3	3	.....	3	4
Chilliwack (c.)	7	1	1	.....	1	.....	.....	2	.....	1	.....	.....	1
New Westminster (c.)	29	2	1	6	3	3	3	.....	3	2	.....	3	3
Nanaimo Division	35	4	5	5	7	4	1	1	2	1	2	2	1
Rural	16	3	3	2	3	1	.....	.....	1	1	.....	1	1
Urban	19	1	2	3	4	3	1	1	1	.....	2	1	.....
Cumberland (c.)	4	.....	.....	1	1	1	.....	1	.....	.....	.....	.....	.....
Ladysmith (c.)	6	.....	1	1	1	1	.....	.....	.....	.....	2	.....	.....
Nanaimo (c.)	9	1	1	1	2	1	1	.....	1	.....	.....	1	.....
Beaton Division	46	3	6	6	4	2	.....	7	6	2	3	4	3
Rural	20	2	2	1	3	1	.....	4	1	2	1	2	1
Urban	26	1	4	5	1	1	.....	3	5	.....	2	2	2
Cranbrook (c.)	5	1	.....	.....	.....	.....	.....	1	1	.....	1	.....	1
Fernie (c.)	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....
Nelson (c.)	2	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Rossland (c.)	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Trail (c.)	16	.....	3	5	1	1	.....	1	2	.....	1	1	1
Alberni Division	59	4	6	4	10	1	9	4	3	7	4	4	3
Rural	46	3	6	2	7	.....	8	2	3	6	4	3	2
Urban	13	1	.....	2	3	1	1	2	.....	1	.....	1	1
Port Alberni (c.)	6	1	.....	2	.....	1	1	1	.....	.....	.....	.....	.....
Prince Rupert (c.)	7	.....	.....	.....	3	.....	.....	1	.....	1	.....	1	1
Ashcroft Division	29	3	2	2	8	1	3	.....	1	1	3	2	3
Rural	26	3	1	2	8	1	3	.....	.....	1	2	2	3
Urban	3	.....	1	.....	.....	.....	.....	.....	1	.....	1	.....	.....
Prince George (c.)	3	.....	1	.....	.....	.....	.....	.....	1	.....	1	.....	.....
Grand Forks Division	45	4	3	5	3	4	2	3	5	3	6	3	4
Rural	27	3	3	1	3	2	1	3	4	1	3	1	2
Urban	18	1	.....	4	.....	2	1	.....	1	2	3	2	2
Grand Forks (c.)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
Kamloops (c.)	8	1	.....	2	.....	.....	.....	.....	.....	1	2	.....	2
Kelowna (c.)	4	.....	.....	2	.....	.....	1	.....	.....	.....	.....	1	.....
Merritt (c.)	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Vernon (c.)	4	.....	.....	.....	.....	2	.....	.....	1	.....	1	.....	.....
Vancouver Division	179	13	26	22	12	17	12	18	8	15	11	15	10
Rural	9	.....	1	3	1	.....	.....	2	.....	.....	.....	.....	2
Urban	170	13	25	19	11	17	12	16	8	15	11	15	8
North Vancouver (c.)	6	.....	1	.....	1	.....	.....	.....	.....	.....	1	3	.....
Vancouver City, Point Grey, and south Vancouver	164	13	24	19	10	17	12	16	8	15	10	12	8

NOTE.—"Urban" includes cities and towns of 1,000 population and over according to the census of 1921; "Rural" the remaining parts.

TABLE 11.—TOTAL DEATHS (EXCLUSIVE OF STILL-BIRTHS) AND DEATHS IN PUBLIC INSTITUTIONS OF CHILDREN UNDER ONE YEAR OF AGE, SHOWING THE NUMBER NON-RESIDENT IN THE PROVINCE OF BRITISH COLUMBIA, 1928.

PROVINCE.	ALL DEATHS UNDER ONE YEAR.						IN PUBLIC INSTITUTIONS.					
	Total.			Non-resident in Province.			Total.			Non-resident in Province.		
	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.
Total for Province	524	285	239	.....	.....	.....	265	147	118	.....	.....	.....

TABLE 12.—TOTAL DEATHS (EXCLUSIVE OF STILL-BIRTHS) AND DEATHS IN PUBLIC INSTITUTIONS OF CHILDREN UNDER ONE YEAR OF AGE, CLASSIFIED ACCORDING TO RESIDENCE, IN CITIES AND TOWNS OF 5,000 POPULATION AND OVER, BRITISH COLUMBIA, 1928.

ALL DEATHS UNDER ONE YEAR.

CITIES AND TOWNS.	Total.			Residents.			Non-resident in City or Town where Death occurred.					
							Resident in Province.			Non-resident in Province.		
	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.
Nanaimo	9	6	3	6	4	2	3	2	1			
Nelson	2	1	1	2	1	1						
New Westminster	29	18	11	18	11	7	11	7	4			
North Vancouver	6	4	2	4	2	2	2	2				
Prince Rupert	7	4	3	5	3	2	2	1	1			
Vancouver City, Point Grey, and South Vancouver	164	84	80	139	69	70	25	15	10			
Victoria	35	18	17	29	15	14	6	3	3			
DEATHS IN PUBLIC INSTITUTIONS.												
Nanaimo	1		1				1		1			
Nelson	2	1	1	2	1	1						
New Westminster	24	15	9	14	9	5	10	6	4			
North Vancouver	2	2					2	2				
Prince Rupert	6	4	2	4	3	1	2	1	1			
Vancouver City, Point Grey, and South Vancouver	120	65	55	96	50	46	24	15	9			
Victoria	30	15	15	24	12	12	6	3	3			
DEATHS ELSEWHERE THAN IN PUBLIC INSTITUTIONS.												
Nanaimo	8	6	2	6	4	2	2	2				
Nelson												
New Westminster	5	3	2	4	2	2	1	1				
North Vancouver	4	2	2	4	2	2						
Prince Rupert	1		1	1		1						
Vancouver City, Point Grey, and South Vancouver	44	19	25	43	19	24	1		1			
Victoria	5	3	2	5	3	2						

TABLE 13.—DEATHS OF CHILDREN UNDER ONE YEAR (EXCLUSIVE OF STILL-BIRTHS) BY AGE AT DEATH, BRITISH COLUMBIA, 1928.

AGES.		No.
All infants	Total	524
,,	M.	285
,,	F.	239
Under 1 day	Total	110
,,	M.	53
,,	F.	57
1 day	Total	37
,,	M.	17
,,	F.	20
2 days	Total	34
,,	M.	21
,,	F.	13
3 days	Total	21
,,	M.	13
,,	F.	8
4 days	Total	15
,,	M.	10
,,	F.	5
5 days	Total	9
,,	M.	6
,,	F.	3
6 days	Total.	11
,,	M.	5
,,	F.	6
Under 1 week	Total	237
,,	M.	125
,,	F.	112
1 week and under 2 weeks	Total	40
,, ,,	M.	23
,, ,,	F.	17
2 weeks and under 3 weeks	Total	11
,, ,,	M.	7
,, ,,	F.	4
3 weeks and under 1 month	Total.	14
,, ,,	M.	10
,, ,,	F.	4

AGES.		No.
Under 1 month	Total	302
,,	M.	165
,,	F.	137
1 month and under 2 months	Total	39
,, ,,	M.	23
,, ,,	F.	16
2 months and under 3 months	Total	28
,, ,,	M.	13
,, ,,	F.	15
3 months and under 4 months	Total	28
,, ,,	M.	20
,, ,,	F.	8
4 months and under 5 months	Total	17
,, ,,	M.	8
,, ,,	F.	9
5 months and under 6 months	Total	19
,, ,,	M.	9
,, ,,	F.	10
6 months and under 7 months	Total	17
,, ,,	M.	11
,, ,,	F.	6
7 months and under 8 months	Total	17
,, ,,	M.	6
,, ,,	F.	11
8 months and under 9 months	Total	16
,, ,,	M.	9
,, ,,	F.	7
9 months and under 10 months	Total	14
,, ,,	M.	8
,, ,,	F.	6
10 months and under 11 months	Total	18
,, ,,	M.	10
,, ,,	F.	8
11 months and under 12 months	Total	9
,, ,,	M.	3
,, ,,	F.	6

TABLE 14.—DEATHS OF CHILDREN UNDER ONE YEAR OF AGE (EXCLUSIVE OF STILL-BIRTHS), CLASSIFIED ACCORDING TO RACIAL ORIGIN OF DECEDENTS, BRITISH COLUMBIA, 1928.

Racial Origin.	Total.	Racial Origin.	Total.
All origins	524	Hungarian	....
English	183	Icelandic	1
Irish	37	Indian	66
Scotch	93	Italian	18
Welsh	7	Japanese	43
French	6	Jewish	1
Armenian	....	Negro	....
Austrian	6	Norwegian	10
Belgian	1	Polish	3
Bulgarian	....	Rumanian	2
Chinese	13	Russian	4
Czech and Slovak	....	Serb and Croat	2
Danish	1	Swedish	9
Dutch	....	Swiss	....
Finnish	2	Syrian	....
German	8	Ukranian*	4
Greek	2	Other	1
Hindu	1	Not specified	....

* Including Galician.

TABLE 15.—DEATHS OF CHILDREN UNDER ONE YEAR OF AGE (EXCLUSIVE OF STILL-BIRTHS), CLASSIFIED ACCORDING TO BIRTHPLACE OF PARENTS, FOR BRITISH COLUMBIA, 1928.

BIRTHPLACE OF FATHER.	BIRTHPLACE OF MOTHER.																																									
		CANADA.										BRITISH ISLES.					BRITISH POSS.		EUROPE.																	ASIA.							
	TOTAL.	Prince Edward I.	Nova Scotia.	New Brunswick.	Quebec.	Ontario.	Manitoba.	Saskatchewan.	Alberta.	British Columbia.	Prov. not spec.	England.	Ireland.	Scotland.	Wales.	Other.	Newfoundland.	Other.	Austria.	Belgium.	Denmark.	Finland.	France.	Germany.	Holland.	Hungary.	Italy.	Norway.	Poland.*	Rumania.†	Russia.‡	Sweden.	Other.	China.	Japan.	Other.	United States.	Various.	Not specified.				
Canada	217	2	7	2	2	20	12	6	5	106	....	28	1	13	....	....	.....	1	....	....	....	....	....	....	....	....	1	....	....	2	.....	....	.....	1	....	8	....	.....				
Prince Edward Island	4	2	.....	.....	.....	.....	.....	.....	1	.....	....	.....	.....	1	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	.....	....	.....	.....	....	.....	.....	.....				
Nova Scotia	10	....	4	.....	2	1	1	....	....	1	....	.....	.....	1	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	.....	....	.....	.....	....	.....	.....	.....				
New Brunswick	3	....	.....	2	.....	1	.....	.....	.....	.....	....	.....	.....	.....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	.....	....	.....	.....	....	.....	.....	.....				
Quebec	6	....	.....	.....	.....	1	2	1	.....	.....	....	2	.....	.....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	.....	....	.....	.....	....	.....	.....	.....				
Ontario	40	....	1	.....	.....	12	3	2	1	6	....	9	.....	3	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	.....	....	.....	.....	....	3	.....	.....				
Manitoba	12	....	.....	.....	.....	.....	3	.....	.....	1	....	4	.....	1	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	1	.....	....	.....	.....	....	2	.....	.....				
Saskatchewan	3	....	.....	.....	.....	.....	1	.....	.....	1	....	.....	.....	.....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	1	....	....	.....	....	.....	.....	....	.....	.....	.....				
Alberta	2	....	.....	.....	.....	.....	.....	.....	1	.....	....	.....	.....	.....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	1	.....	....	.....	.....	....	.....	.....	.....				
British Columbia	137	....	2	.....	.....	5	2	3	2	97	....	13	1	7	....	....	.....	1	....	....	....	....	....	....	....	....	....	....	....	....	.....	....	.....	1	....	3	.....	.....				
Province not specified	.....	....	.....	.....	.....	.....	.....	.....	.....	.....	....	.....	.....	.....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	.....	....	.....	.....	....	.....	.....	.....				
British Isles	144	1	.....	.....	1	7	3	3	1	24	....	47	6	33	2	1	.....	.....	....	....	....	....	1	....	....	....	....	....	....	....	.....	....	.....	1	.....	12	1	.....				
England	88	1	.....	.....	1	3	2	2	1	19	....	40	2	6	....	....	.....	.....	....	....	....	....	1	....	....	....	....	....	....	....	.....	....	.....	1	.....	9	.....	.....				
Ireland	11	....	.....	.....	.....	.....	.....	1	....	2	....	3	3	1	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	.....	....	.....	.....	....	1	.....	.....				
Scotland	39	....	.....	.....	.....	3	1	.....	.....	3	....	2	1	26	1	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	.....	....	.....	.....	....	2	.....	.....				
Wales	5	....	.....	.....	.....	1	....	....	....	.....	....	2	.....	.....	1	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	.....	....	.....	.....	....	.....	1	.....				
Other	1	....	.....	.....	.....	.....	.....	.....	.....	.....	....	.....	.....	.....	....	1	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	.....	....	.....	.....	....	.....	.....	.....				
British Possessions	6	....	.....	.....	.....	.....	.....	.....	.....	2	....	1	.....	.....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	.....	....	.....	.....	....	1	.....	.....				
Newfoundland	1	....	.....	.....	.....	.....	.....	.....	.....	.....	....	.....	.....	.....	....	....	1	.....	....	....	....	....	....	....	....	....	....	....	....	....	.....	....	.....	.....	....	.....	.....	.....				
Other	5	....	.....	.....	.....	.....	.....	.....	.....	2	....	1	.....	.....	....	....	.....	1	....	....	....	....	....	....	....	....	....	....	....	....	.....	....	.....	.....	....	1	.....	.....				
Europe	60	....	.....	.....	.....	1	....	....	....	8	....	1	1	3	....	....	.....	.....	6	1	1	2	1	1	....	....	13	6	2	2	7	1	2	.....	.....	1	.....	.....				
Austria	6	....	.....	.....	.....	.....	.....	.....	.....	.....	....	.....	.....	.....	....	....	.....	.....	6	....	....	....	....	....	....	....	....	....	....	....	.....	....	.....	.....	....	.....	.....	.....				
Belgium	1	....	.....	.....	.....	.....	.....	.....	.....	.....	....	.....	.....	.....	....	....	.....	.....	....	1	....	....	....	....	....	....	....	....	....	....	.....	....	.....	.....	....	.....	.....	.....				
Denmark	.....	....	.....	.....	.....	.....	.....	.....	.....	.....	....	.....	.....	.....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	.....	....	.....	.....	....	.....	.....	.....				
Finland	2	....	.....	.....	.....	.....	.....	.....	.....	.....	....	.....	.....	.....	....	....	.....	.....	....	....	....	2	....	....	....	....	....	....	....	....	.....	....	.....	.....	....	.....	.....	.....				
France	1	....	.....	.....	.....	.....	.....	.....	.....	.....	....	.....	.....	.....	....	....	.....	.....	....	....	....	....	1	....	....	....	....	....	....	....	.....	....	.....	.....	....	.....	.....	.....				
Germany	4	....	.....	.....	.....	.....	.....	.....	.....	2	....	.....	.....	.....	....	....	.....	.....	....	....	....	....	....	1	....	....	....	....	....	....	1	.....	....	.....	.....	....	.....	.....	.....				
Holland	.....	....	.....	.....	.....	.....	.....	.....	.....	.....	....	.....	.....	.....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	.....	....	.....	.....	....	.....	.....	.....				
Hungary	.....	....	.....	.....	.....	.....	.....	.....	.....	.....	....	.....	.....	.....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	.....	....	.....	.....	....	.....	.....	.....				
Italy	18	....	.....	.....	.....	.....	.....	.....	.....	3	....	.....	.....	2	....	....	.....	.....	....	....	....	....	....	....	....	....	13	....	....	....	.....	....	.....	.....	....	.....	.....	.....				
Norway	7	....	.....	.....	.....	.....	.....	.....	.....	1	....	.....	.....	.....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	6	....	....	.....	....	.....	.....	....	.....	.....	.....				
Poland*	2	....	.....	.....	.....	.....	.....	.....	.....	.....	....	.....	.....	.....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	2	....	.....	....	.....	.....	....	.....	.....	.....				
Rumania†	3	....	.....	.....	.....	.....	.....	.....	.....	.....	....	.....	.....	.....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	2	.....	....	.....	.....	....	1	.....	.....				
Russia‡	7	....	.....	.....	.....	.....	.....	.....	.....	1	....	.....	.....	.....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	6	....	.....	.....	....	.....	.....	.....				
Sweden	7	....	.....	.....	.....	1	....	....	....	1	....	1	1	1	....	....	.....	.....	....	....	1	....	....	....	....	....	....	....	....	....	.....	1	.....	.....	....	.....	.....	.....				
Other	2	....	.....	.....	.....	.....	.....	.....	.....	.....	....	.....	.....	.....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	.....	....	2	.....	....	.....	.....	.....				
Asia	55	1	.....	.....	.....	.....	.....	.....	.....	4	....	1	.....	.....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	.....	....	.....	10	39	....	.....	.....				
China	13	....	.....	.....	.....	.....	.....	.....	.....	3	....	.....	.....	.....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	.....	....	.....	10	.....	....	.....	.....				
Japan	42	1	.....	.....	.....	.....	.....	.....	.....	1	....	1	.....	.....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	.....	....	.....	.....	39	....	.....	.....				
Other	.....	....	.....	.....	.....	.....	.....	.....	.....	.....	....	.....	.....	.....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	.....	....	.....	.....	....	.....	.....	.....				
United States	29	....	.....	.....	.....	3	2	....	2	6	....	4	.....	.....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	.....	....	.....	.....	....	12	.....	.....				
Various	.....	....	.....	.....	.....	.....	.....	.....	.....	.....	....	.....	.....	.....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	.....	....	.....	.....	....	.....	.....	.....				
Not specified	13	1	.....	.....	.....	.....	.....	.....	.....	7	....	1	1	1	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	.....	.....	....	1	.....	.....				
Total mothers	524	5	7	2	3	31	17	9	8	157	....	83	9	50	2	1	1	2	6	1	1	2	2	1	....	....	13	7	2	2	10	1	2	11	40	....	35	1	.....				

* Including Galicia. † Including Bukovina. ‡ Including Ukraine.

TABLE 16.—DEATHS OF CHILDREN (EXCLUSIVE OF STILL-BIRTHS) FROM CERTAIN SPECIFIED CAUSES IN FIRST YEAR OF LIFE BY MONTHS, BRITISH COLUMBIA, 1928.

Int. List No.	CAUSES OF DEATH.	TOTAL UNDER 1 YEAR.			MONTH OF DEATH.																							
					Jan.		Feb.		Mar.		April.		May.		June.		July.		Aug.		Sept.		Oct.		Nov.		Dec.	
		T'l.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
	All causes	524	285	239	24	19	31	23	39	22	33	25	19	17	14	23	19	19	16	16	20	22	25	15	23	20	22	18
7	Measles	1	1				1																					
9	Whooping-cough	7	4	3		1							1	1		1			1		1		1					
10	Diphtheria	1		1														1										
11	Influenza	12	6	6	1				3	1	1	1				1											1	3
21	Erysipelas	1	1												1													
22	Acute anterior poliomyelitis	1	1																				1					
24	Meningococcus meningitis	2	2						1														1					
31	Tuberculosis of the respiratory system	6	3	3				1		1	1						2							1				
32	Tuberculosis of the meninges and central nervous system	5	2	3					1				1			1						1						1
33–37	Tuberculosis, other forms	1		1																				1				
38	Syphilis	5	2	3					1	1		1	1													1		
62	Diseases of the thymus	13	8	5	1	1	1	2	2		2	1									1		1					1
71a	Simple meningitis	4	2	2						1					1				1							1		
80	Convulsions	6	5	1	1						1				1	1					1						1	
86	Diseases of the ear and of the mastoid process	8	5	3	1		1	3	1								2											
99	Bronchitis	6	2	4			1	1			1	1										1						1
100	Bronchopneumonia	24	10	14	1	2	3	1	1	2	4	4		2		1			1							2		
101	Pneumonia	34	17	17	2		3	2	1	2	4	1		2	1	2		2	1	1		2	2		1		2	3
110–112	Diseases of the stomach	8	6	2					1		2		1				1	1	1					1				
113	Diarrhœa and enteritis	21	12	9		1			2		1								2	3	2	3	2		1	1	2	1
118	Hernia, intestinal obstruction	3	1	2		1					1					1												
159	Malformations	56	33	23	2	2	4	6	3	3	4	1	3	1	1	1	2	2	2	1	4	1	2	2	5	2	1	1
	(a.) Congenital hydrocephalus	2	2												1								1					
	(b.) Congenital malformations of the heart	32	15	17	2	1	2	4	2	3	1	1				1	1	2			3		1	2	3	2		1
	(c.) Others under this title	22	16	6		1	2	2	1		3		3	1			1		2	1	1	1			2		1	
160	Congenital debility, icterus, and sclerema	35	20	15	4	2	2		1	1		1			3	3	2	1	1	2		1	2	1	5	2		1
161a	Premature birth	152	78	74	7	3	4	5	10	6	5	10	5	4	2	6	7	8	5	6	10	9	7	4	6	9	10	4
161b	Injury at birth	29	16	13		3	3	1	5	1		1	1		1	3	2	1	1			1	1	1	1	1	1	
162	Other diseases peculiar to early infancy	47	26	21	3		4	1	2	2	3	3	5	6	2	1	1	1		2	1	1	2	2	3	1		1
	(a.) Specified diseases	37	19	18	1		3	1	1	2	3	3	4	5		1	1	1		2	1		2	2	3	1		
	(b.) Unspecified causes under 3 months	10	7	3	2		1		1				1	1	2							1						1
175–203	External causes	5	2	3			1							1				2									1	
204–205	Other specified causes	25	15	10	1	2	3		3	1	3		1			1				1		2	3	2			1	1
	Unspecified or ill-defined causes	6	5	1		1			1						1										1		2	

TABLE 17.—DEATHS OF CHILDREN (EXCLUSIVE OF STILL-BIRTHS) FROM CERTAIN SPECIFIED CAUSES IN FIRST YEAR OF LIFE, BY AGES, BRITISH COLUMBIA, 1928.

Int. List No.	CAUSES OF DEATH.	TOTAL UNDER 1 YEAR.			AGE AT DEATH.																															
					Under 1 Day.		1 Day and under 1 Week.		1 Week and under 2 Weeks.		2 Weeks and under 3 Weeks.		3 Weeks and under 1 Month.		1 Month and under 2 Months.		2 Months and under 3 Months.		3 Months and under 4 Months.		4 Months and under 5 Months.		5 Months and under 6 Months.		6 Months and under 7 Months.		7 Months and under 8 Months.		8 Months and under 9 Months.		9 Months and under 10 Months.		10 Months and under 11 Months.		11 Months and under 12 Months.	
		Total.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
	All causes	524	285	239	53	57	72	55	23	17	7	4	10	4	23	16	13	15	20	8	8	9	9	10	11	6	6	11	9	7	8	6	10	8	3	6
7	Measles	1	1																														1			
9	Whooping-cough	7	4	3											1			1			1	1		1	1								1			
10	Diphtheria	1		1																										1						
11	Influenza	12	6	6											1	1	2				1			1		1	1		1			1				2
21	Erysipelas	1	1												1																					
22	Acute anterior poliomyelitis	1	1																														1			
24	Meningococcus meningitis	2	2																1						1											
31	Tuberculosis of the respiratory system	6	3	3																			1		1			1				1		2		
32	Tuberculosis of the meninges and central nervous system	5	2	3												1											1					2	1		
33–37	Tuberculosis, other forms	1		1																																1
38	Syphilis	5	2	3					1							2	2																			
62	Diseases of the thymus	13	8	5			1	1	1						2	1	1	1	3								2									
71a	Simple meningitis	4	2	2			1									1									1										1
80	Convulsions	6	5	1			2											1	1	1			1													
86	Diseases of the ear and of the mastoid process	8	5	3													2		2	1		1			1		1									
99	Bronchitis	6	2	4										1		1			1			1						1				1				
100	Bronchopneumonia	24	10	14				2	2						2	1		2	3	1			1	1	1	2		2	1		1		2			
101	Pneumonia	34	17	17			2		1						2	1		3	3		1	2	1	2	1	1	1	3	1	3	2	1	1	1	1	
110–112	Diseases of the stomach	8	6	2					1						2	1					1				1		1						1			
113	Diarrhœa and enteritis	21	12	9							1				1	1	1	2	1		2	2	1	1				1	2	1	3		1			
118	Hernia, intestinal obstruction	3	1	2											1									1				1							
159	Malformations	56	33	23		4	13	10	4	2	1		1		5	1	2	1		3	1			1		1	1		2		2			1	
	(a.) Congenital hydrocephalus	2	2																											1				1	
	(b.) Congenital malformations of the heart	32	15	17		2	6	8	1	1	1		1		1	1	2	1		2	1			1		1			1		1				
	(c.) Others under this title	22	16	6		2	7	2	3	1					4					1							1		1						
160	Congenital debility, icterus, and sclerema	35	20	15	4	1	5	2	4	4	1	1	2		1	1	1	1	1	3	1	1					1									
161a	Premature birth	152	78	74	39	40	27	21	3	5	2	2	4	3	1			1	1			1						1					1			
161b	Injury at birth	29	16	13	5	4	10	8	1							1																				
162	Other diseases peculiar to early infancy	47	26	21	5	8	10	10	4	3	2		2		2				1																	
	(a.) Specified diseases	37	19	18	5	8	8	9	2	1	1		1		1				1																	
	(b.) Unspecified causes under 3 months	10	7	3			2	1	2	2	1		1		1																					
175–203	External causes	5	2	3				1															1	1							1	1				
	Other specified causes	25	15	10					2	2	1		1		1	2	1	2	1				2	1	2		1		1				1	1	1	2
204, 205	Unspecified or ill-defined causes	6	5	1			1												1				1		1				1			1				

TABLE 18.—TOTAL DEATHS (EXCLUSIVE OF STILL-BIRTHS) AND DEATHS IN PUBLIC INSTITUTIONS, SHOWING THE NUMBER NON-RESIDENT IN THE PROVINCE OF BRITISH COLUMBIA, 1928.

PROVINCE.	ALL DEATHS.						IN PUBLIC INSTITUTIONS.					
	Total.			*Non-resident in Province.*			Total.			*Non-resident in Province.*		
	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.
Total for Province	5,910	3,663	2,247	124	94	30	2,807	1,831	976	69	51	18

TABLE 19.—TOTAL DEATHS (EXCLUSIVE OF STILL-BIRTHS) AND DEATHS IN PUBLIC INSTITUTIONS, CLASSIFIED ACCORDING TO RESIDENCE OF DECEDENTS IN CITIES AND TOWNS OF 5,000 POPULATION AND OVER, BRITISH COLUMBIA, 1928.

ALL DEATHS.

CITIES AND TOWNS.	Total.			Residents.			Non-resident in City or Town where Death occurred.					
							Resident in Province.			Non-resident in Province.		
	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.
Nanaimo	78	42	36	62	33	29	16	9	7			
Nelson	70	50	20	52	36	16	17	14	3	1		1
New Westminster	297	156	141	186	93	93	108	62	46	3	1	2
North Vancouver	66	39	27	56	30	26	10	9	1			
Prince Rupert	62	42	20	41	25	16	21	17	4			
Vancouver City, Point Grey, and South Vancouver	2,201	1,335	866	1,857	1,095	762	295	207	88	49	33	16
Victoria	558	322	236	393	212	181	138	85	53	27	25	2

DEATHS IN PUBLIC INSTITUTIONS.

Nanaimo	8	5	3	3	2	1	5	3	2			
Nelson	44	35	9	29	23	6	15	12	3			
New Westminster	208	107	101	104	48	56	103	59	44	1		1
North Vancouver	25	19	6	15	10	5	10	9	1			
Prince Rupert	44	30	14	27	17	10	17	13	4			
Vancouver City, Point Grey, and South Vancouver	1,253	802	451	955	595	360	266	186	80	32	21	11
Victoria	380	232	148	233	135	98	131	82	49	16	15	1

DEATHS ELSEWHERE THAN IN PUBLIC INSTITUTIONS.

Nanaimo	70	37	33	59	31	28	11	6	5			
Nelson	26	15	11	23	13	10	2	2		1		1
New Westminster	89	49	40	82	45	37	5	3	2	2	1	1
North Vancouver	41	20	21	41	20	21						
Prince Rupert	18	12	6	14	8	6	4	4				
Vancouver City, Point Grey, and South Vancouver	948	533	415	902	500	402	29	21	8	17	12	5
Victoria	178	90	88	160	77	83	7	3	4	11	10	1

TABLE 20.—DEATHS (EXCLUSIVE OF STILL-BIRTHS) BY SINGLE YEARS OF AGE AND BY AGE GROUPS, BRITISH COLUMBIA, 1928.

AGES.	PROVINCE.			VANCOUVER CITY, POINT GREY, SOUTH VANCOUVER.			VICTORIA CITY.			NEW WEST-MINSTER CITY.			REMAINDER OF PROVINCE.		
	Total.	M.	F.	Total.	M.	F.	Total	M.	F.	Total	M.	F.	Total.	M.	F.
All ages	5,910	3,663	2,247	2,201	1,335	866	558	322	236	297	156	141	2,854	1,850	1,004
Under 1 year	524	285	239	164	84	80	35	18	17	29	18	11	296	165	131
1 year	83	43	40	25	12	13	3	2	1	3	.....	3	52	29	23
2 years	70	46	24	18	15	3	2	.....	2	4	.....	4	46	31	15
3 ,,	40	22	18	11	4	7	3	2	1	2	1	1	24	15	9
4 ,,	39	19	20	9	7	2	1	.....	1	4	.....	4	25	12	13
Total under 5 years	756	415	341	227	122	105	44	22	22	42	19	23	443	252	191
5 years	40	30	10	15	11	4	5	3	2	2	1	1	18	15	3
6 ,,	39	20	19	16	8	8	.....	.....	.....	1	.....	1	22	12	10
7 ,,	36	13	23	14	5	9	3	.....	3	.....	.....	.....	19	8	11
8 ,,	32	16	16	13	7	6	4	3	1	.....	.....	.....	15	6	9
9 ,,	22	14	8	6	2	4	2	1	1	1	.....	1	13	11	2
Total 5–9 years	169	93	76	64	33	31	14	7	7	4	1	3	87	52	35
10 years	36	16	20	6	4	2	2	1	1	1	.....	1	27	11	16
11 ,,	26	17	9	8	6	2	2	2	.....	2	1	1	14	8	6
12 ,,	26	13	13	8	3	5	1	.....	1	.....	.....	.....	17	10	7
13 ,,	23	12	11	8	4	4	.....	.....	.....	2	1	1	13	7	6
14 ,,	30	13	17	8	2	6	2	1	1	1	.....	1	19	10	9
Total 10–14 years	141	71	70	38	19	19	7	4	3	6	2	4	90	46	44
15 years	26	15	11	5	3	2	1	1	.....	3	1	2	17	10	7
16 ,,	22	12	10	7	4	3	1	1	.....	.....	.....	.....	14	7	7
17 ,,	25	17	8	8	5	3	1	1	.....	1	1	.....	15	10	5
18 ,,	38	21	17	8	5	3	1	1	.....	3	1	2	26	14	12
19 ,,	41	25	16	15	7	8	2	2	.....	4	4	.....	20	12	8
Total 15–19 years	152	90	62	43	24	19	6	6	.....	11	7	4	92	53	39
20 years	32	17	15	8	6	2	2	1	1	2	.....	2	20	10	10
21 ,,	37	24	13	15	10	5	1	.....	1	2	1	1	19	13	6
22 ,,	24	12	12	7	4	3	3	1	2	.....	.....	.....	14	7	7
23 ,,	34	27	7	10	7	3	3	2	1	1	1	.....	20	17	3
24 ,,	31	19	12	10	6	4	1	1	.....	2	.....	2	18	12	6
Total 20–24 years	158	99	59	50	33	17	10	5	5	7	2	5	91	59	32
25 years	41	26	15	13	6	7	1	1	.....	2	1	1	25	18	7
26 ,,	40	22	18	10	5	5	2	1	1	2	1	1	26	15	11
27 ,,	41	24	17	12	6	6	2	.....	2	1	1	.....	26	17	9
28 ,,	39	18	21	15	8	7	3	1	2	1	.....	1	20	9	11
29 ,,	44	32	12	15	9	6	3	3	.....	1	1	.....	25	19	6
Total 25–29 years	205	122	83	65	34	31	11	6	5	7	4	3	122	78	44
30 years	44	28	16	12	10	2	.....	.....	.....	1	1	.....	31	17	14
31 ,,	40	23	17	16	9	7	1	1	.....	.....	.....	.....	23	13	10
32 ,,	36	21	15	14	7	7	2	.....	2	2	1	1	18	13	5
33 ,,	37	17	20	14	7	7	3	1	2	1	.....	1	19	9	10
34 ,,	40	28	12	19	13	6	2	2	.....	1	.....	1	18	13	5
Total 30–34 years	197	117	80	75	46	29	8	4	4	5	2	3	109	65	44
35 years	50	30	20	19	12	7	3	.....	3	1	.....	1	27	18	9
36 ,,	38	24	14	10	6	4	1	1	.....	5	3	2	22	14	8
37 ,,	52	32	20	19	14	5	4	2	2	5	3	2	24	13	11
38 ,,	61	33	28	27	10	17	6	4	2	2	2	.....	26	17	9
39 ,,	50	32	18	20	12	8	8	5	3	2	.....	2	20	15	5
Total 35–39 years	251	151	100	95	54	41	22	12	10	15	8	7	119	77	42
40 years	69	48	21	30	21	9	5	2	3	4	1	3	30	24	6
41 ,,	52	43	9	26	21	5	5	4	1	.....	.....	.....	21	18	3
42 ,,	81	50	31	29	17	12	7	6	1	7	3	4	38	24	14
43 ,,	63	39	24	32	19	13	2	1	1	1	.....	1	28	19	9
44 ,,	54	33	21	26	17	9	4	2	2	2	1	1	22	13	9
Total 40–44 years	319	213	106	143	95	48	23	15	8	14	5	9	139	98	41
45 years	88	62	26	40	26	14	8	5	3	6	3	3	34	28	6
46 ,,	87	57	30	35	23	12	7	5	2	7	6	1	38	23	15
47 ,,	82	46	36	37	20	17	8	6	2	3	1	2	34	19	15
48 ,,	103	60	43	46	25	21	6	1	5	4	3	1	47	31	16
49 ,,	74	52	22	34	27	7	4	3	1	4	4	.....	32	18	14
Total 45–49 years	434	277	157	192	121	71	33	20	13	24	17	7	185	119	66

TABLE 20.—DEATHS (EXCLUSIVE OF STILL-BIRTHS) BY SINGLE YEARS OF AGE AND BY AGE GROUPS, BRITISH COLUMBIA, 1928—*Continued.*

AGES.	PROVINCE.			VANCOUVER CITY, POINT GREY, SOUTH VANCOUVER.			VICTORIA CITY.			NEW WEST-MINSTER CITY.			REMAINDER OF PROVINCE.		
	Total.	M.	F.	Total.	M.	F.	Total	M.	F.	Total	M.	F.	Total.	M.	F.
50 years	103	70	33	45	34	11	9	6	3	2	.....	2	47	30	17
51 ,,	63	44	19	26	18	8	7	6	1	4	3	1	26	17	9
52 ,,	87	54	33	36	22	14	6	3	3	6	4	2	39	25	14
53 ,,	67	48	19	28	20	8	8	5	3	.....	.....	.....	31	23	8
54 ,,	79	46	33	38	22	16	7	7	.....	5	1	4	29	16	13
Total 50–54 years	399	262	137	173	116	57	37	27	10	17	8	9	172	111	61
55 years	88	59	29	32	16	16	10	5	5	4	2	2	42	36	6
56 ,,	86	62	24	33	25	8	14	8	6	3	3	.....	36	26	10
57 ,,	72	47	25	37	24	13	4	4	.....	2	1	1	29	18	11
58 ,,	84	49	35	32	19	13	12	4	8	5	4	1	35	22	13
59 ,,	76	46	30	27	15	12	9	5	4	4	1	3	36	25	11
Total 55–59 years	406	263	143	161	99	62	49	26	23	18	11	7	178	127	51
60 years	125	92	33	56	40	16	14	9	5	7	5	2	48	38	10
61 ,,	70	50	20	20	13	7	11	6	5	5	3	2	34	28	6
62 ,,	101	64	37	38	24	14	15	9	6	6	3	3	42	28	14
63 ,,	107	73	34	39	27	12	19	12	7	8	7	1	41	27	14
64 ,,	91	68	23	32	22	10	7	3	4	1	1	.....	51	42	9
Total 60–64 years	494	347	147	185	126	59	66	39	27	27	19	8	216	163	53
65 years	127	80	47	58	36	22	8	6	2	5	2	3	56	36	20
66 ,,	83	56	27	32	21	11	10	5	5	4	2	2	37	28	9
67 ,,	81	54	27	34	23	11	8	5	3	6	2	4	33	24	9
68 ,,	104	72	32	29	20	9	12	8	4	6	3	3	57	41	16
69 ,,	93	64	29	40	25	15	10	5	5	5	3	2	38	31	7
Total 65–69 years	488	326	162	193	125	68	48	29	19	26	12	14	221	160	61
70 years	105	67	38	34	19	15	19	11	8	8	6	2	44	31	13
71 ,,	87	56	31	36	18	18	9	6	3	4	2	2	38	30	8
72 ,,	92	57	35	36	23	13	15	7	8	8	3	5	33	24	9
73 ,,	97	63	34	36	20	16	11	7	4	4	2	2	46	34	12
74 ,,	109	71	38	43	27	16	16	11	5	7	4	3	43	29	14
Total 70–74 years	490	314	176	185	107	78	70	42	28	31	17	14	204	148	56
75 years	103	73	30	41	27	14	19	13	6	3	1	2	40	32	8
76 ,,	79	48	31	32	16	16	7	3	4	3	3	.....	37	26	11
77 ,,	64	41	23	32	20	12	8	6	2	4	3	1	20	12	8
78 ,,	75	51	24	32	20	12	6	4	2	2	1	1	35	26	9
79 ,,	61	35	26	25	15	10	10	2	8	5	3	2	21	15	6
Total 75–79 years	382	248	134	162	98	64	50	28	22	17	11	6	153	111	42
80 years	75	36	39	22	10	12	10	5	5	1	.....	1	42	21	21
81 ,,	41	21	20	12	6	6	5	2	3	2	1	1	22	12	10
82 ,,	60	36	24	18	9	9	5	2	3	3	2	1	34	23	11
83 ,,	40	22	18	16	10	6	7	7	.....	3	.....	3	14	5	9
84 ,,	54	32	22	23	17	6	7	2	5	3	2	1	21	11	10
Total 80–84 years	270	147	123	91	52	39	34	18	16	12	5	7	133	72	61
85 years	31	19	12	12	7	5	1	.....	1	3	1	2	15	11	4
86 ,,	31	17	14	9	3	6	4	3	1	2	1	1	16	10	6
87 ,,	28	18	10	7	6	1	6	5	1	3	1	2	12	6	6
88 ,,	19	7	12	4	1	3	3	.....	3	1	.....	1	11	6	5
89 ,,	19	8	11	5	1	4	4	2	2	1	1	.....	9	4	5
Total 85–89 years	128	69	59	37	18	19	18	10	8	10	4	6	63	37	26
90 years	21	15	6	9	5	4	1	.....	1	1	1	.....	10	9	1
91 ,,	12	5	7	4	3	1	2	.....	2	1	.....	1	5	2	3
92 ,,	11	4	7	4	2	2	3	1	2	.....	.....	.....	4	1	3
93 ,,	5	2	3	2	2	.....	1	.....	1	.....	.....	.....	2	.....	2
94 ,,	2	1	1	1	.....	1	.....	.....	.....	.....	.....	.....	1	1	.....
Total 90–94 years	51	27	24	20	12	8	7	1	6	2	1	1	22	13	9
95 years	1	.....	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
97 ,,	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	1
98 ,,	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1
Total 95–99 years	4	1	3	1	.....	1	.....	.....	.....	.....	.....	.....	3	1	2
100 years and over	4	1	3	1	1	.....	.....	.....	.....	1	.....	1	2	.....	2
Not stated	12	10	2	.....	.....	.....	1	1	.....	1	1	.....	10	8	2

TABLE 21.—DEATHS (EXCLUSIVE OF STILL-BIRTHS) CLASSIFIED ACCORDING TO RACIAL ORIGIN OF DECEDENTS, BRITISH COLUMBIA, 1928.

RACIAL ORIGIN.	PROVINCE.			VANCOUVER CITY, POINT GREY, SOUTH VANCOUVER.			VICTORIA CITY.			NEW WESTMINSTER CITY.			REMAINDER OF PROVINCE.		
	Total.	M.	F.	Total.	M.	F.	Total	M.	F.	Total	M.	F.	Total.	M.	F.
All origins	5,910	3,663	2,247	2,201	1,335	866	558	322	236	297	156	141	2,854	1,850	1,004
English	2,113	1,245	868	818	470	348	290	165	125	127	66	61	878	544	334
Irish	656	388	268	281	163	118	67	28	39	38	15	23	270	182	88
Scotch	1,240	783	457	563	329	234	99	54	45	62	34	28	516	366	150
Welsh	70	47	23	31	23	8	7	4	3	1	.....	1	31	20	11
French	126	87	39	36	24	12	7	4	3	8	5	3	75	54	21
German	108	61	47	43	20	23	7	5	2	6	4	2	52	32	20
Austrian	37	22	15	10	6	4	1	1	.....	.....	.....	.....	26	15	11
Belgian	9	9	.....	2	2	.....	.....	.....	.....	1	1	.....	6	6	.....
Bulgarian	2	2	.....	1	1	.....	.....	.....	.....	.....	.....	.....	1	1	.....
Chinese	224	210	14	118	109	9	38	36	2	10	9	1	58	56	2
Czech and Slovak	8	5	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	8	5	3
Danish	19	13	6	4	4	.....	1	.....	1	.....	.....	.....	14	9	5
Dutch	30	18	12	10	6	4	2	.....	2	3	3	.....	15	9	6
Finnish	63	53	10	18	15	3	.....	.....	.....	1	1	.....	44	37	7
Greek	11	5	6	7	2	5	1	1	.....	.....	.....	.....	3	2	1
Hindu	13	11	2	6	6	.....	.....	.....	.....	.....	.....	.....	7	5	2
Hungarian	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	1
Icelandic	8	4	4	5	2	3	.....	.....	.....	2	1	1	1	1	.....
Indian	503	251	252	23	7	16	9	5	4	6	3	3	465	236	229
Italian	85	49	36	29	13	16	2	1	1	2	1	1	52	34	18
Japanese	170	106	64	75	51	24	6	3	3	12	6	6	77	46	31
Jewish	16	9	7	11	7	4	2	1	1	2	.....	2	1	1	.....
Negro	14	9	5	5	3	2	4	4	.....	2	.....	2	3	2	1
Norwegian	101	68	33	30	21	9	3	2	1	9	4	5	59	41	18
Polish	22	18	4	4	3	1	.....	.....	.....	1	.....	1	17	15	2
Rumanian	8	5	3	3	2	1	.....	.....	.....	.....	.....	.....	5	3	2
Russian	44	28	16	16	11	5	6	3	3	2	1	1	20	13	7
Serb and Croat	23	17	6	5	2	3	.....	.....	.....	1	1	.....	17	14	3
Swedish	142	109	33	40	28	12	2	2	.....	1	1	.....	99	78	21
Swiss	6	5	1	1	.....	1	1	1	.....	.....	.....	.....	4	4	.....
Syrian	1	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Ukranian*	14	10	4	1	1	.....	.....	.....	.....	.....	.....	.....	13	9	4
Other	11	3	8	2	1	1	2	1	1	.....	.....	.....	7	1	6
Not specified	11	11	.....	2	2	.....	1	1	.....	.....	.....	.....	8	8	.....

* Including Galician and Bukovinian.

TABLE 22.—DEATHS (EXCLUSIVE OF STILL-BIRTHS) CLASSIFIED ACCORDING TO BIRTHPLACE OF DECEDENTS, BRITISH COLUMBIA, 1928.

		BIRTHPLACE OF DECEDENT.																																					
		CANADA.										BRITISH ISLES.					BRITISH POSS.		EUROPE.															ASIA.					
	TOTAL.	Prince Edward I.	Nova Scotia.	New Brunswick.	Quebec.	Ontario.	Manitoba.	Saskatchewan.	Alberta.	British Columbia.	Prov. not spec.	England.	Ireland.	Scotland.	Wales.	Other.	Newfoundland.	Other.	Austria.	Belgium.	Denmark.	Finland.	France.	Germany.	Holland.	Hungary.	Italy.	Norway.	Poland.*	Rumania.†	Russia.‡	Sweden.	Other.	China.	Japan.	Other.	United States.	Various.	Not specified.
Province Total	5,910	34	129	100	144	747	49	38	58	1470	2	1151	186	498	49	3	28	52	24	9	13	53	15	33	13	3	54	74	24	7	45	115	42	197	82	1	306	7	55
,, M.	3,663	20	83	62	101	473	29	17	39	783	....	687	109	305	33	2	15	34	20	9	10	46	9	22	9	2	35	51	19	6	30	92	32	191	62	1	169	2	54
,, F.	2,247	14	46	38	43	274	20	21	19	687	2	464	77	193	16	1	13	18	4	....	3	7	6	11	4	1	19	23	5	1	15	23	10	6	20	....	137	5	1
Vancouver City, Point Grey, and South Vancouver Total	2,201	19	49	43	59	329	31	12	26	348	....	450	91	251	18	1	13	25	7	2	3	15	4	10	7	....	20	20	9	3	16	32	10	102	44	1	111	1	19
Ditto M.	1,335	9	31	24	42	188	19	2	17	179	....	263	57	147	13	1	7	16	6	2	3	12	2	5	5	....	13	15	7	2	11	21	7	98	31	1	60	....	19
,, F.	866	10	18	19	17	141	12	10	9	169	....	187	34	104	5	....	6	9	1	....	....	3	2	5	2	....	7	5	2	1	5	11	3	4	13	....	51	1	....
Victoria City Total	558	3	13	8	8	63	1	5	1	97	....	184	26	36	8	....	4	8	1	....	....	1	1	5	1	....	2	....	....	....	5	2	2	33	3	....	35	....	2
,, M.	322	1	8	3	5	33	....	3	1	49	....	113	11	21	5	....	2	3	1	....	....	1	1	3	....	....	1	....	....	....	2	2	2	33	1	....	15	....	2
,, F.	236	2	5	5	3	30	1	2	....	48	....	71	15	15	3	....	2	5	....	....	....	....	....	2	1	....	1	....	....	....	3	....	....	....	2	....	20	....	....
New Westminster City Total	297	1	8	7	11	47	4	4	2	63	....	56	6	21	1	....	3	3	....	1	....	1	1	3	2	....	1	8	....	....	2	1	3	9	4	....	20	1	3
,, M.	156	1	3	4	8	31	1	1	1	31	....	24	....	12	....	....	1	2	....	1	....	1	....	2	2	....	....	4	....	....	1	1	2	9	3	....	6	1	3
,, F.	141	....	5	3	3	16	3	3	1	32	....	32	6	9	1	....	2	1	....	....	....	....	1	1	....	....	1	4	....	....	1	....	1	....	1	....	14	....	....
Remainder of Province Total	2,854	11	59	42	66	308	13	17	29	962	2	461	63	190	22	2	8	16	16	6	10	36	9	15	3	3	31	46	15	4	22	80	27	53	31	....	140	5	31
,, M.	1,850	9	41	31	46	221	9	11	20	524	....	287	41	125	15	1	5	13	13	6	7	22	6	12	2	2	21	32	12	4	16	68	21	51	27	....	88	1	30
,, F.	1,004	2	18	11	20	87	4	6	9	438	2	174	22	65	7	1	3	3	3	....	3	4	3	3	1	1	10	14	3	....	6	12	6	2	4	....	52	4	1

* Including Galicia. † Including Bukovina. ‡ Including Ukraine.

TABLE 23.—TOTAL DEATHS (EXCLUSIVE OF STILL-BIRTHS) CLASSIFIED ACCORDING TO BIRTHPLACE OF PARENTS BRITISH COLUMBIA, 1928.

BIRTHPLACE OF FATHER.	TOTAL.	BIRTHPLACE OF MOTHER. CANADA.										BRITISH ISLES.					BRITISH POSS.		EUROPE.															ASIA.					
		Prince Edward I.	Nova Scotia.	New Brunswick.	Quebec.	Ontario.	Manitoba.	Saskatchewan.	Alberta.	British Columbia.	Prov. not spec.	England.	Ireland.	Scotland.	Wales.	Other.	Newfoundland.	Other.	Austria.	Belgium.	Denmark.	Finland.	France.	Germany.	Holland.	Hungary.	Italy.	Norway.	Poland.*	Rumania.†	Russia.‡	Sweden.	Other.	China.	Japan.	Other.	United States.	Various.	Not specified.
Canada	1472	37	119	68	89	374	22	7	6	570		65	18	40			1	1				1		1				2			2			1	1		44		3
Prince Edward Island	38	33	2						1				1	1																									
Nova Scotia	132	1	110		2	5	1			1		3		3														1						1			4		
New Brunswick	80	1	1	64		5	1			2		1		1																							4		
Quebec	119		1	1	86	6	3	1		4		6	6	3																							2		
Ontario	464	2	3	2	1	350	6	3	1	15		33	9	22																							17		
Manitoba	23			1		1	8			2		4		1																	1						5		
Saskatchewan	7						1			2		1	1															1											1
Alberta	5					1			2	1																					1								
British Columbia	604		2			6	2	3	2	543		17	1	9			1	1				1		1											1		12		2
Province not specified																																							
British Isles	2865	3	22	18	15	133	10	3	5	48		1406	342	722	53	8	2	11					4	3			1		1		1		2	1			47	2	2
England	1553	1	7	3	5	40	5	2	3	36		1348	22	33	6	3	2	7					1	2							1		1	1			23	1	
Ireland	433		6	9	3	48	1	1		4		17	302	24	1			2					1	1									1				11		1
Scotland	820	2	9	6	7	44	4		2	8		33	16	665	4	1		2					2				1		1								12		1
Wales	54					1						7	2		42																						1	1	
Other	5											1				4																							
British Possessions	63					1	1			2		7	1		1		26	21						1										1			1		
Newfoundland	28											2					26																						
Other	35					1	1			2		5	1		1			21						1										1			1		
Europe	708				1	6	1		1	15		10	5	4					38	12	16	60	22	50	14	3	75	89	26	9	64	124	52				10	1	
Austria	40											2							38																				
Belgium	11																			11																			
Denmark	16												1								15																		
Finland	62									1												60									1								
France	25											1								1			22														1		
Germany	66					2				3		3	2	1										50					1		2						2		
Holland	15									1															14														
Hungary	3																									3													
Italy	85								1	4		2		2													75	1											
Norway	93									2		1																87									2	1	
Poland *	25									1																			24										
Rumania †	10																													9							1		
Russia ‡	64					1				1																			1		61								
Sweden	137					2	1			2		1	1	1							1							1				124					3		
Other	56				1	1							1																				52				1		
Asia	391	1								4		3																						217	165	1			
China	221									3		1																						217					
Japan	169	1								1		2																							165				
Other	1																																			1			
United States	264		1		1	16	4		3	18		10		4														1					1				204		1
Various	6									2																											2	2	
Not specified	141	1								9		1	1	1																	1						1		126
Totals	5910	42	142	86	106	530	38	10	15	668	....	1502	367	771	54	8	29	33	38	12	16	61	26	55	14	3	76	92	27	9	68	124	55	220	166	1	309	5	132

* Including Galicia. † Including Bukovina. ‡ Including Ukraine.

TABLE 24.—CAUSES OF DEATH BY SEX AND AGE, BRITISH COLUMBIA, 1928.

No.	CAUSES OF DEATH.		TOTAL.	AGES.																										
				Under 1 Year.	1 Year.	2 Years.	3 Years.	4 Years.	5 to 9 Years.	10 to 14 Years.	15 to 19 Years.	20 to 24 Years.	25 to 29 Years.	30 to 34 Years.	35 to 39 Years.	40 to 44 Years.	45 to 49 Years.	50 to 54 Years.	55 to 59 Years.	60 to 64 Years.	65 to 69 Years.	70 to 74 Years.	75 to 79 Years.	80 to 84 Years.	85 to 89 Years.	90 to 94 Years.	95 to 99 Years.	100 Years and over.	Not stated.
	Deaths, all causes	Total	5910	524	83	70	40	39	169	141	152	158	205	197	251	319	434	399	406	494	488	490	382	270	128	51	4	4	12
	,,	M.	3663	285	43	46	22	19	93	71	90	99	122	117	151	213	277	262	263	347	326	314	248	147	69	27	1	1	10
	,,	F.	2247	239	40	24	18	20	76	70	62	59	83	80	100	106	157	137	143	147	162	176	134	123	59	24	3	3	2
	Class I. Epidemic, endemic, and infectious diseases	Total	978	46	23	19	15	17	79	69	77	60	81	65	77	77	62	52	40	36	31	19	12	11	7	3	.....	.....	.....
	,,	M.	560	24	9	12	8	7	44	37	38	27	40	36	43	52	41	34	23	29	22	11	8	6	6	3	.....	.....	.....
	,,	F.	418	22	14	7	7	10	35	32	39	33	41	29	34	25	21	18	17	7	9	8	4	5	1	.....	.....	.....	.....
1	Typhoid and paratyphoid fever	M.	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	.....	.....	1	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....
	,,	F.	4	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(a.) Typhoid fever	M.	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	.....	.....	1	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....
	,,	F.	4	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Measles	M.	4	1	.....	.....	.....	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	,,	F.	3	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Scarlet fever	M.	2	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	,,	F.	3	.....	.....	.....	1	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Whooping-cough	M.	7	4	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	,,	F.	6	3	2	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
10	Diphtheria	M.	19	.....	.....	1	3	2	10	2	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	,,	F.	21	1	2	1	.....	2	11	1	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Influenza	M.	78	6	1	1	.....	.....	5	3	3	1	2	6	6	4	6	5	2	8	4	5	2	3	3	2	.....	.....	.....
	,,	F.	68	6	1	2	.....	3	4	5	4	.....	3	4	6	4	3	5	3	2	3	3	1	5	1	.....	.....	.....	.....	.....
	(a.) Sole cause	M.	15	2	.....	1	.....	.....	2	.....	1	.....	.....	2	2	.....	.....	1	.....	2	.....	.....	.....	1	1	.....	.....	.....	.....	.....
	,,	F.	17	3	.....	2	.....	.....	.....	3	.....	.....	1	1	1	.....	.....	2	.....	.....	.....	1	.....	3	.....	.....	.....	.....	.....	.....
	(b.) With phthisis	M.	3	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	,,	F.	6	.....	1	.....	.....	.....	2	.....	1	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(c.) With bronchitis	M.	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
	,,	F.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(d.) With pneumonia	M.	33	2	1	.....	.....	.....	1	1	1	1	2	3	4	2	3	2	1	1	2	3	.....	2	1	.....	.....	.....	.....	.....
	,,	F.	27	2	.....	.....	.....	1	2	.....	3	.....	1	2	3	2	2	2	1	1	1	1	1	1	1	.....	.....	.....	.....	.....
	(e.) With other respiratory diseases	M.	4	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....
	,,	F.	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(f.) With diseases and accidents of pregnancy and parturition	F.	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(g.) With other causes	M.	19	2	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	2	3	.....	1	3	2	2	.....	.....	1	1	.....	.....	.....	.....
	,,	F.	14	1	.....	.....	1	.....	2	.....	.....	.....	.....	.....	2	1	1	.....	2	1	1	1	.....	1	.....	.....	.....	.....	.....	.....
13	Mumps	M.	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	,,	F.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
16	Dysentery	M.	3	.....	.....	.....	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	,,	F.	6	.....	.....	2	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
20	Leprosy	M.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
21	Erysipelas	M.	10	1	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	2	.....	1	2	1	1	.....	.....	.....	.....	.....	.....	.....
	,,	F.	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
22	Acute anterior poliomyelitis	M.	15	1	.....	1	.....	1	3	6	2	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	,,	F.	4	.....	.....	.....	.....	.....	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
23	Lethargic encephalitis	M.	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	,,	F.	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
24	Meningococcus meningitis	M.	15	2	2	1	.....	.....	2	1	2	2	.....	1	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	,,	F.	6	.....	2	1	.....	.....	1	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 24.—CAUSES OF DEATH BY SEX AND AGE, BRITISH COLUMBIA, 1928—*Continued.*

No.	CAUSES OF DEATH.		TOTAL.	AGES.																										
				Under 1 Year.	1 Year.	2 Years.	3 Years.	4 Years.	5 to 9 Years.	10 to 14 Years.	15 to 19 Years.	20 to 24 Years.	25 to 29 Years.	30 to 34 Years.	35 to 39 Years.	40 to 44 Years.	45 to 49 Years.	50 to 54 Years.	55 to 59 Years.	60 to 64 Years.	65 to 69 Years.	70 to 74 Years.	75 to 79 Years.	80 to 84 Years.	85 to 89 Years.	90 to 94 Years.	95 to 99 Years.	100 Years and over.	Not stated.
25	Other epidemic and endemic diseases	F.	1	1																										
	(a.) Chicken-pox	F.	1	1																										
30	Mycoses	M.	1													1														
	,,	F.	1	1																										
31–	Tuberculosis, total	M.	359	5	5	7	3	1	21	21	27	24	32	27	34	44	31	20	14	16	13	5	3	3	2	1				
37	,,	F.	274	7	5	1	5	1	15	24	32	32	35	24	26	17	15	11	8	4	4	5	3							
31	Tuberculosis of the respiratory system	M.	292	3	2	4	2	1	8	13	20	17	29	26	28	39	30	17	13	14	12	5	3	3	2	1				
	,,	F.	231	3	2	1	1		10	18	29	27	33	24	22	14	14	11	6	4	4	5	3							
32	Tuberculosis of the meninges and central nervous system	M.	23	2	3	2	1		6	4	3	1				1														
	Ditto	F.	19	3	3		1	1	3	4	1	3																		
33	Tuberculosis of the intestines and peritoneum	M.	14			1			2	2	2		1		3		1	1			1									
	,,	F.	10						1		2		1		3	2			1											
34	Tuberculosis of the vertebral column	M.	7						2	1		2	1			1														
	,,	F.	5				1					1			1		1		1											
35	Tuberculosis of the joints	M.	4						1			2						1												
	,,	F.	1							1																				
36	Tuberculosis of other organs	M.	10						2		2	1	1		1	2		1												
	,,	F.	2						1			1																		
	(c.) Lymphatic system (mesenteric and retroperitoneal glands excepted)	M.	3						2		1																			
	Ditto	F.	1						1																					
	(d.) Genito-urinary system	M.	7								1	1	1		1	2		1												
	,,	F.	1									1																		
37	Disseminated tuberculosis	M.	9							1		1		1	2	1			1	2										
	,,	F.	6	1			2			1			1			1														
	(a.) Acute	M.	8							1		1		1	2	1			1	2										
	,,	F.	4	1			2						1																	
	(b.) Chronic or unstated	M.	1																1											
	,,	F.	2							1						1														
38	Syphilis	M.	21	2		1					1		1	2			3	3	3	4										
	,,	F.	8	3							1					3			1											
41	Purulent infection, septicæmia	M.	16							2	2		1		1	2	1	2	2		1		1		1					
	,,	F.	4								1		1				1	1												
	Class II. General diseases not included in Class I.	Total	826	15	2	5	2	4	11	5	4	8	10	14	23	55	86	79	103	106	101	90	63	24	11	3				2
	,,	M.	437	9	1	3	1	3	8		1	5	4	7	11	23	38	34	57	64	58	51	40	12	4	1				2
	,,	F.	389	6	1	2	1	1	3	5	3	3	6	7	12	32	48	45	46	42	43	39	23	12	7	2				
43–	Cancer, total	M.	304				1		2			2	2	2	7	14	28	24	38	49	47	40	34	9	3	1				1
49		F.	272		1						1		4	4	10	24	38	36	32	33	27	28	18	9	5	2				
43	Cancer of the buccal cavity	M.	9													1	1			2	2	1	2							
	,,	F.	1																				1							
44	Cancer of the stomach and liver	M.	138											1	5	8	8	13	19	23	24	23	11	1	2					
	,,	F.	69											1		5	8	8	9	7	10	10	8	2		1				
45	Cancer of the peritoneum, intestines, and rectum	M.	55				1						1			4	4	4	3	9	8	8	9	3		1				
	,,	F.	38		1								1		1	2	3	2	5	6	5	3	3	3	2	1				
46	Cancer of the female genital organs	F.	76												2	6	12	8	14	9	7	6	5	4	1	2				

47	Cancer of the breast	M.	2																1					1							
	"	F.	47									1	1	2	3	11	8	4	5	4	5	1	1	1							
48	Cancer of the skin	M.	12								1					3	2			1	1	3	1								
49	Cancer of other or unspecified organs	M.	88					2			1	1	1	2	1	12	5	16	14	12	7	9	4							1	
	"	F.	41							1		2		1	2	8	4	5	8	2	5	1	2								
	(a.) Cancer of eye and ear	M.	1																	1											
	(b.) Cancer of circulatory system	M.	5					1						1		2				1											
	"	F.	5														1	2			2										
	(c.) Cancer of respiratory system	M.	15								1			1		2	1	3	3	2	1	1									
	"	F.	8									1		1		1	1		2	1		1									
	(d.) Cancer of digestive system	M.	21													5	2	3	3	2	3	2								1	
	"	F.	14												2	2		2	3		3		2								
	(e.) Cancer of genito-urinary organs	M.	38					1				1			1	2	1	7	6	6	3	6	4								
	"	F.	4													2			1	1											
	(f.) Cancer of bones and joints	M.	1																1												
	"	F.	2													1	1														
	(g.) Cancer of other specified organs	M.	4													1	1	2													
	"	F.	6							1		1				1	1	1	1												
	(h.) Generalized cancer	M.	3											1				1	1												
	"	F.	2													1			1												
50	Benign tumours and tumours not returned as malignant (tumours of female genital organs excepted)	F.	4														1				1	1		1							
51	Acute rheumatic fever	M.	8		1				1			1						1	1		2	1									
	"	F.	10					1	2	2	2	1	1			1															
52	Chronic rheumatism, osteoarthritis, gout	M.	4								1										1	1	1								
	"	F.	2																	1		1									
56	Rickets	M.	1	1																											
	"	F.	1																					1							
57	Diabetes mellitus	M.	35				1	1				1	1	3	1	3	1	3	6	4	4	3	2	1							
	"	F.	40					1	2		1			2		2	2	5	5	11	5	2	2								
58	Anæmia, chlorosis	M.	20	1				1								1	3	5	2	4	2	1									
	"	F.	15													2	1	1	4	3	1	2		1							
	(a.) Pernicious anæmia	M.	18	1				1								1	3	4	2	4	1	1									
	"	F.	13													1	1	1	4	3		2		1							
	(b.) Other anæmias and chlorosis	M.	2																1			1									
	"	F.	2												1					1											
59	Diseases of the pituitary gland	F.	1											1																	
60	Diseases of the thyroid gland	M.	5								1				1	2		1													
	"	F.	23					1					1		3	3	3	4	1	3	3	1									
	(a.) Exophthalmic goitre	M.	2													2															
	"	F.	14					1					1		3	1	3	2		2	1										
	(b.) Other diseases of the thyroid gland	M.	3								1				1			1													
	"	F.	9													2		2	1	1	2	1									
61	Diseases of the parathyroid glands	F.	1	1																											
62	Diseases of the thymus	M.	13	8		1		1	2						1																
	"	F.	7	5		1		1																							
63	Diseases of the adrenals (Addison's disease)	M.	1													1															
64	Diseases of the spleen	M.	4								1		2					1													
	"	F.	1													1															
65	Leukæmia, lymphadenoma	M.	12			1		1	2					1			1	3		2	1										
	"	F.	6			1	1									1	2	1													
	(a.) Leukæmia	M.	9			1		1	2								1	2		2											
	"	F.	5			1	1										2	1													
	(b.) Lymphadenoma (Hodgkin's disease)	M.	3											1				1			1										
	"	F.	1													1															
66	Alcoholism	M.	25											1	1	5	3	4	5	5	1										
	"	F.	2									1					1														
	(a.) Delirium tremens	M.	3														1	1	1												
	(b.) Acute alcoholism	M.	14											1	1	3	2	3	2	2											
	"	F.	2									1					1														
	(c.) Chronic alcoholism	M.	8													2			2	3	1										

TABLE 24.—CAUSES OF DEATH BY SEX AND AGE, BRITISH COLUMBIA, 1928—*Continued.*

No.	CAUSES OF DEATH.	TOTAL.	AGES.																									
			Under 1 Year.	1 Year.	2 Years.	3 Years.	4 Years.	5 to 9 Years.	10 to 14 Years.	15 to 19 Years.	20 to 24 Years.	25 to 29 Years.	30 to 34 Years.	35 to 39 Years.	40 to 44 Years.	45 to 49 Years.	50 to 54 Years.	55 to 59 Years.	60 to 64 Years.	65 to 69 Years.	70 to 74 Years.	75 to 79 Years.	80 to 84 Years.	85 to 89 Years.	90 to 94 Years.	95 to 99 Years.	100 Years and over.	Not stated.
67	Chronic poisoning by mineral substances.....M.	1													1													
	(a.) Chronic lead-poisoning .....M.	1													1													
68	Chronic organic poisoning .....M.	3															1	1			1							
	,, ...F.	2													2													
	(a.) Chronic morphinism .....F.	1													1													
	(b.) Chronic cocainism, etc. .....F.	1													1													
	(c.) Other organic poisoning .....M.	3															1	1			1							
69	Other general diseases .....M.	1																										1
	,, ...F.	2							1						1													
	(b.) Hæmophilia .....F.	1													1													
	(c.) Purpura hæmorrhagica .....M.	1																										1
	(d.) Others under this title .....F.	1							1																			
	Class III. Diseases of the nervous system and of the organs of special sense .....Total	434	19	9	4	3		9	12	4	6	6	8	10	18	34	40	28	44	45	46	43	31	12	1			2
	Ditto .....M.	256	13	4	2	2		4	5	1	4	4	6	4	14	19	28	17	31	28	31	22	11	3	1			2
	,, ...F.	178	6	5	2	1		5	7	3	2	2	2	6	4	15	12	11	13	17	15	21	20	9				
70	Encephalitis .....M.	3		1					1					1														
	(a.) Abscess of brain .....M.	3		1					1					1														
71	Meningitis .....M.	12	2	2		1			2				1		2	1												1
	,, ...F.	12	2	1	1	1		3	1		1					2												
	(a.) Simple meningitis .....M.	12	2	2		1			2				1		2	1												1
	,, ...F.	12	2	1	1	1		3	1		1					2												
72	Tabes dorsalis (locomotor ataxia) .....M.	6														1	1		2	1	1							
	,, ...F.	1																			1							
73	Other diseases of the spinal cord.....M.	15								1			1	1	2	1	1	1	4	1		2						
	,, ...F.	6									1			1				1	1	1		1						
74	Cerebral hæmorrhage, apoplexy .....M.	103	1	1								1			2	6	12	11	11	17	17	13	7	3	1			
	,, ...F.	90							1				1	2	2	3	6	7	7	12	11	14	17	7				
	(a.) Apoplexy .....M.	23													1	1	1	4	2	3	5	4	2					
	,, ...F.	19													1			3	1	2	5	2	3	2				
	(b.) Cerebral hæmorrhage .....M.	74	1	1								1			1	5	9	7	9	14	10	7	5	3	1			
	,, ...F.	70							1				1	2		3	6	4	6	10	6	12	14	5				
	(c.) Cerebral thrombosis and embolism .....M.	6															2				2	2						
	,, ...F.	1													1													
75	Paralysis without specified cause.....M.	8														1		1	1		1	3	1					
	,, ...F.	5														1				1		1	1	1				
	(a.) Hemiplegia .....M.	5														1			1		1	2						
	,, ...F.	4																		1		1	1	1				
	(b.) Others under this title .....M.	3																1				1	1					
	,, ...F.	1														1												
76	General paralysis of the insane .....M.	19											3	1	2	3	5	2	1	1								1
	,, ...F.	3												1					1			1						
77	Other forms of mental alienation.....M.	19										1				2	3		8	2	3							
	,, ...F.	12										1	1		1	5	1			2	1							
78	Epilepsy .....M.	19									3	1	1		3	2	4		2	1	1		1					
	,, ...F.	7			1							1			1		4											

79	Convulsions, non-puerperal (5 years or over)	F.	1								1																				
80	Infantile convulsions (under 5 years of age)	M.	6	5		1																									
	,,	F.	3	1	2																										
82	Neuralgia and neuritis	F.	1																1												
83	Softening of the brain	M.	7																			2	2	1	2						
	,,	F.	3																					2	1						
84	Other diseases of the nervous system	M.	23			1			1		1				3	2	1	2	2	3	5	2									
	,,	F.	21						1				2		4		3	4	1	2	2	1	1								
86	Diseases of the ear and of the mastoid process	M.	16	5		1		4	1			1		1			1				1	1									
	,,	F.	13	3	2			2	4	2																					
	(a.) Diseases of the ear	M.	6	2		1		2						1																	
	,,	F.	7	2	1				2	2																					
	(b.) Diseases of the mastoid process	M.	10	3				2	1			1					1				1	1									
	,,	F.	6	1	1			2	2																						
	Class IV. Diseases of the circulatory system	Total	1132	1	1			8	10	5	5	9	15	23	34	83	77	95	148	157	177	135	88	46	12	1	1	1			
	,,	M.	725	1	1				3	3	2	5	9	13	23	58	52	65	98	106	111	88	53	27	5		1	1			
	,,	F.	407					8	7	2	3	4	6	10	11	25	25	30	50	51	66	47	35	19	7	1					
87–90	Diseases of the heart	M.	435		1				3	2	2	5	7	11	20	41	30	36	55	61	65	46	34	13	2			1			
	,,	F.	273					8	6	2	3	3	5	10	8	16	19	17	31	35	41	33	22	11	3						
87	Pericarditis	M.	1												1																
	,,	F.	3					1											2												
88	Endocarditis and myocarditis (acute)	M.	13						1			2	2			5		1	1		1										
	,,	F.	12					4	4	1											2			1							
	(a.) Acute endocarditis	M.	10						1			2	1			4		1	1												
	,,	F.	8					3	3	1											1										
	(b.) Acute myocarditis	M.	3										1			1					1										
	,,	F.	4					1	1												1			1							
89	Angina pectoris	M.	57										1		3	4	5	8	9	10	11	4	2								
	,,	F.	23											1			2	4	4	5	1	6									
90	Other diseases of the heart	M.	364		1				2	2	2	3	4	11	16	32	25	27	45	51	53	42	32	13	2			1			
	,,	F.	235					3	2	1	3	3	5	9	8	16	17	13	25	30	38	27	22	10	3						
	(a.) Valvular disease	M.	74		1				1	1		2	1	5	3	5	6	4	7	11	10	8	7	2							
	,,	F.	47								1	1	1	3	3	2	7	3	2	6	5	6	6	1							
	(b.) Fatty degeneration of the heart	M.	6										1		1		2	1	1												
	,,	F.	3																1	2											
	(d.) Chronic endocarditis	M.	59						1	1		1	1	2	1	8	4	4	10	13	7	1	4	1							
	,,	F.	64					3	2	1	1		4	3	3	9	4	3	7	7	9	2	4	2							
	(e.) Chronic myocarditis	M.	180								2		1	2	6	14	8	15	19	22	28	31	20	10	2						
	,,	F.	93								1	1			2	4	6	3	9	13	19	17	11	5	2						
	(f.) Others under this title	M.	45											2	5	5	5	3	8	5	8	2	1							1	
	,,	F.	28									1		3		1		4	6	2	5	2	1	2	1						
91	Diseases of the arteries	M.	275										1	1	2	17	17	26	42	45	45	42	19	14	3		1				
	,,	F.	126										1		2	8	5	13	18	16	25	13	12	8	4	1					
	(a.) Aneurism	M.	25										1			3	1	5	6	5	3	1									
	,,	F.	5										1					2		1			1								
	(b.) Arteriosclerosis	M.	245												1	2	13	16	20	36	39	41	40	19	14	3		1			
	,,	F.	119												2	7	5	11	18	14	25	13	11	8	4	1					
	(c.) Other diseases of the arteries	M.	5													1		1		1	1	1									
	,,	F.	2													1				1											
92	Embolism and thrombosis (not cerebral)	M.	11	1									1	1	1		3	3	1												
	,,	F.	4									1				1	1						1								
93	Diseases of the veins (varices, hæmorrhoids, phlebitis, etc.)	M.	3														2				1										
	Ditto	F.	1												1																
94	Diseases of the lymphatic system (lymphangitis, etc.)	M.	1							1																					
	,,	F.	2						1													1									
95	Hæmorrhage without specified cause	F.	1																1												

TABLE 24.—CAUSES OF DEATH BY SEX AND AGE, BRITISH COLUMBIA, 1928—*Continued.*

No.	CAUSES OF DEATH.	TOTAL.	AGES.																									
			Under 1 Year.	1 Year.	2 Years.	3 Years.	4 Years.	5 to 9 Years.	10 to 14 Years.	15 to 19 Years.	20 to 24 Years.	25 to 29 Years.	30 to 34 Years.	35 to 39 Years.	40 to 44 Years.	45 to 49 Years.	50 to 54 Years.	55 to 59 Years.	60 to 64 Years.	65 to 69 Years.	70 to 74 Years.	75 to 79 Years.	80 to 84 Years.	85 to 89 Years.	90 to 94 Years.	95 to 99 Years.	100 Years and over.	Not stated.
	Class V. Diseases of the respiratory system.....Total	469	71	22	16	2	3	10	10	4	3	7	13	16	28	20	24	27	27	38	43	41	22	9	8	2	2	1
	,, ...M.	289	32	12	11	2	2	7	4	2	3	6	8	12	21	15	14	17	21	28	23	27	12	4	5	1	.....	.....
	,, ...F.	180	39	10	5	.....	1	3	6	2	.....	1	5	4	7	5	10	10	6	10	20	14	10	5	3	1	2	1
97	Diseases of the nasal fossæ and their annexa.....M.	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
98	Diseases of the larynx .....M.	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	,, ...F.	3	2	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(b.) Laryngitis .....M.	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	,, ...F.	2	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(c.) Croup .....F.	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
99	Bronchitis .....M.	14	2	1	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	4	2	.....	1	.....	.....	.....
	,, ...F.	10	4	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	2	.....	.....	.....	.....
	(a.) Acute .....M.	6	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
	,, ...F.	4	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
	(b.) Chronic .....M.	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	2	.....	.....	.....	.....	.....
	,, ...F.	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	1	.....	.....	.....	.....
	(c.) Not otherwise defined, under 5 years of age.....M.	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	,, ...F.	2	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(d.) Not otherwise defined, 5 years or over.....M.	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....
100	Bronchopneumonia (including capillary bronchitis) .....M.	54	10	4	4	2	.....	4	.....	.....	.....	.....	1	1	1	3	3	2	2	4	2	4	3	3	1	.....	.....	.....
	,, ...F.	43	14	3	3	.....	.....	1	2	.....	.....	.....	2	.....	1	2	.....	3	.....	.....	4	1	2	2	1	1	.....	1
	(a.) Bronchopneumonia .....M.	53	9	4	4	2	.....	4	.....	.....	.....	.....	1	1	1	3	3	2	2	4	2	4	3	3	1	.....	.....	.....
	,, ...F.	43	14	3	3	.....	.....	1	2	.....	.....	.....	2	.....	1	2	.....	3	.....	.....	4	1	2	2	1	1	.....	1
	(b.) Capillary bronchitis .....M.	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
101	Pneumonia .....M.	166	17	6	5	.....	2	2	3	2	1	6	6	7	15	8	9	10	13	16	16	13	5	1	2	1	.....	.....
	,, ...F.	91	17	6	1	.....	.....	1	4	2	.....	1	2	4	5	.....	7	4	2	7	13	8	3	1	1	.....	2	.....
	(a.) Lobar .....M.	103	5	3	1	.....	1	1	1	1	1	4	4	5	12	7	7	7	10	13	8	7	4	.....	1	.....	.....	.....
	,, ...F.	48	5	4	.....	.....	.....	.....	3	2	.....	.....	1	2	4	.....	3	2	2	6	6	5	2	1	.....	.....	.....	.....
	(b.) Not otherwise defined .....M.	63	12	3	4	.....	1	1	2	1	.....	2	2	2	3	1	2	3	3	3	8	6	1	1	1	1	.....	.....
	,, ...F.	43	12	2	1	.....	.....	1	1	.....	.....	1	1	2	1	.....	4	2	.....	1	7	3	1	.....	1	.....	2	.....
102	Pleurisy .....M.	19	1	1	.....	.....	.....	.....	1	.....	1	.....	1	1	1	.....	1	2	2	2	.....	3	1	.....	1	.....	.....	.....
	,, ...F.	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	2	1	2	.....	3	.....	.....	1	.....	.....	.....	.....	.....
103	Congestion and hæmorrhagic infarct of the lung.....M.	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....
	,, ...F.	9	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	3	2	.....	1	.....	.....	.....
104	Gangrene of the lung .....M.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
105	Asthma .....M.	11	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	3	.....	.....	2	2	2	1	.....	.....	.....	.....	.....	.....
	,, ...F.	9	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	1	1	.....	.....	2	1	1	.....	.....	.....	.....
107	Other diseases of the respiratory system (tuberculosis excepted) .....M.	18	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	3	1	1	3	1	4	1	.....	.....	.....	.....	.....	.....	.....
	Ditto .....F.	5	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....
	(a.) Chronic interstitial pneumonia (including occupational diseases of the lungs) .....M.	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	2	.....	1	1	.....	.....	.....	.....	.....	.....	.....
	Ditto .....F.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(c.) Others under this title .....M.	12	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	2	.....	1	1	1	3	.....	.....	.....	.....	.....	.....	.....	.....	.....
	,, ...F.	4	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
	Class VI. Diseases of the digestive system.....Total	395	38	12	8	11	6	13	10	12	15	7	11	19	23	43	32	28	31	18	27	10	15	5	1	.....	.....	.....
	,, ...M.	246	24	5	5	6	2	4	6	9	11	3	9	10	17	27	25	17	21	9	19	6	8	3	.....	.....	.....	.....
	,, ...F.	149	14	7	3	5	4	9	4	3	4	4	2	9	6	16	7	11	10	9	8	4	7	2	1	.....	.....	.....

108	Diseases of the mouth and annexa	M.	4						1				1				1						1								
	,,	F.	1									1																			
109	Diseases of the pharynx and tonsils (including adenoid vegetations)	M.	8	1	1			1		2	1		1										1								
	Ditto	F.	12	1				1	3	2		1			3	1															
	(b.) Pharynx and tonsils	M.	8	1	1			1		2	1		1										1								
	,,	F.	12	1				1	3	2		1			3	1															
110	Diseases of the œsophagus	M.	2				1						1																		
	,,	F.	1														1														
111	Ulcer of the stomach and duodenum	M.	42											4	4	10	7	6	6	1	3	1									
	,,	F.	8											2		2				2	2										
	(a.) Ulcer of the stomach	M.	28											3	2	7	4	4	4	1	3										
	,,	F.	4													2				1	1										
	(b.) Ulcer of the duodenum	M.	14											1	2	3	3	2	2			1									
	,,	F.	4											2						1	1										
112	Other diseases of the stomach (cancer excepted)	M.	20	6					1				2		3	1			2	1	2	1	1								
	,,	F.	15	2	1				1						1	2		1	3		1		2	1							
113	Diarrhœa and enteritis (under 2 years of age	M.	15	12	3																										
	,,	F.	13	9	4																										
114	Diarrhœa and enteritis (2 years or over)	M.	18			4	4							1	1		2	1	1	2	1			1							
	,,	F.	18			2	5	3	2		1	1				1		1			1		1								
117	Appendicitis and typhlitis	M.	56	3		1	1	1	3	2	6	9	2	4	3	4	5	6	2	1		2		1							
	,,	F.	23		1			3	2	2	2	1		2			3	2	2	3											
118	Hernia, intestinal obstruction	M.	19	1					1		1						2	2	2	1	1	2	3	2	1						
	,,	F.	18	2		1							1		4	2			2	1	3		1		1						
	(a.) Hernia	M.	10						1							1	1	2			1	1	1	1	1						
	,,	F.	10			1							1		3	2		2			1										
	(b.) Intestinal obstruction	M.	9	1								1				1	1		1			1	2	1							
	,,	F.	8	2											1				1	2		1		1							
119	Other diseases of the intestines	M.	7	1	1						1				1	1			2												
	,,	F.	4		1													1				1	1								
120	Acute yellow atrophy of the liver	M.	1												1																
	,,	F.	1													1															
122	Cirrhosis of the liver	M.	21										1	1	1	2	3	4	2	3	3	1									
	,,	F.	7									1					3				2		1								
	(b.) Not specified as alcoholic	M.	21										1	1	1	2	3	4	2	3	3	1									
	,,	F.	7									1					3				2		1								
123	Biliary calculi	M.	7											1		1	1		4												
	,,	F.	9											1		1		2	1	1	1	1			1						
124	Other diseases of the liver	M.	20							1	1				1	3	2	2	2	1	5		1	1							
	,,	F.	11										1	1		1		2		2	1	1	2								
125	Diseases of the pancreas	M.	3													1	1					1									
	,,	F.	3									1				2															
126	Peritonitis without specified cause	M.	3													1	1					1									
	,,	F.	5													1	1		2	1											
	Class VII. Non-venereal diseases of the genito-urinary system and annexa	Total	410	1		1			2	3	5	5	4	6	12	15	38	34	36	56	49	43	42	39	15	3					1
	Ditto	M.	274	1		1				2	5	2	1	2	5	7	22	19	24	41	34	34	33	26	12	3					
	,,	F.	136						2	1		3	3	4	7	8	16	15	12	15	15	9	9	13	3						1
128	Acute nephritis (including unspecified, under 10 years of age)	M.	11			1					1						2		2	2	2		1								
	Ditto	F.	3											1			1				1										
129	Chronic nephritis (including unspecified, 10 years of age or over)	M.	188							2	4	2	1	2	5	7	18	17	18	30	17	20	21	17	6	1					
	Ditto	F.	97						2	1		1	1	1	5	4	8	12	8	11	11	9	8	11	3						1
131	Other diseases of the kidneys and annexa	M.	13														1	1	1	3	1	1	3		1	1					
	,,	F.	7										1				2		1	1	1		1								
132	Calculi of the urinary passages	M.	1																	1											
	,,	F.	1														1														

TABLE 24.—CAUSES OF DEATH BY SEX AND AGE, BRITISH COLUMBIA, 1928—*Continued.*

No.	CAUSES OF DEATH.	TOTAL.	AGES.																										
			Under 1 Year.	1 Year.	2 Years.	3 Years.	4 Years.	5 to 9 Years.	10 to 14 Years.	15 to 19 Years.	20 to 24 Years.	25 to 29 Years.	30 to 34 Years.	35 to 39 Years.	40 to 44 Years.	45 to 49 Years.	50 to 54 Years.	55 to 59 Years.	60 to 64 Years.	65 to 69 Years.	70 to 74 Years.	75 to 79 Years.	80 to 84 Years.	85 to 89 Years.	90 to 94 Years.	95 to 99 Years.	100 Years and over.	Not stated.
133	Diseases of the bladder.....M.	6														1		1		1			1	2				
	,, ...F.	1																					1					
134	Diseases of the urethra, urinary abscess, etc.....M.	2																1		1								
	(a.) Stricture of the urethra.....M.	1																		1								
	(b.) Other diseases of the urethra.....M.	1																1										
135	Diseases of the prostate.....M.	52															1	2	4	13	12	8	8	3	1			
136	Non-venereal diseases of the male genital organs.....M.	1	1																									
137	Cysts and other benign tumours of the ovary.....F.	2																	2									
138	Salpingitis and pelvic abscess.....F.	8									2	1	1	1	1	1			1									
139	Benign tumours of the uterus.....F.	7												1	2		2			1			1					
141	Other diseases of the female genital organs.....F.	9										1			1	2	1	3		1								
142	Non-puerperal diseases of the breast (cancer excepted)..F.	1														1												
	Class VIII. The puerperal state.....Total F.	61								9	6	12	15	11	7	1												
143	Accidents of pregnancy.....F.	9								2	1	1	1	4														
	(b.) Ectopic gestation .....F.	5									1		1	3														
	(c.) Others under this title.....F.	4								2		1		1														
144	Puerperal hæmorrhage .....F.	4										2	1		1													
145	Other accidents of labour.....F.	9								1	4	2	1	1														
	(a.) Caesarean section .....F.	1									1																	
	(b.) Difficult labour .....F.	3									2	1																
	(c.) Other surgical operations and instrumental delivery .....F.	5								1	1	1	1	1														
146	Puerperal septicæmia .....F.	23								5		5	7	6														
147	Puerperal phlegmasia alba dolens, puerperal embolism sudden death in puerperium .....F.	2											1		1													
148	Puerperal albuminuria and convulsions.....F.	12								1	1	2	3		5													
149	Following childbirth (not otherwise defined).....F.	2											1			1												
	Class IX. Diseases of the skin and of the cellular tissue .....Total	26	3			1			1	1					1	1			5	3	2	3	2	1	1			1
	Ditto .....M.	17	1			1			1	1						1			5	2	1	1	1	1				1
	,, ...F.	9	2												1					1	1	2	1		1			
151	Gangrene .....M.	7																	3		1	1	1	1				
	,, ...F.	4																			1	2	1					
152	Furuncle .....M.	2				1																						1
	,, ...F.	1																		1								
153	Acute abscess .....M.	3							1							1			1									
	,, ...F.	1													1													
154	Other diseases of the skin and annexa.....M.	5	1							1									1	2								
	,, ...F.	3	2																						1			
	Class X. Diseases of the bones and of the organs of locomotion .....Total	11					1	2		1	1		2		1				1			1			1			
	Ditto .....M.	5						1		1			1		1				1									
	,, ...F.	6					1	1			1		1									1			1			

155	Diseases of the bones (mastoid and tuberculosis excepted) ..... M.	5						1		1			1		1				1								
	Ditto ..... F.	3					1															1			1		
156	Diseases of the joints (tuberculosis and rheumatism excepted) ..... F.	3						1			1		1														
	Class XI. Malformations ..... Total	65	56	4		3				1	1																
	,, ... M.	37	33	2		1				1																	
	,, ... F.	28	23	2		2					1																
159	Congenital malformations (still-births not included) .... M.	37	33	2		1				1																	
	,, ... F.	28	23	2		2					1																
	(a.) Congenital hydrocephalus ..... M.	3	2			1																					
	,, ... F.	2				1					1																
	(b.) Congenital malformations of the heart ..... M.	18	15	2						1																	
	,, ... F.	20	17	2		1																					
	(c.) Others under this title ..... M.	16	16																								
	,, ... F.	6	6																								
	Class XII. Diseases of early infancy ..... Total	263	263																								
	,, ... M.	140	140																								
	,, ... F.	123	123																								
160	Congenital debility, icterus, and sclerema ..... M.	20	20																								
	,, ... F.	15	15																								
161	Premature birth, injury at birth ..... M.	94	94																								
	,, ... F.	87	87																								
	(a.) Premature birth ..... M.	78	78																								
	,, ... F.	74	74																								
	(b.) Injury at birth ..... M.	16	16																								
	,, ... F.	13	13																								
162	Other diseases peculiar to early infancy ..... M.	26	26																								
	,, ... F.	21	21																								
	(a.) Specified diseases ..... M.	19	19																								
	,, ... F.	18	18																								
	(b.) Unspecified causes under 3 months ..... M.	7	7																								
	,, ... F.	3	3																								
	Class XIII. Old age ..... Total	77																2	4	12	9	22	14	12	1	1	
	,, ... M.	41																1	2	9	7	9	6	7			
	,, ... F.	36																1	2	3	2	13	8	5	1	1	
164	Senility ..... M.	41																1	2	9	7	9	6	7			
	,, ... F.	36																1	2	3	2	13	8	5	1	1	
	Class XIV. External causes ..... Total	692	5	8	12	1	8	33	18	27	47	67	45	58	57	63	57	47	31	32	27	21	11	7	6		4
	,, ... M.	582	2	7	9	1	5	24	11	26	45	57	38	52	53	53	52	42	28	29	20	14	5	3	2		4
	,, ... F.	110	3	1	3		3	9	7	1	2	10	7	6	4	10	5	5	3	3	7	7	6	4	4		
165–174	Suicides ..... M.	87								2	3		5	10	13	14	11	9	6	7	4	1			2		
	,, ... F.	13									1	2	2	1	2	2	2	1									
165	Suicide by solid or liquid poisons (corrosive substances excepted) ..... M.	2													2												
	Ditto ..... F.	1										1															
166	Suicide by corrosive substances ..... M.	5											1	1	1	1		1									
	,, ... F.	3											1	1	1												
167	Suicide by poisonous gas ..... M.	9													1	2	2	2	1	1							
	,, ... F.	1														1											
168	Suicide by hanging or strangulation ..... M.	18									1		1	3	2	1	1	3		4	1	1					
	,, ... F.	2											1					1									

TABLE 24.—CAUSES OF DEATH BY SEX AND AGE, BRITISH COLUMBIA, 1928—*Continued.*

No.	CAUSES OF DEATH.	TOTAL.	AGES.																										
			Under 1 Year.	1 Year.	2 Years.	3 Years.	4 Years.	5 to 9 Years.	10 to 14 Years.	15 to 19 Years.	20 to 24 Years.	25 to 29 Years.	30 to 34 Years.	35 to 39 Years.	40 to 44 Years.	45 to 49 Years.	50 to 54 Years.	55 to 59 Years.	60 to 64 Years.	65 to 69 Years.	70 to 74 Years.	75 to 79 Years.	80 to 84 Years.	85 to 89 Years.	90 to 94 Years.	95 to 99 Years.	100 Years and over.	Not stated.
	Suicides—Continued.																												
169	Suicide by drowning ..... M.	9												2	1	3	2								1				
	,, ... F.	2														1	1												
170	Suicide by firearms ..... M.	31								2	2		1	3	4	2	5	1	5	2	3				1				
	,, ... F.	2									1	1																	
171	Suicide by cutting or piercing instruments ..... M.	10											2	1	2	2	1	2											
	,, ... F.	2													1		1												
173	Suicide by crushing ..... M.	3														3													
175	Poisoning by food ..... M.	3												2					1										
	,, ... F.	2					1							1															
177	Other acute accidental poisonings (gas excepted) ..... M.	4		1									1				1				1								
	,, ... F.	2											1						1										
178	Conflagration ..... M.	11										1	1	3		1	1	2	2										
179	Accidental burns and scalds (conflagration excepted) ..... M.	7			1				1									1		2		2							
	,, ... F.	11		1	1			1	1			1						1	1		1			2	1				
180	Accidental mechanical suffocation ..... M.	4	1			1				1	1																		
	,, ... F.	1	1																										
	(a.) Overlaying ..... F.	1	1																										
	(b.) Asphyxia ..... M.	4	1			1				1	1																		
181	Accidental absorption of irrespirable or poisonous gas ..... M.	9									2		2		1		1		1			1	1						
	,, ... F.	1																						1					
182	Accidental drowning ..... M.	98		3	6		3	18	6	7	5	7	3	2	9	4	7	7	1	6	1	1							2
	,, ... F.	10	1		1		1	3	3							1													
183	Accidental traumatism by firearms ..... M.	14							1	1	2	2	2				2	1		2			1						
	,, ... F.	1						1																					
184	Accidental traumatism by cutting or piercing instruments ..... M.	2												1											1				
185	Accidental traumatism by fall ..... M.	63		2	1			1	2	1	2	2	2	6	3	7	8	4	5	4	5	6		1					1
	,, ... F.	29					1	1	1			1	1	1	1	2		2		1	3	7	4	1	2				
186	Accidental traumatism in mines and quarries ..... M.	30								2	2	8	1	3	4	2	4	1	3										
	(a.) Coal-mines ..... M.	14								1				1	3	2	4	1	2										
	(b.) Other mines ..... M.	14								1	2	7	1	1	1				1										
	(c.) Quarries ..... M.	2										1		1															
187	Accidental traumatism by machines ..... M.	17									4	3	2			1	2	1	2	2									
188	Accidental traumatism by other crushing (vehicles, railways, landslides, etc.) ..... M.	201					2	5	1	12	24	29	17	21	20	20	11	15	5	5	7	3	2	1					1
	Ditto ..... F.	29	1					3	1	1	1	4	2	2	1	5	1	1	2	1	3								
	(a.) Railroad accidents ..... M.	32									6	3	3	3	4	7	2			2			1						1
	,, ... F.	3										1									2								
	(b.) Street-car accidents ..... M.	7								1	1	1			1			2				1							
	,, ... F.	3	1																1	1									
	(c.) Automobile accidents ..... M.	70					1	5	1	6	5	7	5	5	4	8	2	5	4	2	6	2	1	1					
	,, ... F.	21						3		1	1	2	2	2	1	5	1	1	1		1								
	(d.) Aeroplane and balloon accidents ..... M.	2										2																	
	(e.) Injuries by other vehicles ..... M.	6											1		1	1	1	1		1									
	,, ... F.	1							1																				
	(f.) Other crushing ..... M.	84					1			5	12	16	8	13	10	4	6	7	1		1								
	,, ... F.	1										1																	
189	Injuries by animals (poisoning excepted) ..... M.	1																	1										

193	Excessive cold	M.	2												1					1										
	,,	F.	1																					1						
194	Excessive heat	M.	2															1						1						
196	Other accidental electric shocks	M.	3									2			1															
197–	Homicides	M.	6									1		1	1			2	1											
199	,,	F.	6						1			1	1	1				2												
197	Homicide by firearms	M.	4									1			1			1	1											
	,,	F.	3									1	1					1												
198	Homicide by cutting or piercing instruments	F.	1											1																
199	Homicide by other means	M.	2											1				1												
	,,	F.	2						1									1												
201	Fracture (cause not specified)	M.	2																		2									
	,,	F.	2																					1		1				
202	Other external violence (cause specified)	M.	16	1	1	1						2	2	2	1	4	1			1										
	,,	F.	2			1						1																		
	Class XV. Ill-defined diseases	Total	71	6	2	5	2		2	3	2	1	2	3	2	3	3	4	2	7	10	4	2	5	1					
	,,	M.	54	5	2	3			1	2	2		2	1	1	2	3	4	1	7	8	4	2	4						
	,,	F.	17	1		2	2		1	1		1		2	1	1			1		2			1	1					
204	Sudden death	M.	2																					2						
205	Cause of death not specified or ill-defined	M.	52	5	2	3			1	2	2		2	1	1	2	3	4	1	7	8	4	2	2						
	,,	F.	17	1		2	2		1	1		1		2	1	1			1		2			1	1					
	(a.) Ill-defined	M.	8			2							1	1				1		2	1									
	,,	F.	1	1																										
	(b.) Not specified or unknown	M.	15	5	2	1			1	2	1				1	1		1												
	,,	F.	8			2	2		1	1				1							1									
	(c.) Heart-failure	M.	29								1		1			1	3	2	1	5	7	4	2	2						
	,,	F.	8									1		1	1	1			1		1			1	1					

TABLE 25.—CAUSES OF DEATH FOR EACH SEX BY CONJUGAL CONDITION, NATIVITY, AND MONTH OF DEATH IN BRITISH COLUMBIA, 1928.

No.	CAUSES OF DEATH.	TOTAL.	CONJUGAL CONDITION.													NATIVITY.					MONTHS.											
			Under 15 years.	Single.					Married.						Widowed.	Not stated.	Canada.	British.	Foreign.		Not stated.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
				15 to 24 years.	25 to 44 years.	45 to 64 years.	65 years and over.	Age not stated.	15 to 24 years.	25 to 44 years.	45 to 64 years.	65 years and over.	Age not stated.						United States.	Other.													
	Deaths, all causes.....Total	5,910	1,066	254	297	382	299	8	54	642	1,141	760	3	1004	.....	.....	2771	1967	306	811	55	512	495	537	541	473	470	475	462	432	452	494	567
	,, ...M.	3,663	579	177	254	351	261	8	12	330	701	540	2	448	.....	.....	1607	1185	169	648	54	310	319	332	341	298	290	288	282	281	275	310	337
	,, ...F.	2,247	487	77	43	31	38	.....	42	312	440	220	1	556	.....	.....	1164	782	137	163	1	202	176	205	200	175	180	.....	.....	.....	.....	.....	.....
	Class I. Epidemic, endemic, and infectious diseases .....Total	978	268	114	92	50	10	.....	21	200	115	41	.....	67	.....	.....	571	213	36	153	5	85	87	87	91	79	74	79	69	78	74	65	110
	Ditto .....M.	560	141	63	72	45	8	.....	2	95	71	32	.....	31	.....	.....	304	122	16	114	4	43	56	48	51	53	48	45	37	47	38	38	56
	,, ...F.	418	127	51	20	5	2	.....	19	105	44	9	.....	36	.....	.....	267	91	20	39	1	42	31	39	40	26	26	34	32	31	36	27	54
1	Typhoid and paratyphoid fever..M.	6	.....	2	.....	.....	.....	.....	.....	1	1	2	.....	.....	.....	.....	2	1	.....	3	.....	.....	1	1	.....	.....	.....	.....	1	2	1	.....	.....
	,, ...F.	4	1	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	4	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	1	.....	1	.....	.....
	(a.) Typhoid fever .....M.	6	.....	2	.....	.....	.....	.....	.....	1	1	2	.....	.....	.....	.....	2	1	.....	3	.....	.....	1	1	.....	.....	.....	.....	1	2	1	.....	.....
	,, ...F.	4	1	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	4	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	1	.....	1	.....	.....
7	Measles .....M.	4	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....	.....	1	.....
	,, ...F.	3	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
8	Scarlet fever .....M.	2	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....
	,, ...F.	3	2	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	1	.....	.....	.....
9	Whooping-cough .....M.	7	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	7	.....	.....	.....	.....	.....	.....	1	.....	1	.....	1	1	1	1	.....	1
	,, ...F.	6	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	6	.....	.....	.....	.....	1	.....	1	.....	2	1	.....	.....	1	.....	.....	.....
10	Diphtheria .....M.	19	18	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	17	1	1	.....	.....	1	1	1	1	3	4	1	1	.....	3	3	.....
	,, ...F.	21	18	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	.....	.....	16	3	2	.....	.....	.....	.....	.....	2	1	3	4	1	2	2	3	3
11	Influenza .....M.	78	16	4	5	4	2	.....	.....	13	15	11	.....	8	.....	.....	40	27	4	7	.....	11	7	9	4	6	1	5	3	2	1	7	22
	,, ...F.	68	21	4	2	.....	1	.....	.....	14	9	3	.....	14	.....	.....	40	22	2	4	.....	8	5	12	6	4	1	2	3	3	2	1	21
	(a.) Sole cause .....M.	15	5	1	.....	.....	1	.....	.....	4	2	1	.....	1	.....	.....	11	2	1	1	.....	5	.....	1	1	1	.....	1	.....	.....	1	2	3
	,, ...F.	17	8	.....	.....	.....	.....	.....	.....	2	2	.....	.....	5	.....	.....	11	5	.....	1	.....	2	.....	5	3	.....	.....	.....	1	.....	.....	.....	6
	(b.) With phthisis .....M.	3	1	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	3	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
	,, ...F.	6	3	1	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	6	.....	.....	.....	.....	.....	1	1	1	1	.....	.....	.....	1	1	.....	.....
	(c.) With bronchitis .....M.	4	.....	.....	.....	.....	.....	.....	.....	.....	3	1	.....	.....	.....	.....	1	3	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	2
	,, ...F.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
	(d.) With pneumonia .....M.	33	5	2	5	2	.....	.....	.....	6	5	4	.....	4	.....	.....	14	14	1	4	.....	1	1	7	2	3	.....	2	2	1	.....	1	13
	,, ...F.	27	5	3	.....	.....	1	.....	.....	8	4	.....	.....	6	.....	.....	14	9	1	3	.....	3	1	5	1	2	.....	1	.....	1	.....	1	12
	(e.) With other respiratory diseases .....M.	4	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	3	.....	1	.....	.....	1	2	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
	Ditto .....F.	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(f.) With diseases and accidents of pregnancy and parturition .....F.	2	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1
	(g.) With other causes .....M.	19	3	.....	.....	2	1	.....	.....	3	4	4	.....	2	.....	.....	8	8	1	2	.....	3	3	1	.....	1	1	1	1	.....	3	4	
	,, ...F.	14	4	.....	1	.....	.....	.....	.....	2	2	2	.....	3	.....	.....	7	6	1	.....	.....	2	3	1	1	1	1	1	1	1	1	.....	1
13	Mumps .....M.	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
	,, ...F.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
16	Dysentery .....M.	3	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....
	,, ...F.	6	5	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	4	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	2	3	.....	.....
20	Leprosy .....M.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
21	Erysipelas .....M.	10	2	1	.....	.....	1	.....	.....	2	3	.....	.....	1	.....	.....	7	3	.....	.....	.....	.....	.....	.....	2	1	1	2	1	1	1	.....	1
	,, ...F.	3	.....	.....	1	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	3	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	1	.....	.....

22	Acute anterior poliomyelitis	M.	15	12	2						1						14	1				1					2	2	6	4		
	,,	F.	4	4													3		1					1				2	1			
	Lethargic encephalitis	M.	2	1										1			2					1									1
	,,	F.	5			1						2	1		1		1	2	1	1				1				1		1	1
24	Meningococcus meningitis	M.	15	8	4						1	2					11		2	2			3	2	2	3		2		1	1	1
	,,	F.	6	4	1						1						4		1	1		1	1		1		1			1	1	
25	Other epidemic and endemic diseases	F.	1	1													1												1		
	(a.) Chicken-pox	F.	1	1													1												1		
30	*Mycoses*	M.	1								1							1							1						
	,,	F.	1	1													1														1
31–37	Tuberculosis, total	M.	359	63	49	61	33	5	2	73	42	14		17			179	79	9	88	4	24	35	31	38	37	38	28	27	30	20	23	28
	,,	F.	274	58	44	15	4	1	18	84	26	5		19			173	57	13	31		31	23	23	26	19	18	24	22	20	23	18	27
31	Tuberculosis of the respiratory system	M.	292	33	35	54	29	5	2	65	40	13		16			135	67	9	78	3	23	29	25	34	32	28	25	18	22	17	18	21
	Ditto	F.	231	35	38	13	4	1	16	77	24	5		18			139	51	13	28		27	20	22	20	18	12	19	16	17	22	17	21
32	Tuberculosis of the meninges and central nervous system	M	23	18	4					1							20	1		2			3	2	1	4	4	1	2	2	2		2
	Ditto	F.	19	15	3				1								18			1		2	1		3	1	3	1	3	2			3
33	Tuberculosis of the intestines and peritoneum	M	14	5	2		2			4		1					7	7				1	1	1			1		3	3	1	2	1
	Ditto	F.	10	1	2	1				5				1			5	3		2				1	2		1	3	1	1			1
34	Tuberculosis of the vertebral column	M.	7	3	2	2											5	2					1	2			1		1			1	1
	Ditto	F.	5	1	1	1					2						3	2				1			1		1					1	1
35	Tuberculosis of the joints	M	4	1	2						1						2			2									3		1	
	,,	F.	1	1													1						1									
36	Tuberculosis of other organs	M.	10	2	3	3				1	1						7	1		2				1	1	1	2		3				2
	,,	F.	2	1					1								2										1		1				
	(c.) Lymphatic system (mesenteric and retroperitoneal glands excepted)	M	3	2	1												3								1		2						
	Ditto	F.	1	1													1										1						
	(d.) Genito-urinary system	M	7		2	3				1	1						4	1		2				1		1			3				2
	,,	F.	1						1								1												1				
37	Disseminated tuberculosis	M	9	1	1	2	2			2				1			3	1		4	1		1		2		2	2				1	1
	,,	F.	6	4						2							5	1				1	1						1	1		1
	(a.) Acute	M.	8	1	1	2	1			2				1			3	1		3	1				2		2	2				1	1
	,,	F	4	3						1							4					1	1					1		1		
	(b.) Chronic or unstated	M.	1				1													1			1									
	,,	F.	2	1						1							1	1											1				1
38	Syphilis	M.	21	3	1	2	6			1	6			2			9	6		6		2	3	3	1	2	2	1	1		3	2	1
	,,	F.	8	3	1					3				1			5	1		1	1			1	2				2		1	2	
41	Purulent infection, septicæmia,	M.	16	2	2	1	2			3	3	2		1			7	3		6		2	3		1		1	3		1	2	1	2
	,,	F.	4		1	1	1				1						3	1							1		1	1				1	
	Class II. General diseases not included in Class I	Total	826	44	10	21	71	41	1	2	78	262	136	1	159		304	364	53	99	6	72	73	62	64	70	65	64	79	64	72	70	71
	Ditto	M.	437	25	6	18	55	38	1		26	126	88	1	53		155	182	26	68	6	42	38	32	39	36	35	33	41	39	33	37	32
	,,	F.	389	19	4	3	16	3		2	52	136	48		106		149	182	27	31		30	35	30	25	34	30	31	38	25	39	33	39
43–49	Cancer, total	M.	304	3	2	9	40	30	1		16	91	69		43		94	145	19	44	2	25	23	25	26	26	25	26	29	24	23	29	23
	,,	F.	272	1	1	1	13	3			40	106	35		72		94	134	22	22		23	20	19	15	27	20	25	21	20	30	22	30
43	Cancer of the buccal cavity	M.	9				2	2			1	1	2		1		3	6					1		3		1	1			1	1	1
	,,	F.	1												1			1															1
44	Cancer of the stomach and liver	M.	138			6	19	13			8	40	34		18		38	68	6	26		13	8	7	13	13	11	15	17	11	11	11	8
	Ditto	F.	69				2	1			6	24	14		22		21	36	4	8		7	4	2	2	2	5	8	8	7	13	4	7
45	Cancer of the peritoneum, intestines, and rectum	M.	55	1		1	6	4			4	14	15		10		24	23	2	6		4	9	4	3	6	4	5	7	4	3	3	3
	Ditto	F.	38	1			2				4	12	3		16		16	18	1	3		4	3	2	1	3	4	7	1	1	5	5	2

TABLE 25.—CAUSES OF DEATH FOR EACH SEX BY CONJUGAL CONDITION, NATIVITY, AND MONTH OF DEATH IN BRITISH COLUMBIA, 1928—*Continued.*

No.	CAUSES OF DEATH.	TOTAL.	CONJUGAL CONDITION.													NATIVITY.					MONTHS.											
			Under 15 years.	Single.					Married.						Widowed.	Not stated.	Canada.	British.	Foreign.		Not stated.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
				15 to 24 years.	25 to 44 years.	45 to 64 years.	65 years and over.	Age not stated.	15 to 24 years.	25 to 44 years.	45 to 64 years.	65 years and over.	Age not stated.						United States.	Other.													
	Cancer—Continued.																															
46	Cancer of the female genital organs ..... F.	76	.....	.....	.....	5	1	.....	.....	19	28	9	.....	14	.....	28	32	10	6	.....	6	5	5	4	12	7	4	5	5	5	6	12
47	Cancer of the breast ..... M.	2	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	2	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
	,, ... F.	47	.....	.....	1	3	1	.....	.....	6	22	5	.....	9	.....	16	26	1	4	.....	5	7	4	3	6	2	4	3	3	4	3	3
48	Cancer of the skin ..... M.	12	.....	1	.....	3	1	.....	.....	.....	2	2	.....	3	.....	4	6	2	.....	.....	.....	1	5	1	.....	3	.....	1	1	.....	.....	.....
49	Cancer of other or unspecified organs ..... M.	88	2	1	2	10	9	1	.....	3	34	16	.....	10	.....	25	40	9	12	2	7	4	9	6	7	5	5	4	8	8	14	11
	Ditto ..... F.	41	.....	1	.....	1	.....	.....	.....	5	20	4	.....	10	.....	13	21	6	1	.....	1	1	6	5	4	2	2	4	4	3	4	5
	(a.) Cancer of eye and ear .. M.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(b.) Cancer of circulatory system ..... M.	5	1	.....	.....	1	.....	.....	.....	1	.....	1	.....	1	.....	2	2	.....	1	.....	.....	.....	.....	.....	1	1	.....	.....	.....	1	1	1	.....
	Ditto ..... F.	5	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	2	.....	2	.....	3	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	2	.....	1	.....
	(c.) Cancer of respiratory system ..... M.	15	.....	1	.....	3	1	.....	.....	1	5	3	.....	1	.....	7	7	.....	1	.....	1	.....	.....	.....	2	2	1	1	.....	1	4	3
	Ditto ..... F.	8	.....	.....	.....	.....	.....	.....	.....	2	4	1	.....	1	.....	3	5	.....	.....	.....	.....	1	.....	1	2	.....	.....	1	.....	1	1	1
	(d.) Cancer of digestive system ..... M.	21	.....	.....	.....	2	4	1	.....	.....	11	1	.....	2	.....	2	13	3	2	1	2	.....	1	1	1	3	2	.....	1	3	4	3
	Ditto ..... F.	14	.....	.....	.....	1	.....	.....	.....	2	6	2	.....	3	.....	3	11	.....	.....	.....	1	.....	2	2	2	1	.....	.....	2	1	1	2
	(e.) Cancer of genito-urinary organs ..... M.	38	1	.....	1	3	4	.....	.....	1	13	10	.....	5	.....	12	15	5	5	1	3	3	5	4	3	.....	1	3	5	3	4	4
	Ditto ..... F.	4	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	2	.....	2	.....	1	1	.....	.....	.....	2	1	.....	.....	.....	1	.....	.....	.....	.....	.....
	(f.) Cancer of bones and joints ..... M.	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Ditto ..... F.	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....
	(g.) Cancer of other specified organs ..... M.	4	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	1	.....	2	1	1	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	1	1
	Ditto ..... F.	6	.....	1	.....	.....	.....	.....	.....	1	4	.....	.....	.....	.....	2	2	2	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	1	1	2
	(h.) Generalized cancer ..... M.	3	.....	.....	1	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....	1	.....	.....	.....	1	.....	1	.....	.....	.....
	,, ... F.	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....
50	Benign tumours and tumours not returned as malignant (tumours of female genital organs excepted) ..... F.	4	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	2	.....	2	2	.....	.....	.....	.....	1	1	.....	.....	1	.....	.....	1	.....	.....	.....
51	Acute rheumatic fever ..... M.	8	1	1	.....	.....	1	.....	.....	1	2	1	.....	1	.....	4	1	.....	3	.....	2	4	.....	.....	.....	1	.....	.....	.....	1	.....	.....
	,, ... F.	10	3	3	.....	1	.....	.....	1	2	.....	.....	.....	.....	.....	7	2	.....	1	.....	1	.....	1	3	.....	1	.....	.....	2	.....	1	1
52	Chronic rheumatism, osteoarthritis, gout ..... M.	4	.....	1	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	4	.....	.....	.....	.....	1	1	.....	.....	1	.....	.....	1	.....	.....	.....	.....
	Ditto ..... F.	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	1	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....
56	Rickets ..... M.	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
	,, ... F.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
57	Diabetes mellitus ..... M.	35	2	.....	1	2	1	.....	.....	4	9	10	.....	6	.....	12	11	4	8	.....	3	5	1	2	3	6	1	2	3	4	3	2
	,, ... F.	40	3	.....	.....	.....	.....	.....	1	2	10	8	.....	16	.....	13	19	3	5	.....	2	7	4	5	2	3	2	4	1	5	2	3
58	Anæmia, chlorosis ..... M.	20	2	.....	.....	3	3	.....	.....	.....	8	3	.....	1	.....	14	4	.....	2	.....	1	1	.....	3	1	1	2	1	3	.....	3	4
	,, ... F.	15	.....	.....	1	.....	.....	.....	.....	1	7	1	.....	5	.....	5	6	2	2	.....	1	1	2	1	2	1	1	1	.....	1	3	1

	(a.) Pernicious anæmia ..... M.	18	2			3	2				7	3		1		12	4		2		1	1		3	1	1	2	1	2		2	4
	,, ... F.	13								1	7			5		5	5	2	1		1		2	1	2		1	1		1	3	1
	(b.) Other anæmias and chlorosis ..... M.	2					1				1					2													1		1	
	Ditto ..... F.	2			1							1					1		1			1				1					
59	Diseases of the pituitary gland..F.	1			1											1						1									
60	Diseases of the thyroid gland..M.	5		1						1	3					2	2		1				1	2			1		1			
	,, ... F.	23	1							4	10	3		5		10	12		1		1	2	1			3	2	5	1	1	4	3
	(a.) Exophthalmic goitre.....M.	2									2					1			1								1		1			
	,, ... F.	14	1							4	5	2		2		7	6		1			1	1			2	2	4			3	1
	(b.) Other diseases of the thyroid gland ..... M.	3		1						1	1					1	2						1	2								
	Ditto ..... F.	9									5	1		3		3	6				1	1				1		1	1	1	1	2
61	Diseases of the parathyroid glands ..... F.	1	1													1												1				
62	Diseases of the thymus..... M.	13	12		1											12	1				3	1	2	3			1	1	1	1		
	,, ... F.	7	7													7					1	2		1	1			1				1
63	Diseases of the adrenals (addison's disease) ..... M.	1									1						1											1				
64	Diseases of the spleen..... M.	4		1						2	1					2	1		1					1								3
	,, ... F.	1									1					1													1			
65	Lukæmia, lymphadenoma ..... M.	12	4			1				1	4	2				2	6	1	3		3	3	1			2		1	1	1		
	,, ... F.	6	2		2						1			1		4	2					1	1		1		1	1				1
	(a.) Leukæmia ..... M.	9	4								3	2				2	5		2		3	3			1		1		1			
	,, ... F.	5	2		2						1					3	2						1		1		1					1
	(b.) Lymphadenoma (Hodgkin's disease) ..... M.	3				1				1	1						1	1	1				1			1			1			
	Ditto ..... F.	1												1		1						1										
66	Alcoholism ..... M.	25			6	9	1			1	6			2		8	9	2	4	2	3		2	3	4		1	5	4	2	1	
	,, ... F.	2								1				1		1	1											2				
	(a.) Delirium tremens ..... M.	3									2			1			1	1	1				1	1				1				
	(b.) Acute alcoholism ..... M.	14			4	8				1	1					5	5	1	2	1	3			2	1		1	4	2		1	
	,, ... F.	2								1				1		1	1											2				
	(c.) Chronic alcoholism ..... M.	8			2	1	1				3			1		3	3		1	1			1		3				2	2		
67	Chronic poisoning by mineral substances ..... M.	1			1												1										1					
	(a.) Chronic lead-poisoning....M.	1			1												1										1					
68	Chronic organic poisoning..... M.	3				1	1				1								1	2	1								1	1		
	,, ... F.	2								1				1		1	1				1								1			
	(a.) Chronic morphinism ..... F.	1												1			1												1			
	(b.) Chronic cocainism, etc.....F.	1								1						1					1											
	(c.) Other organic poisoning..M.	3				1	1				1								1	2	1								1	1		
69	Other general diseases..... M.	1										1							1												1	
	,, ... F.	2	1							1						1	1								1				1			
	(b.) Hæmophilia ..... F.	1								1							1								1							
	(c.) Purpura hæmorrhagica....M.	1										1							1												1	
	(d.) Others under this title....F.	1	1													1													1			
	Class III. Diseases of the nervous system and of the organs of special sense ..... Total	434	56	10	17	22	25	2		22	103	76		101		178	183	21	50	2	46	34	49	43	30	37	35	36	18	38	28	40
	Ditto ..... M.	256	30	5	12	21	20	2		14	60	54		38		109	96	12	37	2	28	22	26	23	24	22	22	20	12	17	17	23
	,, ... F.	178	26	5	5	1	5			8	43	22		63		69	87	9	13		18	12	23	20	6	15	13	16	6	21	11	17
70	Encephalitis ..... M.	3	2		1											2			1			1		1			1					
	(a.) Abscess of brain ..... M.	3	2		1											2			1			1		1			1					
71	Meningitis ..... M.	12	7					1		3	1					9	1		2		1			2		2	1	2		1	2	1
	,, ... F.	12	9	1							2					10	1		1			2	1	2		3	1		1		2	
	(a.) Simple meningitis ..... M.	12	7					1		3	1					9	1		2		1			2		2	1	2		1	2	1
	,, ... F.	12	9	1							2					10	1		1			2	1	2		3	1		1		2	

TABLE 25.—CAUSES OF DEATH FOR EACH SEX BY CONJUGAL CONDITION, NATIVITY, AND MONTH OF DEATH IN BRITISH COLUMBIA, 1928—*Continued.*

No.	CAUSES OF DEATH.	TOTAL.	CONJUGAL CONDITION.												NATIVITY.					MONTHS.											
			Under 15 years.	Single.					Married.					Widowed.	Not stated.	Canada.	British.	Foreign.		Not stated.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
				15 to 24 years.	25 to 44 years.	45 to 64 years.	65 years and over.	Age not stated.	15 to 24 years.	25 to 44 years.	45 to 64 years.	65 years and over.	Age not stated.					United States.	Other.													
72	Tabes dorsalis (locomotor ataxia)																														
	.....M.	6									3	1		2		1	3	2			2		1		1		1			1	
	Ditto .....F.	1										1					1				1										
73	Other diseases of the spinal cord																														
	.....M.	15		1	1					3	4	3		3		9	5	1					3		1	1	1	2		4		3
	Ditto .....M.	6		1							2	1		2		1	5						1				1		1	1	2
74	Cerebral hæmorrhage, apoplexy, M.	103	2		3	12	15				23	33		15		35	46	4	16	2	14	11	11	9	13	8	8	4	5	4	7	9
	,, ...F.	90	1		1		3			4	17	18		46		31	47	7	5		8	6	15	9	4	7	7	8	3	7	6	10
	(a.) Apoplexy .....M.	23			1	2	5				6	8		1		10	10		3		2	1	2	2	2	3	2	1			3	5
	,, ...F.	19								1	3	6		9		9	8	1	1		4	1	1	2		2	1		2	2		4
	(b.) Cerebral hæmorrhage ....M.	74	2		2	10	8				16	24		12		23	33	4	12	2	12	9	9	6	11	5	5	3	5	4	2	3
	,, ...F.	70	1		1		3			2	14	12		37		21	39	6	4		4	5	13	7	4	5	6	8	1	5	6	6
	(c.) Cerebral thrombosis and embolism .....M.	6					2				1	1		2		2	3		1			1		1		1					2	1
	Ditto .....F.	1								1						1							1								
75	Paralysis without specified cause, M.	8				1					2	2		3		5	2	1			1	1		1		1	1	1	1			1
	,, ...F.	5									1	1		3			5						4			1					
	(a.) Hemiplegia .....M.	5				1					1			3		2	2	1			1	1		1			1	1				
	,, ...F.	4										1		3			4						3			1					
	(b.) Others under this title....M	3									1	2				3										1			1		1
	,, ...F.	1									1						1						1								
76	General paralysis of the insane..M.	19			2	2		1		2	7	1		4		1	13	2	3		3	1		4	3	1	1	2		1	1	2
	,, ...F.	3								1	1			1		1	2											1		1	1	
77	Other forms of mental alienation																														
	.....M.	19			1	2	2				9	3		2		5	8		6			2	2	1		2	3	4	2	1	1	1
	Ditto .....F.	12			2	1	1			1	4			3		4	8								3			4	1	3		1
78	Epilepsy .....M.	19		3	3	4	1			2	4			2		10	6		3			1	3	1	4	2		2	1	1	2	2
	,, ...F.	7	1		2						4					4	2		1		1				1		1	1		3		
79	Convulsions, non-puerperal (5 years or over) .....F.	1		1															1					1							
80	Infantile convulsions (under 5 years of age) .....M.	6	6													6					1			1		1			1	1		1
	Ditto .....F.	3	3													3					1					1		1				
82	Neuralgia and neuritis .....F.	1									1						1									1						
83	Softening of the brain .....M.	7										5		2		2	4		1		1		1	1	1		2		1			
	,, ...F.	3												3		1	2				1						1					
84	Other diseases of the nervous system .....M.	23	2	1	1		2			2	6	5		4		9	8	2	4		3	3	3	1		3	1	2	1	1	4	1
	Ditto .....F.	21	1				1			2	11	1		5		4	12	1	4		5	1	1	2	1	1	2	1		4		3
86	Diseases of the ear and of the mastoid process .....M.	16	11							2	1	1		1		15			1		2	2	2	1	1	1	2	1		2		2
	Ditto .....F.	13	11	2												10	1	1	1		1	3	1	2		1			1	2	1	1
	(a.) Diseases of the ear.....M.	6	5							1						6						2	2	1								1
	,, ...F.	7	5	2												5	1		1		1	2		1					1		1	1
	(b.) Diseases of the mastoid process .....M.	10	6							1	1	1		1		9			1		2				1	1	2	1		2		1
	Ditto .....F.	6	6													5		1				1	1	1		1				2		

	Class IV. Diseases of the circulatory system ..... Total	1,132	20	9	19	81	106	1	1	55	259	261	.....	320	.....	396	506	80	140	10	97	92	102	86	93	98	86	75	86	74	108	135
	Ditto ..... M.	725	5	4	14	76	94	1	1	30	166	179	.....	155	.....	243	311	47	114	10	58	64	57	59	60	62	46	47	62	54	70	86
	,, ... F.	407	15	5	5	5	12	.....	.....	25	93	82	.....	165	.....	153	195	33	26	.....	39	28	45	27	33	36	40	28	24	20	38	49
87–90	Diseases of the heart ..... M	435	4	3	12	45	52	1	1	26	99	104	.....	88	.....	143	172	32	82	6	34	41	36	28	37	35	28	29	39	35	34	59
	,, ... F.	273	14	5	4	2	8	.....	.....	21	65	52	.....	102	.....	97	133	23	20	.....	23	18	34	17	24	19	31	23	17	15	23	29
87	Pericarditis ..... M.	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	,, ... F.	3	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	1	1	.....	1	.....	1	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
88	Endocarditis and myocarditis (acute) ..... M.	13	1	.....	1	1	.....	.....	.....	3	5	1	.....	1	.....	5	3	1	4	.....	2	1	.....	.....	1	1	.....	.....	1	2	1	4
	Ditto ..... F.	12	8	1	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	10	1	1	.....	.....	2	1	3	.....	.....	.....	2	1	1	.....	1	1
	(a.) Acute endocarditis ..... M	10	1	.....	.....	1	.....	.....	.....	3	4	.....	.....	1	.....	3	3	1	3	.....	2	.....	.....	.....	1	1	.....	.....	1	2	1	2
	,, ... F.	8	6	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	8	.....	.....	.....	.....	1	1	2	.....	.....	.....	.....	1	1	.....	1	1
	(b.) Acute myocarditis ..... M	3	.....	.....	1	.....	.....	.....	.....	.....	1	1	.....	.....	.....	2	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
	,, ... F.	4	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	2	1	1	.....	.....	1	.....	1	.....	.....	.....	2	.....	.....	.....	.....	.....
89	Angina pectoris ..... M	57	.....	.....	.....	5	2	.....	.....	3	19	17	.....	11	.....	21	25	5	6	.....	4	4	6	6	3	4	1	2	8	9	2	8
	,, ... F.	23	.....	.....	.....	.....	1	.....	.....	1	8	6	.....	7	.....	6	10	7	.....	.....	1	1	2	1	1	3	2	1	2	1	5	3
90	Other diseases of the heart ..... M	364	3	3	11	39	50	1	1	19	75	86	.....	76	.....	117	144	25	72	6	27	36	30	22	33	30	27	27	30	24	31	47
	,, ... F.	235	5	4	4	2	7	.....	.....	20	56	45	.....	92	.....	80	121	15	19	.....	19	15	29	16	23	15	27	21	14	14	17	25
	(a.) Valvular disease ..... M.	74	2	1	4	4	7	.....	.....	6	17	24	.....	9	.....	23	29	5	16	1	3	8	6	7	9	9	6	7	4	4	7	4
	,, ... F.	47	.....	1	2	.....	2	.....	.....	6	10	5	.....	21	.....	12	27	2	6	.....	4	6	6	2	4	2	4	6	4	4	1	4
	(b.) Fatty degeneration of the heart ..... M.	6	.....	.....	.....	1	.....	.....	.....	2	1	.....	.....	2	.....	1	3	1	1	.....	.....	3	1	.....	1	1	.....	.....	.....	.....	.....	.....
	Ditto ..... F.	3	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	2	.....	1	.....	.....	.....	.....	1	.....	.....	2	.....	.....	.....	.....	.....
	(d.) Chronic endocarditis ..... M.	59	1	1	3	10	14	.....	.....	2	14	7	.....	7	.....	15	26	5	12	1	3	7	5	.....	9	3	4	7	6	4	.....	11
	,, ... F.	64	5	2	1	1	1	.....	.....	9	19	12	.....	14	.....	33	26	3	2	.....	5	5	8	3	4	6	8	6	3	4	4	8
	(e.) Chronic myocarditis ..... M.	180	.....	1	2	16	22	.....	1	7	30	49	.....	52	.....	57	75	10	36	2	13	14	16	10	13	14	15	12	18	12	16	27
	,, ... F.	93	.....	1	.....	1	4	.....	.....	2	19	20	.....	46	.....	25	52	8	8	.....	7	1	12	7	11	5	11	7	6	5	9	12
	(f.) Others under this title ..M.	45	.....	.....	2	8	7	1	.....	2	13	6	.....	6	.....	21	11	4	7	2	8	4	2	5	1	3	2	1	2	4	8	5
	,, ... F.	28	.....	.....	1	.....	.....	.....	.....	3	7	7	.....	10	.....	10	14	2	2	.....	3	3	3	3	4	2	2	2	1	1	3	1
91	Diseases of the arteries ..... M.	275	.....	.....	1	31	41	.....	.....	2	60	75	.....	65	.....	96	130	14	32	3	23	23	21	29	22	26	15	18	23	18	34	23
	,, ... F.	126	.....	.....	1	3	4	.....	.....	2	28	30	.....	58	.....	53	57	10	6	.....	15	10	9	10	8	16	9	5	6	4	15	19
	(a.) Aneurism ..... M.	25	.....	.....	.....	8	2	.....	.....	.....	4	3	.....	8	.....	5	12	3	4	1	3	2	1	5	1	2	3	1	1	2	1	3
	,, ... F.	5	.....	.....	1	.....	.....	.....	.....	.....	2	1	.....	1	.....	4	.....	1	.....	.....	1	.....	.....	.....	1	1	.....	1	.....	.....	1	.....
	(b.) Arteriosclerosis ..... M.	245	.....	.....	1	22	37	.....	.....	2	55	71	.....	57	.....	90	115	11	28	1	19	21	20	24	21	24	12	17	22	15	31	19
	,, ... F.	119	.....	.....	.....	3	4	.....	.....	2	26	28	.....	56	.....	47	57	9	6	.....	14	10	7	10	7	15	9	4	6	4	14	19
	(c.) Other diseases of the arteries ..... M	5	.....	.....	.....	1	2	.....	.....	.....	1	1	.....	.....	.....	1	3	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	1
	Ditto ..... F.	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	2	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
92	Embolism and thrombosis (not cerebral) ..... M	11	1	.....	1	.....	.....	.....	.....	2	5	.....	.....	2	.....	3	7	.....	.....	1	1	.....	.....	1	1	1	3	.....	.....	1	.....	3
	Ditto ..... F.	4	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	3	.....	1	3	.....	.....	.....	1	.....	.....	.....	1	1	.....	.....	.....	.....	.....	1
93	Diseases of the veins (varices, hæmorrhoids, phlebitis, etc.) ..M.	3	.....	.....	.....	.....	1	.....	.....	.....	2	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1
	Ditto ..... F.	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
94	Diseases of the lymphatic system (lymphangitis, etc.) ..... M.	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
	Ditto ..... F.	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....
95	Hæmorrhage without specified cause ..... F.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Class V. Diseases of the respiratory system ..... Total	469	134	6	18	27	26	.....	1	43	60	64	1	89	.....	252	136	18	61	2	61	53	44	50	33	31	21	23	25	36	43	49
	Ditto ..... M.	289	70	5	17	25	21	.....	.....	29	38	42	.....	42	.....	140	90	10	47	2	40	36	23	33	18	15	12	17	18	21	30	26
	,, ... F.	180	64	1	1	2	5	.....	1	14	22	22	1	47	.....	112	46	8	14	.....	21	17	21	17	15	16	9	6	7	15	13	23
97	Diseases of the nasal fossæ and their annexa ..... M.	2	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	2	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 25.—CAUSES OF DEATH FOR EACH SEX BY CONJUGAL CONDITION, NATIVITY, AND MONTH OF DEATH IN BRITISH COLUMBIA, 1928—*Continued.*

No.	CAUSES OF DEATH.	TOTAL.	CONJUGAL CONDITION.												NATIVITY.					MONTHS.											
			Under 15 years.	Single.					Married.						Widowed.	Not stated.	Canada.	British.	Foreign.		Not stated.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
				15 to 24 years.	25 to 44 years.	45 to 64 years.	65 years and over.	Age not stated.	15 to 24 years.	25 to 44 years.	45 to 64 years.	65 years and over.	Age not stated.						United States.	Other.													
98	Diseases of the larynx.....M.	1	1														1										1				
	,, ...F.	3	3														3					2									1
	(b.) Laryngitis .....M.	1	1														1										1				
	,, ...F.	2	2														2					1									1
	(c.) Croup .....F.	1	1														1					1									
99	Bronchitis .....M.	14	5		1		1					2		5			9	3		2		3	4	2	1		1	2	1		
	,, ...F.	10	6								1			3			7	2		1			2	1	2		1	1	1		2
	(a.) Acute .....M.	6	4		1									1			5	1				1	2	1	1		1				
	,, ...F.	4	3											1			3	1					2		1		1				
	(b.) Chronic .....M.	5					1					1		3			3	1		1		1		1				2	1		
	,, ...F.	4	1								1			2			2	1		1				1				1	1		1
	(c.) Not otherwise defined, under 5 years of age.....M.	1	1														1					1									
	Ditto .....F.	2	2														2								1						1
	(d.) Not otherwise defined, 5 years or over.....M.	2										1		1				1		1			2								
100	Bronchopneumonia (including capillary bronchitis) .....M.	54	24			4	2			3	6	9		6			34	12		8		6	8	3	8	9	1		4	3	3	3	6
	Ditto .....F.	43	23			1				2	4	5	1	7			32	7		4		4	7	4	8	4	3	1	2		3	5	2
	(a.) Bronchopneumonia .....M.	53	23			4	2			3	6	9		6			33	12		8		6	8	3	7	9	1		4	3	3	3	6
	,, ...F.	43	23			1				2	4	5	1	7			32	7		4		4	7	4	8	4	3	1	2		3	5	2
	(b.) Capillary bronchitis .....M.	1	1														1			1											
101	Pneumonia .....M.	166	35	3	12	16	16			21	20	18		25			73	56	8	28	1	27	19	17	19	6	11	4	7	9	12	18	17
	,, ...F.	91	29	1	1		2		1	10	8	14		25			57	22	5	7		14	8	12	5	9	6	4	2	4	7	6	14
	(a.) Lobar .....M.	103	12	2	10	13	13			14	15	11		13			36	38	5	23	1	16	12	11	7	6	9	4	4	4	8	12	10
	,, ...F.	48	12	1	1		2		1	6	4	9		12			29	12	2	5		8	6	7	2	7	2		2	1	4	2	7
	(b.) Not otherwise defined.....M.	63	23	1	2	3	3			7	5	7		12			37	18	3	5		11	7	6	12		2		3	5	4	6	7
	,, ...F.	43	17							4	4	5		13			28	10	3	2		6	2	5	3	2	4	4		3	3	4	7
102	Pleurisy .....M.	19	3	1	1	2				2	3	2		5			13	4		2			1		1	2	3	4		3	2	1	2
	,, ...F.	10					2			1	5	1		1			5	4		1				2	1	1	2		1	2		1	
103	Congestion and hæmorrhagic infarct of the lung.....M.	3										3					1	1		1		1	1							1			
	Ditto .....F.	9	1			1						1		6			2	6		1		1			1		1	1			2		3
104	Gangrene of the lung.....M.	1					1											1								1							
105	Asthma .....M.	11				1				1	4	4		1			2	5		4		1	2		1			2	1	1		2	1
	,, ...F.	9					1				4			4			1	5	3					2		1	2	1			1	1	1
107	Other diseases of the respiratory system (tuberculosis excepted) .....M.	18	2		3	2	1			2	4	4					7	6	2	2	1	1	1	1	2			1	2		4	6	
	Ditto .....F.	5	2							1		1		1			5										2	1			2		
	(a.) Chronic interstitial pneumonia (including occupational diseases of the lungs) .....M.	6			1	1	1				2	1						3	1	2											2	4	
	Ditto .....F.	1								1							1											1				

	(c.) Others under this title....M.	12	2		2	1				2	2	3				7	3	1		1	1	1	1	2			1	2		2	2	
	,, ...F.	4	2									1		1		4										2				2		
	Class VI. Diseases of the digestive system .....Total	395	98	19	18	28	10		8	40	91	32		51		184	139	18	52	2	28	22	33	43	27	24	37	45	33	30	34	39
	Ditto .....M.	246	52	16	17	28	9		4	21	56	23		20		101	85	12	46	2	15	16	22	29	15	15	24	22	19	22	21	26
	,, ...F.	149	46	3	1		1		4	19	35	9		31		83	54	6	6		13	6	11	14	12	9	13	23	14	8	13	13
108	Disases of the mouth and annexa .....M.	4	1							1	1	1				2	2							1	1				1		1	
	Ditto .....F.	1								1								1							1							
109	Diseases of the pharynx and tonsils (including adenoid vegetations) .....M.	8	5	1	1						1					5	2	1			2	1	2			1	1	1				
	Ditto .....F.	12	7	1	1					3						9	1	1	1		1	2	1			1	2	1	1	2	1	
	(b.) Pharynx and tonsils.....M.	8	5	1	1						1					5	2	1			2	1	2			1	1	1				
	,, ...F.	12	7	1	1					3						9	1	1	1		1	2	1			1	2	1	1	2	1	
110	Diseases of the œsophagus.....M.	2	1		1											2								1								1
	,, ...F.	1									1						1											1				
111	Ulcer of the stomach and duodenum .....M.	42			1	14	2			7	15	3				8	19	3	12		3	2	1	5	4	5	4	2	2	4	6	4
	Ditto .....F.	8								2	2	3		1		2	4	1	1		1	1	2				1				1	2
	(a.) Ulcer of the stomach.....M.	28			1	8	2			4	11	2				4	11	3	10		2	1		4	4	3	3	2	2	2	4	1
	,, ...F.	4									2	1		1		1	2		1			1	1				1					1
	(b.) Ulcer of the duodenum....M.	14				6				3	4	1				4	8		2		1	1	1	1		2	1			2	2	3
	,, ...F.	4								2		2				1	2	1			1		1								1	1
112	Other diseases of the stomach (cancer excepted) .....M	20	7		2	3	1			3		2		2		9	7		3	1	1	1	2	3	1	1	3	1	4	1		2
	Ditto .....F.	15	4				1			1	4			5		8	7				1		2	1	2	2	1	1	1	2		2
113	Diarrhœa and enteritis (under 2 years of age) .....M	15	15													15								2	1		2		3	2	2	1	2
	Ditto .....F	13	13													13					1				2				3	5		1	1
114	Diarrhœa and enteritis (2 years or over) .....M.	18	8		1	2	1			1	1	2		2		10	4		3	1	1		2	1		1	3	4	1	2	1	2
	Ditto .....F	18	12						2		2			2		17	1				1			1	2	1		5	3	1	4	
117	Appendicitis and typhilitis.....M	56	11	11	8	2			4	4	11	3		2		22	22	3	9		4	5	8	2	3	2	7	6	4	4	4	7
	,, ...F.	23	6	2					2	3	8			2		10	9	3	1		2	1	2	2	4	1	5	2	1	1	1	1
118	Hernia, intestinal obstruction..M	19	2	1		1	3				6	2		4		5	10		4		2	2	1	3			2			4	3	2
	,, ...F	18	3							5	4	1		5		9	9				2	1	1	1	1	2	1	4	1	1	1	2
	(a.) Hernia .....M	10	1			1	2				3	1		2		3	6		1		1	1		1						3	2	2
	,, ...F	10	1							4	4			1		5	5						1		1	1	1	1	1	1	1	2
	(b.) Intestinal obstruction.....M	9	1	1			1				3	1		2		2	4		3		1	1	1	2			2			1	1	
	,, ...F	8	2							1		1		4		4	4				2		1	1		1		3				
119	Other diseases of the intestines..M	7	2	1	1	1					2					5	1		1			1	2		1			1		1	1	
	,, ...F	4	1								1			2		3	1				1						1	2				
120	Acute yellow atrophy of the liver .....M.	1								1						1						1										
	Ditto .....F.	1									1						1								1							
122	Cirrhosis of the liver.....M.	21			1	2				2	7	3		6		6	8	1	6			1		5	2	1	2	3	2	3	2	
	,, ...F.	7								1	2			4		2	4		1			1	1			1	1				2	1
	(b.) Not specified as alcoholic, M.	21			1	2				2	7	3		6		6	8	1	6			1		5	2	1	2	3	2	3	2	
	,, ...F.	7								1	2			4		2	4		1			1	1			1	1				2	1
123	Biliary calculi .....M	7				1				1	4			1		3	1	2	1				1	1	2				1	2		
	,, ...F.	9								1	4	2		2		2	7				1			1		2	2	2	1			
124	Other diseases of the liver.....M.	20		2		2	1			1	6	5		3		6	7	2	5		2	1		3	2	2	2	1	1		1	5
	,, ...F.	11								1	2	2		6		5	6				2			3	1			1		1	1	2
125	Diseases of the pancreas.....M.	3					1				2					1	2						1	1							1	
	,, ...F.	3								1	2					1	2							1	1	1						
126	Peritonitis without specified cause .....M	3			1						1	1				1			2					2				1				
	Ditto .....F.	5									2	1		2		2	1		2				1	1				1		1		1

TABLE 25.—CAUSES OF DEATH FOR EACH SEX BY CONJUGAL CONDITION, NATIVITY, AND MONTH OF DEATH IN BRITISH COLUMBIA, 1928—*Continued.*

No.	CAUSES OF DEATH.	TOTAL.	CONJUGAL CONDITION.													NATIVITY.					MONTHS.											
			Under 15 years.	Single.					Married.						Widowed.	Not stated.	Canada.	British.	Foreign.		Not stated.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
				15 to 24 years.	25 to 44 years.	45 to 64 years.	65 years and over.	Age not stated.	15 to 24 years.	25 to 44 years.	45 to 64 years.	65 years and over.	Age not stated.						United States.	Other.													
	Class VII. Non-venereal diseases of the genito-urinary system and annexa ..... Total	410	7	6	7	27	38	.....	4	29	123	85	.....	84	.....	150	169	33	56	2	26	37	45	47	30	42	33	22	36	22	40	30
	Ditto ..... M.	274	4	5	4	26	33	.....	2	10	76	68	.....	46	.....	102	115	11	44	2	15	23	36	30	21	27	23	14	21	18	27	19
	,, ... F.	136	3	1	3	1	5	.....	2	19	47	17	.....	38	.....	48	54	22	12	.....	11	14	9	17	9	15	10	8	15	4	13	11
128	Acute nephritis (including unspecified, under 10 years of age) ..... M.	11	1	1	.....	1	1	.....	.....	.....	5	2	.....	.....	.....	4	4	.....	2	1	.....	4	1	4	1	.....	1	.....	.....	.....	.....	.....
	Ditto ..... F.	3	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	2	.....	1	2	.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
129	Chronic nephritis (including unspecified, 10 years of age or over) ..... M.	188	2	4	4	22	19	.....	2	10	58	39	.....	28	.....	70	76	11	30	1	9	14	29	22	14	21	19	6	11	12	17	14
	Ditto ..... F.	97	3	.....	1	.....	5	.....	1	10	32	13	.....	32	.....	35	43	12	7	.....	8	7	9	8	8	12	8	6	12	1	9	9
131	Other diseases of the kidneys and annexa ..... M.	13	.....	.....	.....	2	1	.....	.....	.....	3	4	.....	3	.....	6	5	.....	2	.....	1	3	1	.....	.....	.....	.....	3	1	.....	4	.....
	Ditto ..... F.	7	.....	.....	1	.....	.....	.....	.....	.....	3	2	.....	1	.....	5	1	1	.....	.....	.....	1	.....	1	.....	.....	1	.....	1	1	1	1
132	Calculi of the urinary passages..M.	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
	,, ... F.	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
133	Diseases of the bladder..... M.	6	.....	.....	.....	1	.....	.....	.....	.....	1	1	.....	3	.....	2	3	.....	1	.....	.....	.....	.....	.....	.....	1	1	.....	.....	1	1	1
	,, ... F.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
134	Diseases of the urethra, urinary abscess, etc. ..... M.	2	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	1	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....
	(a.) Stricture of the urethra..M.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(b.) Other diseases of the urethra ..... M.	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
135	Diseases of the prostate..... M.	52	.....	.....	.....	.....	12	.....	.....	.....	7	21	.....	12	.....	18	26	.....	8	.....	5	2	4	4	5	5	3	4	7	4	5	4
136	Non-venereal diseases of the male genital organs..... M.	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
137	Cysts and other benign tumours of the ovary ..... F.	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	1	1	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
138	Salpingitis and pelvic abscess....F.	8	.....	1	1	.....	.....	.....	1	3	2	.....	.....	.....	.....	2	2	3	1	.....	2	2	.....	1	.....	.....	1	.....	1	1	.....
139	Benign tumours of the uterus..F.	7	.....	.....	.....	.....	.....	.....	.....	3	2	1	.....	1	.....	2	2	1	2	.....	.....	1	.....	2	.....	.....	.....	1	1	1	1	.....
141	Other diseases of the female genital organs ..... F.	9	.....	.....	.....	.....	.....	.....	.....	2	6	1	.....	.....	.....	2	2	3	2	.....	1	1	.....	2	1	1	.....	1	1	.....	.....	1
142	Non-puerperal diseases of the breast (cancer excepted)....F.	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
	Class VIII. The puerperal state ..... Total F.	61	.....	2	1	.....	.....	.....	13	43	1	.....	.....	1	.....	31	19	5	6	.....	4	7	6	6	7	5	3	4	4	5	5	5
143	Accidents of pregnancy..... F.	9	.....	1	1	.....	.....	.....	2	4	.....	.....	.....	1	.....	5	2	.....	2	.....	.....	.....	2	2	2	1	.....	.....	1	.....	.....	1
	(b.) Ectopic gestation ..... F.	5	.....	1	1	.....	.....	.....	.....	2	.....	.....	.....	1	.....	2	1	.....	2	.....	.....	.....	1	1	2	1	.....	.....	.....	.....	.....	.....
	(c.) Others under this title....F.	4	.....	.....	.....	.....	.....	.....	2	2	.....	.....	.....	.....	.....	3	1	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	1	.....	.....	1
144	Puerperal hæmorrhage ..... F.	4	.....	.....	.....	.....	.....	.....	.....	4	.....	.....	.....	.....	.....	3	1	.....	.....	.....	2	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....

145	Other accidents of labour.....F.	9		1					4	4						6	1		2		1	3	1	1			1		1	1		
	(a.) Caesarean section .....F.	1							1										1		1											
	(b.) Difficult labour .....F.	3							2	1						2	1										1		1	1		
	(c.) Other surgical operations and instrumental delivery..F.	5		1					1	3						4			1			3	1	1							
146	Puerperal septicæmia .....F.	23							5	18						10	9	3	1			1	2	1	2	3	1	4	1	2	3	3
147	Puerperal phlegmasia alba dolens, puerperal embolism, sudden death in puerperium.....F.	2								2							2										1		1			
148	Puerperal albuminuria and convulsions .....F.	12							2	10						5	4	2	1		1	3		1	2		1			2	2	
149	Following childbirth (not otherwise defined) .....F.	2								1	1					2						1									1
	Class IX. Diseases of the skin and of the cellular tissue, Total	26	5	1		2	3	1		1	4	3		6		13	9	2	1	1	2	3	1	5	4		1	1	4	2	1	2
	Ditto .....M.	17	3	1		2	3	1			4	2		1		10	5	1		1	2	1	1	3	3			1	2	1	1	2
	,, ...F.	9	2							1		1		5		3	4	1	1			2		2	1		1		2	1		
151	Gangrene .....M.	7				1	2				2	1		1		5	2				1	1	1	1					2		1	
	,, ...F.	4												4			3	1				2		2								
152	Furuncle .....M.	2	1					1								1				1	1									1		
	,, ...F.	1										1				1												1				
153	Acute abscess .....M.	3	1								2					1	2							1	1				1			
	,, ...F.	1								1									1						1							
154	Other diseases of the skin and annexa .....M.	5	1	1		1	1					1				3	1	1						1	2							2
	Ditto .....F.	3	2											1		2	1										1		1	1		
	Class X. Diseases of the bones and of the organs of locomotion .....Total	11	3	2	1	1				2				2		7	3		1		1	2	1		1		1	1	2	1		1
	Ditto .....M.	5	1	1	1	1				1						4			1			2	1					1	1			
	,, ...F.	6	2	1						1				2		3	3				1				1		1		1	1		1
155	Diseases of the bones (mastoid and tuberculosis excepted) ....M.	5	1	1	1	1				1						4			1			2	1					1	1			
	Ditto .....F.	3	1											2		1	2										1		1			1
156	Diseases of the joints (tuberculosis and rheumatism excepted) .....F.	3	1	1						1						2	1				1									1		
	Class XI. Malformations.....Total	65	63	2												62	1	1		1	4	14	7	5	5	2	5	3	7	4	7	2
	,, ...M.	37	36	1												35		1		1	2	5	4	4	3	1	3	2	5	2	5	1
	,, ...F.	28	27	1												27	1				2	9	3	1	2	1	2	1	2	2	2	1
159	Congenital malformations (still-births not included) .....M.	37	36	1												35		1		1	2	5	4	4	3	1	3	2	5	2	5	1
	Ditto .....F.	28	27	1												27	1				2	9	3	1	2	1	2	1	2	2	2	1
	(a.) Congenital hydrocephalus, M.	3	3													2				1						1			1	1		
	,, ...F.	2	1	1												1	1					1							1			
	(b.) Congenital malformations of the heart .....M.	18	17	1												17		1			2	3	3	1			2		3	1	3	
	Ditto .....F.	20	20													20					1	6	3	1	1	1	2			2	2	1
	(c.) Others under this title....M.	16	16													16						2	1	3	3		1	2	1		2	1
	,, ...F.	6	6													6					1	2			1			1	1			
	Class XII. Diseases of early infancy .....Total	263	263													262				1	22	20	28	23	21	21	23	17	23	20	28	17
	Ditto .....M.	140	140													139				1	14	13	18	8	11	8	12	7	11	12	15	11
	,, ...F.	123	123													123					8	7	10	15	10	13	11	10	12	8	13	6

TABLE 25.—CAUSES OF DEATH FOR EACH SEX BY CONJUGAL CONDITION, NATIVITY, AND MONTH OF DEATH IN BRITISH COLUMBIA, 1928—*Continued.*

No.	CAUSES OF DEATH.	TOTAL.	CONJUGAL CONDITION.													NATIVITY.					MONTHS.											
			Under 15 years.	Single.					Married.						Widowed.	Not stated.	Canada.	British.	Foreign.			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
				15 to 24 years.	25 to 44 years.	45 to 64 years.	65 years and over.	Age not stated.	15 to 24 years.	25 to 44 years.	45 to 64 years.	65 years and over.	Age not stated.						United States.	Other.	Not stated.												
160	Congenital debility, icterus, and sclerema ..... M.	20	20														20					4	2	1			3	2	1		2	5	
	Ditto ..... F.	15	15														15					2		1	1		3	1	2	1	1	2	1
161	Premature birth, injury at birth ..... M.	94	94														93				1	7	7	15	5	6	3	9	6	10	8	7	11
	Ditto ..... F.	87	87														87					6	6	7	11	4	9	9	6	10	5	10	4
	(a.) Premature birth ..... M.	78	78														78					7	4	10	5	5	2	7	5	10	7	6	10
	,, ... F.	74	74														74					3	5	6	10	4	6	8	6	9	4	9	4
	(b.) Injury at birth ..... M.	16	16														15				1		3	5		1	1	2	1		1	1	1
	,, ... F.	13	13														13					3	1	1	1		3	1		1	1		
162	Other diseases peculiar to early infancy ..... M.	26	26														26					3	4	2	3	5	2	1		1	2	3	
	Ditto ..... F.	21	21														21						1	2	3	6	1	1	2	1	2	1	1
	(a.) Specified diseases ..... M.	19	19														19					1	3	1	3	4		1		1	2	3	
	,, ... F.	18	18														18						1	2	3	5	1	1	2		2	1	
	(b.) Unspecified causes under 3 months ..... M.	7	7														7					2	1	1		1	2						
	Ditto ..... F.	3	3														3									1				1			1
	Class XIII. Old age ..... Total	77				1	7				1	17		51			42	22	3	8	2	6	8	6	9	7	7	8	7	3	4	7	5
	,, ... M.	41				1	5					14		21			21	11	3	4	2	1	5	6	8	3	5	2	2	2	2	3	2
	,, ... F.	36					2				1	3		30			21	11		4		5	3		1	4	2	6	5	1	2	4	3
164	Senility ..... M.	41				1	5					14		21			21	11	3	4	2	1	5	6	8	3	5	2	2	2	2	3	2
	,, ... F.	36					2				1	3		30			21	11		4		5	3		1	4	2	6	5	1	2	4	3
	Class XIV. External causes, Total	692	85	71	99	66	30	3	3	124	113	33	1	64			278	188	34	175	17	51	37	61	63	63	55	74	75	45	66	51	51
	,, ... M.	582	59	68	96	65	28	3	3	102	96	26	1	35			214	157	29	165	17	45	32	54	50	49	46	62	67	39	52	42	44
	,, ... F.	110	26	3	3	1	2			22	17	7		29			64	31	5	10		6	5	7	13	14	9	12	8	6	14	9	7
165–174	Suicides ..... M.	87		4	12	20	4		1	14	17	7		8			11	40	4	28	4	6	4	10	10	8	8	6	7	8	5	10	5
	,, ... F.	13		1						6	4			2			4	8		1			2	2	2	1		1	1	1		2	1
165	*Suicide by solid or liquid poisons (corrosive substances excepted)* ..... M.	2			2															1	1				2								
	Ditto ..... F.	1								1							1								1								
166	Suicide by corrosive substances ..... M.	5			1	1				2	1							4		1			1	1				1			1	1	
	Ditto ..... F.	3								2				1			1	2										1	1				1
167	Suicide by poisonous gas ..... M.	9			1	5	1				2						1	8				2		1		1			1	2	1	1	
	,, ... F.	1												1			1						1										
168	Suicide by hanging or strangulation ..... M.	18		1	2	2	1			2	1	5		4			2	6	1	9				2	1	3	2	1	1	2	2	3	1
	Ditto ..... F.	2								1	1							2						1		1							
169	Suicide by drowning ..... M.	9				1				3	4			1				3		4	2	1	1		2	1	1		1		1	1	
	,, ... F.	2									2							1		1			1		1								

170	Suicide by firearms.....M.	31		3	4	6	2		1	4	6	2		3		7	11	3	9	1	3	1	4	2	2	3	2	3	4		4	3
	,, ...F.	2		1						1						1	1						1								1	
171	Suicide by cutting or piercing instruments .....M	10			2	2				3	3						6		4			1	2	2	1	2	1				1
	Ditto.....F.	2								1	1						2												1		1	
173	Suicide by crushing.....M	3				3										1	2							1			1	1				
175	Poisoning by foods.....M	3			1					1	1					1	1			1			1	1		1						
	,, ...F.	2		1						1						2								1			1					
177	Other acute accidental poisonings (gas excepted) .....M	4		1		1					1					2	2				1				2					1		
	Ditto .....F.	2			1							1				2											1	1				
178	Conflagration .....M	11			2	5				3				1		4	5		2					9			1				1	
179	Accidental burns and scalds (conflagration excepted) .....M	7		2			4				1					2	3		1	1	1		1	1	1	3						
	Ditto .....F.	11		4		1					2	1		3		8	2		1		2		1	1	1	2			1	1		2
180	*Accidental mechanical suffocation* .....M	4		2	2											3		1						1						1	2
	Ditto .....F.	1		1												1											1					
	(a.) Overlaying .....F.	1		1												1											1					
	(b.) Asphyxia .....M	4		2	2											3		1						1						1	2
181	Accidental absorption of irrespirable or poisonous gas.....M	9			2	1		2		2	2						2	1	6		1			1		1	3				1	2
	Ditto .....F.	1												1					1													1
182	Accidental drowning .....M	98	36	12	14	5	3	1		7	10	3	1	6		59	16	5	16	2	7	4	5	12	9	13	21	5	8	4	5	5
	,, ...F.	10	9								1					9	1							4	2	1	1			2		
183	Accidental traumatism by firearms .....M	14	1	3	3	2	1			1	1	1		1		9	2		2	1	4	1	1		1		2		2		1	2
	Ditto .....F.	1	1													1					1											
184	Accidental traumatism by cutting or piercing instruments.....M	2								1				1			1		1							1				1		
185	Accidental traumatism by fall..M.	63	6	2	6	5	5	1	1	7	19	4		7		24	26	5	6	2	3	5	5	7	5	5	4	9	5	4	4	7
	,, ...F	29	3		1	1	2			3	2	3		14		20	8	1			3	2	1	1	4	2	3	3		5	4	1
186	Accidental traumatism in mines and quarries .....M	30		4	4					12	9			1		4	8	1	17			1	3		2	1	2	11	3	3	2	2
	(a.) Coal-mines .....M	14		1						4	8			1		1	5		8						2		2	6	2	1		1
	(b.) Other mines .....M	14		3	3					7	1					3	3		8			1	3					5	1	2	1	1
	(c.) Quarries .....M	2			1					1								1	1							1					1	
187	Accidental traumatism by machines .....M	17		3	2	1			1	3	5	2				7	4	3	3			2	2		4	1		1	2	2	3	
188	Accidental traumatism by other crushing (vehicles, railways landslides, etc.) .....M	201	8	36	41	21	6	1		46	26	9		7		76	41	8	71	5	16	12	15	15	16	11	18	31	8	29	13	17
	Ditto .....F.	29	5	2						9	6	2		5		13	8	3	5			1	3	1	4	3	2	2	4	5	3	1
	(a.) Railroad accidents .....M	32		6	3	3	2	1		10	6	1				12	7		11	2	4	3	2	3	2	1	6	5	1	3	2	
	,, ...F.	3								1				2		2			1			1			1						1	
	(b.) Street-car accidents.....M	7		2	1					1	1			2		1	4		2			2			1		2			1		1
	,, ...F.	3	1								1	1				2	1							1	1							
	(c.) Automobile accidents ....M	70	7	11	7	4	3			14	14	7		3		38	15	6	10	1	3	3	4	4	7	7	4	8	3	15	3	9
	,, ...F.	21	3	2						7	5	1		3		7	7	3	4				1		2	2	2	2	4	5	2	1
	(d.) Aeroplane and balloon accidents .....M.	2								2							2										1				1	
	(e.) Injuries by other vehicles..M.	6				2				2	1	1				2	3		1					2		1	1	1		1		
	,, ...F.	1	1													1							1									
	(f.) Other crushing .....M.	84	1	17	30	12	1			17	4			2		23	10	2	47	2	9	4	9	6	6	2	4	17	4	9	7	7
	,, ...F.	1								1						1										1						
189	Injuries by animals (poisoning excepted) .....M.	1												1			1											1				
193	Excessive cold .....M.	2			1	1										1			1			1								1	
	,, ...F.	1												1					1											1		
194	Excessive heat .....M.	2									1			1		2											1			1		

TABLE 25.—CAUSES OF DEATH FOR EACH SEX BY CONJUGAL CONDITION, NATIVITY, AND MONTH OF DEATH IN BRITISH COLUMBIA, 1928—*Continued.*

No.	CAUSES OF DEATH.	TOTAL.	CONJUGAL CONDITION.													NATIVITY.					MONTHS.											
			Under 15 years.	Single.					Married.						Widowed.	Not stated.	Canada.	British.	Foreign.		Not stated.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
				15 to 24 years.	25 to 44 years.	45 to 64 years.	65 years and over.	Age not stated.	15 to 24 years.	25 to 44 years.	45 to 64 years.	65 years and over.	Age not stated.						United States.	Other.													
196	Other accidental electric shocks ..M.	3			1					2								2		1		1			1					1		
197–	Homicides ..M.	6			2					1	3							1	1	4			1	1			1	1	1			1
199	,, ..F.	6	1							2	2			1			1	4		1					3	1	1		1				
197	Homicide by firearms..M.	4			1					1	2							1	1	2			1					1	1			1
	,, ..F.	3								2	1							2		1					2		1					
198	Homicide by cutting or piercing instruments ..F.	1													1			1							1							
199	Homicide by other means..M.	2			1						1									2				1						1		
	,, ..F.	2	1								1						1	1							1			1				
201	Fracture (cause not specified) ..M.	2					1								1		2							1			1					
	,, ..F.	2													2		2										2					
202	Other external violence (cause specified) ..M.	16	3		5	5	1			2							8	1		6	1	5	1		1	1		3	1	1	1	1	1
	Ditto ..F.	2	1							1							1		1							1						1
	Class XV. Ill-defined diseases ..Total	71	20	2	4	6	3		1	5	9	12		9			41	15	2	9	4	7	6	5	6	3	9	5	5	4	4	7	10
	Ditto ..M.	54	13	2	3	6	2			2	8	12		6			30	11	1	8	4	5	6	4	4	2	6	4	4	3	3	4	9
	,, ..F.	17	7		1		1		1	3	1			3			11	4	1	1		2		1	2	1	3	1	1	1	1	3	1
204	Sudden death ..M.	2					1					1					1			1						1			1			
205	Cause of death not specified or ill-defined ..M.	52	13	2	3	6	1			2	8	11		6			29	11	1	7	4	5	6	4	4	1	6	4	3	3	3	4	9
	Ditto ..F.	17	7		1		1		1	3	1			3			11	4	1	1		2		1	2	1	3	1	1	1	1	3	1
	(a.) Ill-defined ..M.	8	2		1	1	1			1	2						4			2	2	1			1		1		2		1		2
	,, ..F.	1	1														1					1											
	(b.) Not specified or unknown ..M.	15	11	1	1	1				1							14				1	1	1	2	1		2	1		1	1	2	3
	Ditto ..F.	8	6							1				1			8					1		1	2	1			1		1		1
	(c.) Heart-failure ..M.	29		1	1	4					6	11		6			11	11	1	5	1	3	5	2	2	1	3	3	1	2	1	2	4
	,, ..F.	8			1		1		1	2	1			2			2	4	1	1							3	1		1		3	

TABLE 26.—CAUSES OF DEATH BY SEX AND AGE, VANCOUVER CITY, POINT GREY, AND SOUTH VANCOUVER, 1928.

No.	CAUSES OF DEATH.	TOTAL.	AGES.																											
			Under 1 Year.	1 Year.	2 Years.	3 Years.	4 Years.	5 to 9 Years.	10 to 14 Years.	15 to 19 Years.	20 to 24 Years.	25 to 29 Years.	30 to 34 Years.	35 to 39 Years.	40 to 44 Years.	45 to 49 Years.	50 to 54 Years.	55 to 59 Years.	60 to 64 Years.	65 to 69 Years.	70 to 74 Years.	75 to 79 Years.	80 to 84 Years.	85 to 89 Years.	90 to 94 Years.	95 to 99 Years.	100 Years and over.	Not stated.
	Deaths, all causes ..... Total	2,201	164	25	18	11	9	64	38	43	50	65	75	95	143	192	173	161	185	193	185	162	91	37	20	1	1	.....
	,, ... M.	1,335	84	12	15	4	7	33	19	24	33	34	46	54	95	121	116	99	126	125	107	98	52	18	12	.....	1	.....
	,, ... F.	866	80	13	3	7	2	31	19	19	17	31	29	41	48	71	57	62	59	68	78	64	39	19	8	1	.....	.....
	Class I. Epidemic, endemic, and infectious diseases.... Total	328	13	7	3	4	3	32	12	23	16	27	27	26	34	27	21	13	9	9	8	3	7	3	1	.....	.....	.....
	,, ... M.	198	8	2	3	2	2	17	6	9	9	14	16	15	26	18	14	6	9	7	5	3	4	2	1	.....	.....	.....
	,, ... F.	130	5	5	.....	2	1	15	6	14	7	13	11	11	8	9	7	7	.....	2	3	.....	3	1	.....	.....	.....	.....
1	Typhoid and paratyphoid fever ..... M.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	,, ... F.	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(a.) Typhoid fever ..... M.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	,, ... F.	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Scarlet fever ..... M.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Whooping-cough ..... M.	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	,, ... F.	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
10	Diphtheria ..... M.	13	.....	.....	1	2	1	8	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	,, ... F.	12	1	1	.....	.....	.....	8	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Influenza ..... M.	23	1	.....	1	.....	.....	2	.....	.....	1	2	2	2	.....	2	1	.....	3	1	1	1	2	.....	1	.....	.....	.....
	,, ... F.	20	.....	.....	.....	.....	.....	2	2	2	.....	.....	2	2	1	1	.....	1	.....	1	2	.....	3	1	.....	.....	.....	.....
	(a.) Sole cause ..... M.	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	,, ... F.	3	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....
	(b.) With phthisis ..... F.	2	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(c.) With bronchitis ..... M.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
	,, ... F.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
	(d.) With pneumonia ..... M.	15	1	.....	.....	.....	.....	1	.....	.....	1	2	1	2	.....	2	1	.....	1	.....	1	.....	2	.....	.....	.....	.....	.....
	,, ... F.	7	.....	.....	.....	.....	.....	1	.....	1	.....	.....	1	1	.....	.....	.....	1	.....	.....	.....	.....	1	1	.....	.....	.....	.....
	(e.) With other respiratory diseases ..... M.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
	(f.) With diseases and accidents of pregnancy and parturition ..... F.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(g.) With other causes ..... M.	5	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....
	,, ... F.	6	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....
13	Mumps ..... M.	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
16	Dysentery ..... M.	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	,, ... F.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
21	Erysipelas ..... M.	4	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....
	,, ... F.	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
22	*Acute anterior poliomyelitis* ..... M.	3	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	,, ... F.	2	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
23	Lethargic encephalitis ..... M.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	,, ... F.	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
24	Meningococcus meningitis ..... M.	6	1	.....	.....	.....	.....	1	.....	2	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	,, ... F.	2	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
31–	Tuberculosis, total ..... M.	133	2	2	1	.....	1	3	3	7	8	9	13	12	25	14	11	4	6	5	3	1	2	1	.....	.....	.....	.....
37	,, ... F.	79	2	1	.....	2	1	4	3	11	7	12	9	7	4	6	6	3	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
31	Tuberculosis of the respiratory system ..... M.	103	1	.....	.....	.....	1	1	1	3	4	9	12	8	22	14	8	3	5	4	3	1	2	1	.....	.....	.....	.....
	,, ... F.	63	.....	.....	.....	.....	.....	3	.....	9	6	12	9	6	3	5	6	3	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
32	Tuberculosis of the meninges and central nervous system ..... M.	8	1	2	1	.....	.....	.....	1	1	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Ditto ..... F.	7	1	1	.....	.....	1	1	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 26.—CAUSES OF DEATH BY SEX AND AGE, VANCOUVER CITY, POINT GREY, AND SOUTH VANCOUVER, 1928—*Continued.*

No.	CAUSES OF DEATH.	TOTAL.	AGES.																										
			Under 1 Year.	1 Year.	2 Years.	3 Years.	4 Years.	5 to 9 Years.	10 to 14 Years.	15 to 19 Years.	20 to 24 Years.	25 to 29 Years.	30 to 34 Years.	35 to 39 Years.	40 to 44 Years.	45 to 49 Years.	50 to 54 Years.	55 to 59 Years.	60 to 64 Years.	65 to 69 Years.	70 to 74 Years.	75 to 79 Years.	80 to 84 Years.	85 to 89 Years.	90 to 94 Years.	95 to 99 Years.	100 Years and over.	Not stated.
	Tuberculosis—Continued.																												
33	Tuberculosis of the intestines and peritoneum.....M.	6							1	2				1			1			1									
	,, ...F.	3								1				1	1														
34	Tuberculosis of the vertebral column.....M.	3						1			1				1														
	,, ...F.	1														1													
35	Tuberculosis of the joints .....M.	3						1			1						1												
	,, ...F.	1							1																				
36	Tuberculosis of other organs .....M.	3								1				1			1												
	(d.) Genito-urinary system .....M.	3								1				1			1												
37	Disseminated tuberculosis .....M.	7									1		1	2	1			1	1										
	,, ...F.	4	1		2				1																				
	(a.) Acute .....M.	6									1		1	2	1				1										
	,, ...F.	3	1		2																								
	(b.) Chronic or unstated .....M.	1																1											
	,, ...F.	1							1																				
38	Syphilis .....M.	5	2									1				2													
	,, ...F.	3								1					2														
41	Purulent infection, septicæmia .....M.	5													1		2	1						1					
	,, ...F.	1														1													
	Class II. General diseases not included in Class I.....Total	389	6	1	2	1	3	5	3	2	4	8	8	15	35	36	45	40	48	44	36	31	9	7					
	,, ...M.	198	2		2		2	4			3	3	4	9	17	15	20	22	26	25	20	17	5	2					
	,, ...F.	191	4	1		1	1	1	3	2	1	5	4	6	18	21	25	18	22	19	16	14	4	5					
43–49	Cancer, Total .....M.	141						1			2	2	1	5	14	12	14	15	20	19	14	15	5	2					
	,, ...F.	136		1						1		4	3	6	12	17	22	15	19	9	9	12	2	4					
43	Cancer of the buccal cavity .....M.	3													1	1						1							
	,, ...F.	1																				1							
44	Cancer of the stomach and liver .....M.	65											1	3	8	4	7	9	8	9	8	6		2					
	,, ...F.	30											1		3	2	5	5	4	2	4	4							
45	Cancer of the peritoneum, intestines, and rectum.....M.	23										1			4		2		6	3	1	4	2						
	,, ...F.	19		1								1		1	1	2	1	2	3	2		2	1	2					
46	Cancer of the female genital organs .....F.	35											2	3	5	3	8	3	3	2	2	3		1					
47	Cancer of the breast .....M.	1																	1										
	,, ...F.	26										1		2	1	6	6	2	2	3	1	1		1					
48	Cancer of the skin .....M.	6									1					2	1					1	1						
49	Cancer of other or unspecified organs.....M.	43						1			1	1		2	1	5	4	6	5	7	4	3	3						
	,, ...F.	25								1		2			2	4	2	3	7		2	1	1						
	(a.) Cancer of eye and ear .....M.	1																		1									
	(b.) Cancer of circulatory system.....M.	3												1		1				1									
	,, ...F.	3																2			1								
	(c.) Cancer of respiratory system .....M.	10									1			1		1	1	2	1	1	1	1							
	,, ...F.	5										1					1		2			1							
	(d.) Cancer of digestive system .....M.	8														2	2	1	1		2								
	,, ...F.	7													2	1			2		1		1						
	(e.) Cancer of genito-urinary organs.....M.	19						1				1			1	1	1	3	1	4	1	2	3						
	,, ...F.	1																	1										
	(f.) Cancer of bones and joints .....M.	1																	1										
	,, ...F.	1														1													

	(g.) Cancer of other specified organs	F.	6							1		1				1	1	1	1											
	(h.) Generalized cancer	M.	1																1											
	,,	F.	2													1			1											
50	Benign tumours and tumours not returned as malignant (tumours of female genital organs excepted)	F.	2																		1	1								
51	Acute rheumatic fever	M.	3								1										1	1								
	,,	F.	5					1	1	1	1					1														
52	Chronic rheumatism, osteoarthritis, gout	F.	1																	1										
56	Rickets	F.	1																				1							
57	Diabetes mellitus	M.	15					1					1	3		1	1	1	2	1	3	1								
	,,	F.	21						2									2	3	8	4	1	1							
58	Anæmia, chlorosis	M.	7														1	1	1	3	1									
	,,	F.	2															1					1							
	(a.) Pernicious anæmia	M.	7														1	1	1	3	1									
	,,	F.	2															1					1							
60	Diseases of the thyroid gland	M.	2								1					1														
	,,	F.	9										1		3	1	1			1	2									
	(a.) Exophthalmic goitre	M.	1													1														
	,,	F.	6										1		3		1				1									
	(b.) Other diseases of the thyroid gland	M.	1								1																			
	,,	F.	3													1				1	1									
61	Diseases of the parathyroid glands	F.	1	1																										
62	Diseases of the thymus	M.	5	2		1		1	1																					
	,,	F.	4	3				1																						
64	Diseases of the spleen	M.	2										2																	
65	Leukæmia, lymphadenoma	M.	7			1		1	1									1	2		1									
	,,	F.	4				1									1		2												
	(a.) Leukæmia	M.	6			1		1	1									1	1		1									
	,,	F.	3				1											2												
	(b.) Lymphadenoma (Hodgkin's disease)	M.	1																1											
	,,	F.	1													1														
66	Alcoholism	M.	14											1	3	1	3	2	3	1										
	,,	F.	2										1			1														
	(a.) Delirium tremens	M.	1														1													
	(b.) Acute alcoholism	M.	8											1	2	1	2		2											
	,,	F.	2										1			1														
	(c.) Chronic alcoholism	M.	5												1			2	1	1										
68	Chronic organic poisoning	M.	2															1			1									
	,,	F.	2													2														
	(a.) Chronic morphinism	F.	1													1														
	(b.) Chronic cocainism, etc.	F.	1													1														
	(c.) Other organic poisoning	M.	2															1			1									
69	Other general diseases	F.	1													1														
	(b.) Hæmophilia	F.	1													1														
	Class III. Diseases of the nervous system and of the organs of special sense	Total	155	11	3	1	2		6	4	1	3		2	7	9	14	12	8	16	15	13	17	7	3	1					
	Ditto	M.	93	6	1		1		4	2		3		2	3	8	7	10	4	12	12	5	10	2		1				
	,,	F.	62	5	2	1	1		2	2	1				4	1	7	2	4	4	3	8	7	5	3					
70	Encephalitis	M.	2							1					1															
	(a.) Abscess of brain	M.	2							1					1															
71	Meningitis	M.	6		1					1			1		2	1														
	,,	F.	6	2		1	1		2																					
	(a.) Simple meningitis	M.	6		1					1			1		2	1														
	,,	F.	6	2		1	1		2																					
72	Tabes dorsalis (locomotor ataxia)	M.	4													1	1		1		1									
	,,	F.	1																		1									
73	Other diseases of the spinal cord	M.	10										1	1	1	1	1		3	1		1								
	,,	F.	1																	1										
74	Cerebral hæmorrhage, apoplexy	M.	33												2	1	6	2	6	8	1	4	2		1					
	,,	F.	27							1				2	1	2		3	2	2	5	3	5	1						

TABLE 26.—CAUSES OF DEATH BY SEX AND AGE, VANCOUVER CITY, POINT GREY, AND SOUTH VANCOUVER, 1928—*Continued.*

No.	CAUSES OF DEATH.		TOTAL.	AGES.																										
				Under 1 Year.	1 Year.	2 Years.	3 Years.	4 Years.	5 to 9 Years.	10 to 14 Years.	15 to 19 Years.	20 to 24 Years.	25 to 29 Years.	30 to 34 Years.	35 to 39 Years.	40 to 44 Years.	45 to 49 Years.	50 to 54 Years.	55 to 59 Years.	60 to 64 Years.	65 to 69 Years.	70 to 74 Years.	75 to 79 Years.	80 to 84 Years.	85 to 89 Years.	90 to 94 Years.	95 to 99 Years.	100 Years and over.	Not stated.
	Cerebral hæmorrhage, apoplexy—Continued.																													
	(a.) Apoplexy	M.	3													1			1	1										
	,,	F.	6													1				1	1	2		1						
	(b.) Cerebral hæmorrhage	M.	27													1	1	4	1	5	8	1	3	2		1				
	,,	F.	21							1					2		2		3	1	1	3	3	4	1					
	(c.) Cerebral thrombosis and embolism	M.	3															2					1							
75	Paralysis without specified cause	M.	5														1					1	3							
	,,	F.	3														1						1		1					
	(a.) Hemiplegia	M.	4														1					1	2							
	,,	F.	2																				1		1					
	(b.) Others under this title	M.	1																				1							
	,,	F.	1														1													
76	General paralysis of the insane	M.	3															1		1	1									
	,,	F.	1																				1							
77	Other forms of mental alienation	M.	2														1			1										
	,,	F.	2															1				1								
78	Epilepsy	M.	3									2				1														
	,,	F.	1															1												
79	Convulsions, non-puerperal (5 years or over)	F.	1								1																			
80	Infantile convulsions (under 5 years of age)	M.	1	1																										
	,,	F.	1		1																									
83	Softening of the brain	M.	2																			1		1						
	,,	F.	2																					2						
84	Other diseases of the nervous system	M.	9									1				2	1		2		1	2								
	,,	F.	11												2		4		1	2		1			1					
86	*Diseases of the ear and of the mastoid process*	M.	13	5			1		4						1			1					1							
	,,	F.	5	3	1					1																				
	(a.) Diseases of the ear	M.	6	2			1		2						1															
	,,	F.	2	2																										
	(b.) Diseases of the mastoid process	M.	7	3					2									1					1							
	,,	F.	3	1	1					1																				
	Class IV. Diseases of the circulatory system	Total	455						3	6	2	2	5	5	10	15	41	30	47	45	75	65	56	31	11	4	1	1		
	,,	M.	279							3	1	1	4	2	5	10	32	21	32	27	44	38	30	18	7	3		1		
	,,	F.	176						3	3	1	1	1	3	5	5	9	9	15	18	31	27	26	13	4	1	1			
87–90	Diseases of the heart	M.	148							3	1	1	4	2	4	8	15	11	15	12	22	19	17	9	4	1				
	,,	F.	100						3	3	1	1	1	2	5	4	3	4	6	6	21	13	19	7	1					
87	Pericarditis	M.	1													1														
88	Endocarditis and myocarditis (acute..)	M.	9							1			2	1			4					1								
	,,	F.	3						1	1												1								
	(a.) Acute endocarditis	M.	7							1			2	1			3													
	,,	F.	2						1	1																				
	(b.) Acute myocarditis	M.	2														1					1								
	,,	F.	1																			1								
89	Angina pectoris	M.	19													1	1	1	3	2	4	5	2							
	,,	F.	15												1			2	2		4		6							
90	Other diseases of the heart	M.	119							2	1	1	2	1	4	6	10	10	12	10	18	13	15	9	4	1				
	,,	F.	82						2	2	1	1	1	2	4	4	3	2	4	6	17	12	13	7	1					

	(a.) Valvular disease	M.	24						1	1		1		3		2	2	1	2	3	3	2	1	2							
	,,	F.	17										1	2	3	1				3	1	4	2								
	(b.) Fatty degeneration of the heart	M.	1														1														
	,,	F.	2																	2											
	(d.) Chronic endocarditis	M.	22						1			1				3	1	1	3	8	1		3								
	,,	F.	23					2	2	1	1		1	1	1	2		1	2	3	3	1	1	1							
	(e.) Chronic myocarditis	M.	61								1		1	1	4	5	4	9	4	6	8	11	4	2	1						
	,,	F.	34									1					2	1	3	8	8	8	3								
	(f.) Others under this title	M.	11												2		2	1	1	1	1	2	1								
	,,	F.	6											1				2	1	1		1									
91	Diseases of the arteries	M.	125											1	1	17	9	15	14	22	18	13	9	3	2		1				
	,,	F.	73										1		1	5	4	9	11	10	14	7	6	3	1	1					
	(a.) Aneurism	M.	14													3	1	2	2	4	2										
	,,	F.	2										1							1											
	(b.) Arteriosclerosis	M.	108											1	1	13	8	12	12	17	16	13	9	3	2		1				
	,,	F.	70												1	4	4	9	11	9	14	7	6	3	1	1					
	(c.) Other diseases of the arteries	M.	3													1		1		1											
	,,	F.	1													1															
92	Embolism and thrombosis (not cerebral)	M.	4												1			2	1												
	,,	F.	2													1	1														
93	Diseases of the veins (varices, hæmorrhoids, phlebitis, etc.)	M.	2														1				1										
95	Hæmorrhage without specified cause	F.	1																1												
	Class V. Diseases of the respiratory system	Total	185	16	6	5		2	5	2	1	2	2	7	7	17	12	12	10	16	14	20	17	6	1	5					
	,,	M.	126	7	4	4		2	3		1	2	2	5	6	13	9	10	5	14	13	10	10	2		4					
	,,	F.	59	9	2	1			2	2				2	1	4	3	2	5	2	1	10	7	4	1	1					
97	Diseases of the nasal fossæ and their annexa	M.	1									1																			
98	Diseases of the larynx	M.	1						1																						
	,,	F.	1						1																						
	(b.) Laryngitis	M.	1						1																						
	,,	F.	1						1																						
99	Bronchitis	F.	5	2	1	1																	1								
	(a.) Acute	F.	2	1	1																										
	(b.) Chronic	F.	1																				1								
	(c.) Not otherwise defined (under 5 years of age)	F.	2	1		1																									
100	Bronchopneumonia (including capillary bronchitis)	M.	25	5	2	2			2					1	1		2	3		2	2	1	1			1					
	,,	F.	13	5										1		1	1		1		1	1		1	1					
	(a.) Bronchopneumonia	M.	25	5	2	2			2					1	1		2	3		2	2	1	1			1					
	,,	F.	13	5										1		1	1		1		1	1		1	1					
101	Pneumonia	M.	75	2	2	2		2			1	1	2	3	4	10	4	6	2	10	7	8	6	1		2					
	,,	F.	29	2	1				1	2					1	3		2	2	1	1	8	4	1							
	(a.) Lobar	M.	60	1	1	1		1			1	1	2	2	3	9	3	6	2	9	7	6	3	1		1					
	,,	F.	21	1						2						3		2	1	1	1	5	4	1							
	(b.) Not otherwise defined	M.	15	1	1	1		1						1	1	1	1			1		2	3			1					
	,,	F.	8	1	1				1						1				1			3								
102	Pleurisy	M.	11											1		1		1	1	2		2	1		1					
	,,	F.	3											1			1		1											
103	Congestion and hæmorrhagic infarct of the lung	M.	1																				1								
	,,	F.	2																				1	1							
105	Asthma	M.	4													2			1	1											
	,,	F.	4													1		1			1		1								
107	Other diseases of the respiratory system (tuberculosis excepted)	M.	8											1	2	1		2		1	1										
	Ditto	F.	2																1			1									
	(a.) Chronic interstitial pneumonia (including occupational diseases of the lungs)	M.	4												1	1		1			1										
	(c.) Others under this title	M.	4											1	1			1		1											
	,,	F.	2																1			1									

TABLE 26.—CAUSES OF DEATH BY SEX AND AGE, VANCOUVER CITY, POINT GREY, AND SOUTH VANCOUVER, 1928—*Continued.*

No.	CAUSES OF DEATH.	TOTAL.	AGES.																										
			Under 1 Year.	1 Year.	2 Years.	3 Years.	4 Years.	5 to 9 Years.	10 to 14 Years.	15 to 19 Years.	20 to 24 Years.	25 to 29 Years.	30 to 34 Years.	35 to 39 Years.	40 to 44 Years.	45 to 49 Years.	50 to 54 Years.	55 to 59 Years.	60 to 64 Years.	65 to 69 Years.	70 to 74 Years.	75 to 79 Years.	80 to 84 Years.	85 to 89 Years.	90 to 94 Years.	95 to 99 Years.	100 Years and over.	Not stated.
	Class VI. Diseases of the digestive system.....Total	157	7	3	3	3	.....	6	4	3	7	5	5	9	9	20	21	12	9	4	10	5	8	4	.....	.....	.....	.....
	,, ...M.	96	2	2	3	.....	.....	1	3	3	5	3	5	4	6	11	18	5	5	2	6	3	6	3	.....	.....	.....	.....
	,, ...F.	61	5	1	.....	3	.....	5	1	.....	2	2	.....	5	3	9	3	7	4	2	4	2	2	1	.....	.....	.....	.....
108	Diseases of the mouth and annexa.....M.	3	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
109	Diseases of the *pharynx* and tonsils (including adenoid vegetations) .....M.	4	.....	1	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
	Ditto.....F.	5	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(b.) Pharynx and tonsils .....M.	4	.....	1	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
	,, ...F.	5	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
110	Diseases of the œsophagus .....M.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
111	Ulcer of the stomach and duodenum.....M.	16	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	4	6	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	,, ...F.	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
	(a.) Ulcer of the stomach.....M.	9	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	2	3	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	,, ...F.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(b.) Ulcer of the duodenum .....M.	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	,, ...F.	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
112	Other diseases of the stomach (cancer excepted).....M.	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	2	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....
	,, ...F.	9	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	2	.....	1	2	.....	.....	.....	2	1	.....	.....	.....	.....
113	Diarrhœa and enteritis (under 2 years of age).....M.	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	,, ...F.	3	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
114	Diarrhœa and enteritis (2 years or over).....M.	8	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	1	.....	.....	1	.....	.....	.....	.....
	,, ...F.	6	.....	.....	.....	3	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
117	Appendicitis and typhlitis .....M.	21	.....	.....	.....	.....	.....	1	1	3	4	2	1	1	.....	2	5	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
	,, ...F.	13	.....	1	.....	.....	.....	2	1	.....	1	1	.....	2	.....	2	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
118	Hernia, intestinal obstruction .....M.	9	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	2	.....	.....	.....	1	.....	3	1	1	.....	.....	.....	.....	.....
	,, ...F.	8	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	1	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....
	(a.) Hernia .....M.	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	1	.....	.....	1	.....	.....	.....	.....	.....
	,, ...F.	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(b.) Intestinal obstruction .....M.	5	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....
	,, ...F.	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....
119	Other diseases of the intestines.....M.	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	,, ...F.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
120	Acute yellow atrophy of the liver.....M.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	,, ...F.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
122	Cirrhosis of the liver.....M.	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	3	2	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
	,, ...F.	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
	(b.) Not specified as alcoholic.....M.	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	3	2	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
	,, ...F.	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
123	Biliary calculi .....M.	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	,, ...F.	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
124	Other diseases of the liver.....M.	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	2	.....	2	.....	2	.....	.....	1	.....	.....	.....	.....	.....
	,, ...F.	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
125	Diseases of the pancreas .....M.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
	,, ...F.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
126	Peritonitis without specified cause .....M.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
	,, ...F.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

	Class VII. Non-venereal diseases of the genito-urinary system and annexa.....Total	191	1		1			1	1	3	2	4	2	5	8	21	18	15	27	23	17	20	15	4	3			
	Ditto.....M.	133	1		1			1	3	1	1	1	3	2	14	10	12	21	14	15	18	10	2	3				
	,, ...F.	58						1			1	3	1	2	6	7	8	3	6	9	2	2	5	2				
128	Acute nephritis (including unspecified, under 10 years of age).....M.	5			1											1		1	2									
	Ditto.....F.	3											1			1				1								
129	Chronic nephritis (including unspecified, 10 years of age or over).....M.	94							1	3	1	1	1	3	2	11	8	9	16	7	12	11	7		1			
	Ditto.....F.	41						1				1		2	3	2	8	3	5	5	2	2	5	2				
131	Other diseases of the kidneys and annexa.....M.	7														1	1			1		3			1			
	,, ...F.	2																	1	1								
132	*Calculi of the urinary passages*.....M.	1																	1									
133	Diseases of the bladder.....M.	2														1		1										
135	Diseases of the prostate.....M.	23															1	1	2	6	3	4	3	2	1			
136	Non-venereal diseases of the male genital organs.....M.	1	1																									
138	Salpingitis and pelvic abscess.....F.	4									1	1			1	1												
139	Benign tumours of the uterus.....F.	3													2					1								
141	Other diseases of the female genital organs.....F.	4														2				1								
142	Non-puerperal diseases of the breast (cancer excepted)..F.	1														1												
	Class VIII. The puerperal state.....Total F.	15								1	4	2	3	4	1													
143	Accidents of pregnancy .....F.	2												2														
	(b.) Ectopic gestation .....F.	1												1														
	(c.) Others under this title .....F.	1												1														
145	Other accidents of labour.....F.	3									3																	
	(a.) Caesarean section .....F.	1									1																	
	(b.) Difficult labour .....F.	2									2																	
146	Puerperal septicæmia .....F.	6								1			1	2	2													
148	Puerperal albuminuria and convulsions .....F.	4									1	1	1		1													
	Class IX. Diseases of the skin and of the cellular tissue .....Total	10	2						1	1					1	1			2			1	1					
	Ditto .....M.	7	1						1	1						1			2				1					
	,, ...F.	3	1												1							1						
151	Gangrene .....M.	2																	1				1					
	,, ...F.	1																				1						
153	Acute abscess .....M.	2							1							1												
	,, ...F.	1													1													
154	Other diseases of the skin and annexa.....M.	3	1							1									1									
	,, ...F.	1	1																									
	Class X. Diseases of the bones and of the organs of locomotion .....Total	3											2									1						
	Ditto .....M.	1											1															
	,, ...F.	2											1									1						
155	Diseases of the bones (mastoid and tuberculosis excepted) .....M.	1											1															
	Ditto.....F.	1																				1						
156	*Diseases of the joints (tuberculosis and rheumatism excepted)* .....F.	1											1															
	Class XI. Malformations.....Total	36	31	3		1			1																			
	,, ...M.	22	18	2		1			1																			
	,, ...F.	14	13	1																								

TABLE 26.—CAUSES OF DEATH BY SEX AND AGE, VANCOUVER CITY, POINT GREY, AND SOUTH VANCOUVER, 1928—*Continued.*

No.	CAUSES OF DEATH.	TOTAL.	AGES.																												
			Under 1 Year.	1 Year.	2 Years.	3 Years.	4 Years.	5 to 9 Years.	10 to 14 Years.	15 to 19 Years.	20 to 24 Years.	25 to 29 Years.	30 to 34 Years.	35 to 39 Years.	40 to 44 Years.	45 to 49 Years.	50 to 54 Years.	55 to 59 Years.	60 to 64 Years.	65 to 69 Years.	70 to 74 Years.	75 to 79 Years.	80 to 84 Years.	85 to 89 Years.	90 to 94 Years.	95 to 99 Years.	100 Years and over.	Not stated.
159	Congenital malformations (still-births not included)....M.	22	18	2		1				1																					
	,, ...F.	14	13	1																											
	(a.) Congenital hydrocephalus ....M.	3	2			1																									
	(b.) Congenital malformations of the heart....M.	12	9	2						1																					
	,, ...F.	10	9	1																											
	(c.) Others under this title....M.	7	7																												
	,, ...F.	4	4																												
	Class XII. Diseases of early infancy....Total	76	76																												
	,, ...M.	39	39																												
	,, ...F.	37	37																												
160	Congenital debility, icterus, and sclerema....M.	2	2																												
	,, ...F.	2	2																												
161	Premature birth, injury at birth....M.	33	33																												
	,, ...F.	31	31																												
	(a.) Premature birth ....M.	28	28																												
	,, ...F.	27	27																												
	(b.) Injury at birth ....M.	5	5																												
	,, ...F.	4	4																												
162	Other diseases peculiar to early infancy....M.	4	4																												
	,, ...F.	4	4																												
	(a.) Specified diseases ....M.	4	4																												
	,, ...F.	4	4																												
	Class XIII. Old Age....Total	10																	1		3		3	1	2					
	,, ...M.	3																			1		2							
	,, ...F.	7																	1		2		1	1	2					
164	Senility ....M.	3																			1		2							
	,, ...F.	7																	1		2		1	1	2					
	Class XIV. External causes ....Total	189	1	2	3		1	6	5	5	10	12	13	12	14	20	13	16	12	9	13	11	4	3	4					
	,, ...M.	138		1	2		1	4	3	5	9	7	9	9	13	14	12	13	10	8	7	7	2	2						
	,, ...F.	51	1	1	1			2	2		1	5	4	3	1	6	1	3	2	1	6	4	2	1	4					
165–174	Suicides ....M.	35									1		1	4	5	7	5	6	2	2	1	1								
	,, ...F.	6										2	1	1	1	1															
165	Suicide by solid or liquid poisons (corrosive substances excepted) ....M.	1													1																
	Ditto ....F.	1										1																			
166	Suicide by corrosive substances....M.	3												1	1			1													
	,, ...F.	2											1	1																	
167	Suicide by poisonous gas....M.	9													1	2	2	2	1	1											
	,, ...F.	1														1															
168	Suicide by hanging or strangulation....M.	4																2		1		1									
169	Suicide by drowning ....M.	5												1	1	2	1														
170	Suicide by firearms ....M.	7									1			1	1	1	1		1		1										
	,, ...F.	1										1																			

171	Suicide by cutting or piercing instruments	M.	6										1	1		2	1	1													
	,,	F.	1												1																	
175	Poisoning by food	M.	2											1					1													
177	Other acute accidental poisonings (gas excepted)	M.	2										1				1															
	,,	F.	1										1																			
179	Accidental burns and scalds (conflagration excepted)	M.	2															1					1									
	,,	F.	7		1	1						1						1				1				1	1					
180	Accidental mechanical suffocation	M.	1							1																						
	(b.) Asphyxia	M.	1							1																						
181	Accidental absorption of irrespirable or poisonous gas	M.	3								1							1				1										
182	Accidental drowning	M.	10					1	1	1	1	1				2	3															
183	Accidental traumatism by firearms	M.	2								1							1														
185	Accidental traumatism by fall	M.	28		1	1		1	1				2	3	2	1	2	2	2	4	2	3		1								
	,,	F.	15									1		1		2		1			3	4	1		2						
187	Accidental traumatism by machines	M.	4								1		1				1			1											
188	Accidental traumatism by other crushing (vehicles, railways, landslides, etc.)	M.	42					1	2	1	3	4	4	4	1	4	3		3	4	1	3	1	2	1						
	Ditto	F.	18	1					2	1		1		2	1		3	1	1	2	1	2									
	(a.) Railroad accidents	M.	2												1								1								
	,,	F.	1																			1									
	(b.) Street-car accidents	M.	6							1	1	1				1			1				1								
	,,	F.	3		1															1	1										
	(c.) Automobile accidents	M.	29					1	2	1	2	3	2	2		2	3		2	4	1	2		1	1						
	,,	F.	13						2			1		2	1		3	1	1	1		1									
	(e.) Injuries by other vehicles	M.	1											1																	
	,,	F.	1						1																						
	(f.) Other crushing	M.	4										1	1		1						1									
196	Other accidental electric shocks	M.	2										1			1															
197–199	Homicides	M.	1													1															
	,,	F.	2						1				1																		
197	Homicide by firearms	M.	1												1																
	,,	F.	1										1																		
199	Homicide by other means	F.	1						1																						
201	Fracture (cause not specified)	M.	1																			1									
	,,	F.	2																				1		1						
202	Other external violence (cause specified)	M.	3			1							1				1														
	Class XV. Ill-defined diseases	Total	2										1				1														
	,,	M.	2										1				1														
205	Cause of death not specified or ill-defined	M.	2										1				1														
	(a.) Ill-defined	M.	1										1																		
	(b.) Not specified or unknown	M.	1														1														

TABLE 27.—CAUSES OF DEATH FOR EACH SEX BY CONJUGAL CONDITION, NATIVITY, AND MONTH OF DEATH IN VANCOUVER CITY, POINT GREY, AND SOUTH VANCOUVER, 1928.

No.	CAUSES OF DEATH.	TOTAL.	CONJUGAL CONDITION.													NATIVITY.					MONTHS.											
			Under 15 years.	Single.					Married.					Widowed.	Not stated.	Canada.	British.	Foreign.		Not stated.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
				15 to 24 years.	25 to 44 years.	45 to 64 years.	65 years and over.	Age not stated.	15 to 24 years.	25 to 44 years.	45 to 64 years.	65 years and over.	Age not stated.					United States.	Other.														
	Deaths, all causes ..... Total	2201	329	74	105	167	90	.....	18	264	459	285	.....	410	.....	916	849	111	306	19	200	184	196	188	185	185	181	163	158	157	182	222
	,, ... M.	1335	174	51	86	147	75	.....	6	137	285	207	.....	167	.....	511	504	60	241	19	118	110	127	126	115	113	105	90	99	92	116	124
	,, ... F.	866	155	23	19	20	15	.....	12	127	174	78	.....	243	.....	405	345	51	65	.....	82	74	69	62	70	72	76	73	59	65	66	98
	Class I. Epidemic, endemic, and infectious diseases ..... Total	328	74	32	38	23	3	.....	6	71	45	17	.....	19	.....	149	94	14	67	4	75	32	32	27	29	29	25	21	26	25	22	35
	Ditto ..... M.	198	40	18	30	21	3	.....	.....	38	25	12	.....	11	.....	81	57	7	49	4	13	20	21	17	20	18	14	11	16	12	16	20
	,, ... F.	130	34	14	8	2	.....	.....	6	33	20	5	.....	8	.....	68	37	7	18	.....	12	12	11	10	9	11	11	10	10	13	6	15
1	Typhoid and paratyphoid fever.. M.	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	,, ... F.	2	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....
	(a.) Typhoid fever ..... M.	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
	,, ... F.	2	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....
8	Scarlet fever ..... M.	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
9	Whooping-cough ..... M.	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
	,, ... F.	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
10	Diphtheria ..... M.	13	13	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	11	1	1	.....	.....	.....	.....	1	.....	3	4	1	1	.....	2	1	.....
	,, ... F.	12	10	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	8	2	2	.....	.....	.....	.....	.....	1	.....	3	2	1	2	1	1	1
11	Influenza ..... M.	23	4	1	3	3	.....	.....	.....	3	3	3	.....	3	.....	8	12	1	2	.....	1	3	3	1	2	.....	1	1	1	.....	3	7
	,, ... F.	20	4	2	1	.....	.....	.....	.....	4	2	3	.....	4	.....	9	9	1	1	.....	2	2	4	2	1	.....	.....	1	2	.....	.....	6
	(a.) Sole cause ..... M.	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
	,, ... F.	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	1	1	.....	1	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	1
	(b.) With phthisis ..... F.	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....
	(c.) With bronchitis ..... M.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
	,, ... F.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
	(d.) With pneumonia ..... M.	15	2	1	3	2	.....	.....	.....	2	2	1	.....	2	.....	3	10	.....	2	.....	.....	1	3	1	.....	.....	1	1	1	.....	1	6
	,, ... F.	7	1	1	.....	.....	.....	.....	.....	2	1	.....	.....	2	.....	3	4	.....	.....	.....	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	4
	(e.) With other respiratory diseases ..... M.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(f.) With diseases and accidents of pregnancy and parturition ..... F.	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
	(g.) With other causes ..... M.	5	1	.....	.....	1	.....	.....	.....	1	1	1	.....	.....	.....	3	2	.....	.....	.....	1	1	.....	.....	1	.....	.....	.....	.....	.....	1	1
	,, ... F.	6	1	.....	1	.....	.....	.....	.....	1	1	2	.....	.....	.....	2	3	1	.....	.....	1	2	1	.....	1	.....	.....	.....	1	.....	.....	.....
13	Mumps ..... M.	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
16	Dysentery ..... M.	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
	,, ... F.	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
21	Erysipelas ..... M.	4	1	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	3	1	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	1	.....	.....	1
	,, ... F.	3	.....	.....	1	.....	.....	.....	1	1	.....	.....	.....	.....	.....	3	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	1	.....	.....
22	Acute anterior poliomyelitis.... M.	3	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....
	,, ... F.	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....
23	Lethargic encephalitis ..... M.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	,, ... F.	3	.....	.....	1	.....	.....	.....	.....	.....	1	1	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	1	.....
24	Meningococcus meningitis ..... M.	6	2	2	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	4	.....	.....	2	.....	.....	.....	1	.....	3	.....	1	.....	.....	.....	1	.....
	,, ... F.	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....

31—	Tuberculosis, total	M.	133	12	15	26	17	3			31	17	6		6		44	40	5	40	4	9	15	14	15	10	13	8	9	10	8	10	12
37	,,	F.	79	13	11	5	1			6	25	13	1		4		37	23	4	15		10	8	7	5	7	6	8	4	6	8	3	7
31	Tuberculosis of the respiratory system	M.	103	4	7	22	14	3			27	15	5		6		32	33	5	30	3	8	12	10	13	10	10	6	7	6	6	7	8
	Ditto	F.	63	3	9	5	1			5	23	12	1		4		25	21	4	13		9	6	6	3	7	3	6	2	6	7	2	6
32	Tuberculosis of the meninges and central nervous system	M.	8	5	2						1						5	1		2			2	2			1	1		1	1		
	Ditto	F.	7	5	1					1							7						1		1		2	1	1				1
33	Tuberculosis of the intestines and peritoneum	M.	6	1	2		1				1		1				2	4				1					1			1	1	1	1
	Ditto	F.	3		1						2							1		2				1	1		1						
34	Tuberculosis of the vertebral column	M.	3	1	1	1											2	1						2									1
	Ditto	F.	1									1						1														1	
35	Tuberculosis of the joints	M.	3	1	1							1					1			2										2		1	
	,,	F.	1	1													1						1										
36	Tuberculosis of other organs	M.	3		1	1						1					1			2									2			1
	(d.) Genito-urinary system	M.	3		1	1						1					1			2									2			1
37	Disseminated tuberculosis	M.	7		1	2	2				2						1	1		4	1		1		2		1	1			1	1
	,,	F.	4	4													4					1						1	1		1		
	(a.) Acute	M.	6		1	2	1				2						1	1		3	1				2		1	1			1	1
	,,	F.	3	3													3					1						1			1		
	(b.) Chronic or unstated	M.	1				1													1			1										
	,,	F.	1	1													1												1				
38	Syphilis	M.	5	2							1	2					2	1		2		2		1		1					1		
	,,	F.	3		1						2						1	1		1					1						1	1	
41	Purulent infection, septicæmia	M.	5				1				1	2			1		2	2		1			1					2			1	1	
	,,	F.	1				1										1											1					
	Class II. General diseases not included in Class I.	Total	389	21	6	10	38	16			54	108	52		84		139	177	23	45	5	39	27	25	29	29	32	32	42	34	27	35	38
	Ditto	M.	198	10	3	9	29	14			23	49	39		22		65	87	11	30	5	23	16	16	16	12	19	14	17	19	12	19	15
	,,	F.	191	11	3	1	9	2			31	59	13		62		74	90	12	15		16	11	9	13	17	13	18	25	15	15	16	23
43—	Cancer, total	M.	141	1	2	6	22	10			16	36	31		17		40	70	9	21	1	13	10	11	12	8	13	11	13	14	9	14	13
49	,,	F.	136	1	1	1	7	2			24	54	9		37		51	63	10	12		10	7	6	8	15	9	13	14	12	11	13	18
43	Cancer of the buccal cavity	M.	3				1	1			1						1	2							1							1	1
	,,	F.	1												1			1															1
44	Cancer of the stomach and liver	M	65			4	10	5			8	18	15		5		15	35	3	12		5	3	3	8	4	4	7	8	6	5	7	5
	Ditto	F.	30				1				4	13	2		10		9	14	2	5		3	1	1	1		2	4	4	3	3	3	5
45	Cancer of the peritoneum, intestines, and rectum	M.	23			1	3				4	5	5		5		7	12	1	3		3	4	1	2	2	3	2	3	2	1		
	Ditto	F.	19	1							3	7	1		7		9	9		1		1	1	2		2	2	3	1	1	2	3	1
46	Cancer of the female genital organs	F.	35				3	1			10	10	4		7		18	11	2	4		1	2		2	6	4	2	5	3	1	3	6
47	Cancer of the breast	M.	1												1			1									1						
	,,	F.	26			1	2	1			3	12	2		5		10	14	1	1		4	2		2	5		2	1	3	3	2	2
48	Cancer of the skin	M.	6		1		2					1			2		2	2	2				1	2			2			1			
49	Cancer of other or unspecified organs	M.	43	1	1	1	6	4			3	12	11		4		15	18	3	6	1	5	2	5	1	2	3	2	2	5	3	6	7
	Ditto	F.	25		1		1				4	12			7		5	14	5	1		1	1	3	3	2	1	2	3	2	2	2	3
	(a.) Cancer of eye and ear	M.	1										1							1			1										
	(b.) Cancer of circulatory system	M.	3								1		1		1			2		1					1					1		1	
	Ditto	F.	3									1			2				3									1		2			
	(c.) Cancer of respiratory system	M.	10		1		2				1	2	3		1		6	4				1			1	1			1		1	3	2
	Ditto	F.	5								1	3			1		2	3					1		1	1			1		1		

TABLE 27.—CAUSES OF DEATH FOR EACH SEX BY CONJUGAL CONDITION, NATIVITY, AND MONTH OF DEATH IN VANCOUVER CITY, POINT GREY, AND SOUTH VANCOUVER, 1928—*Continued.*

No.	CAUSES OF DEATH.	TOTAL.	CONJUGAL CONDITION.												NATIVITY.					MONTHS.											
			Under 15 years.	Single.					Married.					Widowed.	Not stated.	Canada.	British.	Foreign.		Not stated.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
				15 to 24 years.	25 to 44 years.	45 to 64 years.	65 years and over.	Age not stated.	15 to 24 years.	25 to 44 years.	45 to 64 years.	65 years and over.	Age not stated.					United States.	Other.													
	Cancer—Continued.																														
	(d.) Cancer of digestive system M.	8				2	1				4	1				1	5	1	1				1			2	1			1	2	1
	Ditto F.	7				1				2	2			2			7				1		1	2	1						1	1
	(e.) Cancer of genito-urinary organs M.	19	1		1	1	3			1	5	5		2		8	5	2	3	1	3	1	4		1			1	4	1		4
	Ditto F.	1									1								1				1									
	(f.) Cancer of bones and joints M.	1									1						1				1											
	Ditto F.	1												1		1												1				
	(g.) Cancer of other specified organs F.	6		1						1	4					2	2	2					1					1		1	1	2
	(h.) Generalized cancer M.	1				1											1									1						
	,, F.	2									1			1			2								1	1						
50	Benign tumours and tumours not returned as malignant (tumours of female genital organs excepted) F.	2												2			2					1						1				
51	Acute rheumatic fever M.	3								1		1		1		2			1		1	1			1							
	,, F.	5	2	2		1										4	1							2	1				1	1		
52	Chronic rheumatism, osteoarthritis, gout F.	1												1			1						1									
56	Rickets F.	1												1			1									1						
57	Diabetes mellitus M.	15	1			1				3	3	4		3		4	5	2	4		1	3	1	2	1	4				1	2	
	,, F.	21	2								3	4		12		7	12		2		2	2	2	2		2	2	4		3		2
58	Anæmia, chlorosis M.	7					2				3	2				6			1		1			1		1		1		2	1
	,, F.	2												2				2			1				1							
	(a.) Pernicious anæmia M.	7					2				3	2				6			1		1			1		1		1		2	1
	,, F.	2												2				2			1				1							
60	Diseases of the thyroid gland M.	2		1							1					1			1				1			1						
	,, F.	9								4	1			4		3	5		1		1					2	2	1		2	1
	(a.) Exophthalmic goitre M.	1									1								1							1						
	,, F.	6								4				2		2	3		1							2	2			2		
	(b.) Other diseases of the thyroid gland M.	1		1												1							1									
	Ditto F.	3									1			2		1	2				1							1				1
61	Diseases of the parathyroid glands F.	1	1													1												1				
62	Diseases of the thymus M.	5	5													5					2		1				1	1				
	,, F.	4	4													4					1			1				1				1
64	Diseases of the spleen M.	2								2						2									1							1
65	Leukamia, lymphadenoma M.	7	3								3	1				2	5				3	2	1			1						
	,, F.	4	1			1					1			1		2	2					1					1	1				1
	(a.) Leukæmia M.	6	3								2	1				2	4				3	2				1						
	,, F.	3	1			1					1					1	2										1	1				1

	(b.) Lymphadenoma (Hodgkin's disease)	M.	1								1						1					1											
	Ditto	F.	1										1		1					1													
66	Alcoholism	M.	14		3	5	1		1	3			1		3	7	2	2	2		1	1	2			3	3	1	1					
	,,	F.	2						1				1		1	1										2							
	(a.) Delirium tremens	M.	1										1				1									1							
	(b.) Acute alcoholism	M.	8		2	4			1	1					1	5	1	1	2			1	1			2	1		1				
	,,	F.	2						1				1		1	1										2							
	(c.) Chronic alcoholism	M.	5		1	1	1			2					2	2			1			1					2	1					
68	Chronic organic poisoning	M.	2			1	1												2								1	1					
	,,	F.	2						1				1		1	1			1								1						
	(a.) Chronic morphinism	F.	1										1			1											1						
	(b.) Chronic cocainism, etc.	F.	1						1						1				1														
	(c.) Other organic poisoning	M.	2			1	1																										
69	Other general diseases	F.	1						1														1										
	(b.) Hæmophilia	F.	1						1							1							1										
	Class III. Diseases of the nervous system and of the organs of special sense	Total	155	27	4	7	5	5	11	35	28	33	67	59	7	21	1	14	12	18	20	13	10	11	13	5	16	10	13				
	Ditto	M.	93	14	3	6	4	2	7	21	22	14	40	31	4	17	1	8	7	10	8	11	6	8	6	5	9	7	8				
	,,	F.	62	13	1	1	1	3	4	14	6	19	27	28	3	4		6	5	8	12	2	4	3	7		7	3	5				
70	Encephalitis	M.	2	1		1							1			1			1					1									
	(a.) Abscess of brain	M.	2	1		1							1			1			1					1									
71	Meningitis	M.	6	2					3	1			4	1		1							1	1			1	2	1				
	,,	F.	6	6									6							1	2		1					2					
	(a.) Simple meningitis	M.	6	2					3	1			4	1		1							1	1			1	2	1				
	,,	F.	6	6									6							1	2		1					2					
72	Tabes dorsalis (locomotor ataxia)	M.	4							2	1	1	1	2	1					1		1		1			1						
	Ditto	F.	1								1			1				1															
73	Other diseases of the spinal cord	M.	10		1				2	3	2	2	5	5						3		1	1		2		3						
	Ditto	F.	1								1			1													1						
74	Cerebral hæmorrhage, apoplexy	M.	33		2	2	1			8	13	7	8	14	2	8	1	4	2	3	6	4	3	1		2	2	3	3					
	Ditto	F.	27	1	1		1		2	5	4	13	12	11	2	2		2	1	5	5	1	1	2	2		4	1	3				
	(a.) Apoplexy	M.	3		1					2			1	1		1					1	1						1					
	,,	F.	6						1	1	1	3	3	3				1			2						2		1				
	(b.) Cerebral hæmorrhage	M.	27		1	2	1			5	12	6	6	12	2	6	1	4	2	3	4	3	3	1		2	2	1	2				
	,,	F.	21	1	1		1		1	4	3	10	9	8	2	2		1	1	5	3	1	1	2	2		2	1	2				
	(c.) Cerebral thrombosis and embolism	M.	3							1	1	1	1	1		1					1							1	1				
75	Paralysis without specified cause	M.	5			1					1	3	3	2					1		1			1	1				1				
	Ditto	F.	3							1		2		3						2			1										
	(a.) Hemiplegia	M.	4			1						3	2	2					1		1			1	1								
	,,	F.	2									2		2						1			1										
	(b.) Others under this title	M.	1								1		1																1				
	,,	F.	1							1				1						1													
76	General paralysis of the insane	M.	3			1				1	1			2		1		1				1		1									
	Ditto	F.	1									1	1												1								
77	Other forms of mental alienation	M.	2							2			1			1									1	1							
	Ditto	F.	2			1	1						1	1							1				1								
78	Epilepsy	M.	3	2	1								3									2				1							
	,,	F.	1							1				1											1								
79	Convulsions, non-puerperal (5 years or over)	F.	1	1												1					1												

TABLE 27.—CAUSES OF DEATH FOR EACH SEX BY CONJUGAL CONDITION, NATIVITY, AND MONTH OF DEATH IN VANCOUVER CITY, POINT GREY, AND SOUTH VANCOUVER, 1928—*Continued.*

No.	CAUSES OF DEATH.	TOTAL.	CONJUGAL CONDITION.													NATIVITY.					MONTHS.											
			Under 15 years.	Single.					Married.					Widowed.	Not stated.	Canada.	British.	Foreign.		Not stated.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
				15 to 24 years.	25 to 44 years.	45 to 64 years.	65 years and over.	Age not stated.	15 to 24 years.	25 to 44 years.	45 to 64 years.	65 years and over.	Age not stated.					United States.	Other.													
80	Infantile convulsions (under 5 years of age) ..... M.	1	1													1															1
	Ditto ..... F.	1	1													1											1				
83	Softening of the brain ..... M.	2									2						1		1					1				1			
	,, ... F.	2												2			2							1		1					
84	Other diseases of the nervous system ..... M.	9		1	1		1			1	3	1		1		1	4	1	3		1	1	1				2		1	2	1
	Ditto ..... F.	11					1			2	7			1		1	8	1	1		3	1		1	1	1		1		1		2
86	Diseases of the ear and of the mastoid process ..... M.	13	10							1	1	1				12			1		2	2	2	1	1	1	2			1		1
	Ditto ..... F.	5	5													5						3		1						1		
	(a.) Diseases of the ear ..... M.	6	5							1						6						2	2	1								1
	,, ... F.	2	2													2						2										
	(b.) Diseases of the mastoid process ..... M.	7	5								1	1				6			1		2				1	1	2			1		
	Ditto ..... F.	3	3													3						1		1						1		
	Class IV. Diseases of the circulatory system ..... Total	455	9	3	6	37	34		1	28	98	91		148		163	214	28	48	2	44	31	41	33	42	42	37	22	33	24	47	59
	Ditto ..... M.	279	3	1	3	32	30		1	17	69	60		63		93	127	17	40	2	24	20	25	26	28	24	19	15	22	16	28	32
	,, ... F.	176	6	2	3	5	4			11	29	31		85		70	87	11	8		20	11	16	7	14	18	18	7	11	8	19	27
87–90	Diseases of the heart ..... M.	148	3	1	2	15	12		1	15	35	34		30		45	64	11	26	2	12	8	14	10	22	9	9	7	13	8	13	23
	,, ... F.	100	6	2	2	2	3			10	12	17		46		39	51	4	6		11	6	11	4	9	6	11	6	7	5	10	14
87	Pericarditis ..... M.	1								1								1			1											
88	Endocarditis and myocarditis (acute) ..... M.	9	1							3	3	1		1		4	2	1	2		1				1	1			1	1	1	3
	Ditto ..... F.	3	2									1				2	1				1	1	1									
	(a.) Acute endocarditis ..... M.	7	1							3	2			1		3	2	1	1		1				1	1			1	1	1	1
	,, ... F.	2	2													2						1	1									
	(b.) Acute myocarditis ..... M.	2									1	1				1			1													2
	,, ... F.	1										1					1				1											
89	Angina pectoris ..... M.	19				2	1			1	5	4		6		4	10	2	3		1		2	2	2	1		1	2	3	2	3
	,, ... F.	15								1	3	6		5		6	8	1				1	1	1	1	1	1		2	1	5	1
90	Other diseases of the heart ..... M.	119	2	1	2	13	11		1	10	27	29		23		37	52	7	21	2	9	8	12	8	19	7	9	6	10	4	10	17
	,, ... F.	82	4	2	2	2	3			9	9	10		41		31	42	3	6		10	4	9	3	8	5	10	6	5	4	5	13
	(a.) Valvular disease ..... M.	24	1	1	1		1			3	7	9		1		6	10	2	6			4	4	2	4	2	2	2	1		2	1
	,, ... F.	17			1		1			5	1			9		3	13		1		1	1	3	1	2	1	3	1	1	1		2
	(b.) Fatty degeneration of the heart ..... M.	1				1											1															
	Ditto ..... F.	2										1		1			1		1					1		1						
	(d.) Chronic endocarditis ..... M.	22	1			3	5			1	4	5		3		9	8	1	4		3	1	3		6	2	1	1	3			2
	,, ... F.	23	4	2	1	1				2	2	3		8		14	7	2			3	2	3		1	2	2	2	1	1	1	5
	(e.) Chronic myocarditis ..... M.	61			1	7	4		1	5	14	13		16		19	29	2	9	2	5	3	4	6	8	2	6	3	6	2	6	10
	,, ... F.	34				1	2			1	4	5		21		10	19	1	4		5		1	1	4	2	4	3	3	2	3	6

	(f.) Others under this title..M.	11				2	1			1	2	2		3		3	4	2	2		1		1			1				2	2	4
	,, ..F.	6								1	2	1		2		4	2				1	1	2		1						1	
91	Diseases of the arteries..M.	125			1	17	17			1	31	26		32		47	58	6	14		11	12	11	16	6	14	9	8	9	8	14	7
	,, ..F.	73			1	3	1			1	17	14		36		30	34	7	2		9	5	4	3	4	12	7	1	4	3	9	12
	(a.) Aneurism ..M.	14				3	2				3	2		4		2	9	1	2		2	1		3		2	1	1	1	1	1	1
	,, ..F.	2			1							1				1		1								1				1		
	(b.) Arteriosclerosis ..M.	108			1	13	14			1	27	24		28		44	47	5	12		8	11	11	13	6	12	8	7	8	7	12	5
	,, ..F.	70				3	1			1	17	13		35		28	34	6	2		9	5	3	3	4	11	7	1	4	3	8	12
	(c.) Other diseases of the arteries ..M.	3				1	1				1					1	2				1										1	1
	Ditto ..F.	1												1		1							1									
92	Embolism and thrombosis (not cerebral) ..M.	4								1	2			1			4				1					1	1					1
	Ditto ..F.	2												2			2								1							1
93	Diseases of the veins (varices, hæmorrhoids, phlebitis, etc.) ..M.	2					1				1					1	1														1	1
95	Hæmorrhage without specified cause ..F.	1												1		1							1									
	Class V. Diseases of the respiratory system ..Total	185	36	3	10	19	10			23	27	26		31		81	61	5	36	2	27	24	17	18	15	11	5	9	8	12	17	22
	Ditto ..M.	126	20	3	10	18	8			16	19	19		13		48	42	3	31	2	21	16	10	13	8	7	4	8	5	7	14	13
	,, ..F.	59	16			1	2			7	8	7		18		33	19	2	5		6	8	7	5	7	4	1	1	3	5	3	9
97	Diseases of the nasal fossæ and their annexa ..M.	1		1													1							1								
98	Diseases of the larynx..M.	1	1													1												1				
	,, ..F.	1	1													1																1
	(b.) Laryngitis ..M	1	1													1												1				
	,, ..F.	1	1													1																1
99	Bronchitis ..F	5	4											1		4	1				1	1	1			1						1
	(a.) Acute ..F	2	2													2					1					1						
	(b.) Chronic ..F	1												1			1						1									
	(c.) Not otherwise defined (under 5 years of age) ..F.	2	2													2								1								1
100	Bronchopneumonia (including capillary bronchitis) ..M.	25	11			3				2	4	4		1		15	6		4		2	4	1	4	6			2			2	4
	,, ..F.	13	5			1				2	1	2		2		9	3		1		2	3	2	2	2						2	
	(a.) Bronchopneumonia ..M.	25	11			3				2	4	4		1		15	6		4		2	4	1	4	6			2			2	4
	,, ..F.	13	5			1				2	1	2		2		9	3		1		2	3	2	2	2						2	
101	Pneumonia ..M.	75	8	2	7	12	7			12	9	10		8		23	27	2	22	1	17	10	9	7	2	4	1	3	2	3	8	9
	,, ..F.	29	6				2			4	3	4		10		14	9	2	4		4	4	3	2	3	3		1	1	3		5
	(a.) Lobar ..M.	60	4	2	7	12	6			9	7	8		5		16	22	2	19	1	14	8	8	2	2	4	1	3	2	2	8	6
	,, ..F	21	3				2			3	2	2		9		9	7	1	4		3	3	2	1	2	1		1	1	2		5
	(b.) Not otherwise defined..M	15	4				1			3	2	2		3		7	5		3		3	2	1	5						1		3
	,, ..F.	8	3							1	1	2		1		5	2	1			1	1	1	1	1	2				1		
102	*Pleurisy* ..M	11				1				2	2	2		4		8	2		1			1				3	3		2	2		
	,, ..F.	3								1	2					1	2							1					2			
103	Congestion and hæmorrhagic infarct of the lung..M.	1										1							1										1			
	Ditto ..F.	2												2		1	1													1		1
105	Asthma ..M	4				1					2	1				1	1		2		1			1					1		1	
	,, ..F.	4									2			2		1	3						1		1						1	1
107	Other diseases of the respiratory system (tuberculosis excepted) ..M.	8			3	1	1				2	1					5	1	1	1	1	1						1		2	3	
	Ditto ..F.	2										1		1		2										1				1		
	(a.) Chronic interstitial pneumonia (including occupational diseases of the lungs) ..M.	4			1	1	1				1						2	1	1											2	2	

TABLE 27.—CAUSES OF DEATH FOR EACH SEX BY CONJUGAL CONDITION, NATIVITY, AND MONTH OF DEATH IN VANCOUVER CITY, POINT GREY, AND SOUTH VANCOUVER, 1928—*Continued.*

No.	CAUSES OF DEATH.	TOTAL.	CONJUGAL CONDITION.													NATIVITY.					MONTHS.											
			Under 15 years.	Single.					Married.						Widowed.	Not stated.	Canada.	British.	Foreign.		Not stated.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
				15 to 24 years.	25 to 44 years.	45 to 64 years.	65 years and over.	Age not stated.	15 to 24 years.	25 to 44 years.	45 to 64 years.	65 years and over.	Age not stated.						United States.	Other.													
	Other diseases of the respiratory system—Continued.																															
	(c.) Others under this title....M.	4			2						1	1					3			1	1	1						1			1	
	,, ...F.	2										1		1			2									1				1		
	Class VI. Diseases of the digestive system .....Total	157	26	6	10	14	3		4	18	42	14		20			60	64	7	26		10	8	13	18	9	10	16	20	11	12	11	19
	Ditto .....M.	96	11	5	9	14	2		3	9	25	10		8			30	38	5	23		3	5	9	15	4	7	9	10	5	9	8	12
	,, ...F.	61	15	1	1		1		1	9	17	4		12			30	26	2	3		7	3	4	3	5	3	7	10	6	3	3	7
108	Diseases of the mouth and annexa .....M.	3	1							1		1					1	2						1	1						1	
109	Diseases of the pharynx and tonsils (including adenoid vegetations) .....M.	4	2		1						1						2	2					1	1		1	1					
	,, ...F.	5	2		1					2							3	1		1			1	1			1	1			1	
	(b.) Pharynx and tonsils.....M.	4	2		1						1						2	2					1	1		1	1					
	,, ...F.	5	2		1					2							3	1		1			1	1			1	1			1	
110	Diseases of the œsophagus.....M.	1			1												1															1
111	Ulcer of the stomach and duodenum .....M.	16			1	8				2	5						4	8	1	3		1		1	3	1	2	1	1		2	3	1
	Ditto .....F.	3								1	1	1					1	1	1			1						1				1
	(a.) Ulcer of the stomach....M.	9			1	4				1	3						3	3	1	2					2	1	1		1		1	2	1
	,, ...F.	1									1							1										1				
	(b.) Ulcer of the duodenum..M.	7				4				1	2						1	5		1		1		1	1		1	1			1	1	
	,, ...F.	2								1		1					1		1			1										1
112	Other diseases of the stomach (cancer excepted) .....M.	6			2					2				2			1	2		3				1			2			1		2
	Ditto .....F.	9	1				1				3			4			5	4				1		1	1	1	1		1	1		1
113	Diarrhœa and enteritis (under 2 years of age).....M.	2	2														2										1					
	Ditto .....F	3	3														3												1	2		
114	Diarrhœa and enteritis (2 years or over) .....M.	8	3			1					1	2		1			3	4		1					1		1	2	2	1			1
	Ditto .....F.	6	4						1					1			5	1				1					1	2	2	1			
117	Appendicitis and typhlitis .....M.	21	2	4	3	1			3	1	6	1					6	8	2	5		1		2	2		1	2	5	2	2	1	3
	,, ...F.	13	4	1						3	4			1			6	5	1	1		2	1		1	2		4	1		1		1
118	Hernia, intestinal obstruction..M.	9		1			1				2	2		3			1	6		2		1	1	1	1					2	1	2
	,, ...F.	8	1							2	2	1		2			3	5				2		1					2		1	2
	(a.) Hernia .....M.	4					1				1	1		1			1	2		1					1					1		2
	,, ...F.	4								2	2						1	3											1		1	2
	(b.) Intestinal obstruction ....M.	5		1							1	1		2				4		1		1	1	1						1	1	
	,, ...F.	4	1									1		2			2	2				2		1					1			
119	Other diseases of the intestines..M.	2	1		1												1	1					1	1								
	,, ...F.	1									1							1				1										

120	Acute yellow atrophy of the liver																													
	M	1								1						1						1								
	Ditto F	1									1						1								1					
122	Cirrhosis of the liver M	8				1					6			1		1	2		5					3	1			1	1	1	1
	,, F	4								1				3		2	1		1			1	1			1				1	
	(b.) Not specified as alcoholic M	8				1					6			1		1	2		5					3	1			1	1	1	1
	Ditto F	4								1				3		2	1		1			1	1			1				1	
123	Biliary calculi M	3				1				1	1					1		1	1				1		1				1		
	,, F	4									3	1					4										1	2	1		
124	Other diseases of the liver M	10				2				1	4	2		1		3	3	1	3			1		2	1	1	1		1		1	2
	,, F	2									1	1				1	1								1						1
125	Diseases of the pancreas M	1					1									1								1							
	,, F	1									1					1								1							
126	Peritonitis without specified cause M	1										1				1								1							
	Ditto F	1												1			1														1
	Class VII. Non-venereal disease of the genito-urinary system and annexa Total	191	4	3	4	13	12		2	14	62	41		36		58	90	16	26	1	9	22	19	20	14	24	18	11	14	11	17	12
	Ditto M	133	3	2	2	12	10		2	4	43	33		22		43	60	6	23	1	5	11	16	14	10	17	15	6	10	10	12	7
	,, F	58	1	1	2	1	2			10	19	8		14		15	30	10	3		4	11	3	6	4	7	3	5	4	1	5	5
128	Acute nephritis (including unspecified, under 10 years of age) M	5	1								4					2	2		1			3		1			1				
	Ditto F	3								1				2		1	2					1		2							
129	Chronic nephritis (including unspecified, 10 years of age o over) M	94	1	2	2	10	6		2	4	32	19		16		28	41	6	18	1	4	5	14	11	8	13	11	3	7	7	6	5
	Ditto F	41	1		1		2			5	15	5		12		10	22	6	3		2	6	3	1	3	7	1	4	4		5	5
131	Other diseases of the kidneys and annexa M	7				1	1				1	3		1		3	3		1			2	1					1		3	
	Ditto F	2									1	1				1	1							1			1				
132	Calculi of the urinary passages M	1									1								1									1			
133	Diseases of the bladder M	2				1					1					2									1	1					
135	Diseases of the prostate M	23					3			4	11			5		7	14		2		1	1	1	2	1	3	3	1	3	2	3	2
136	Non-venereal diseases of the male genital organs M	1	1													1														1		
138	Salpingitis and pelvic abscess F	4		1	1					1	1					2	1	1			1	2				1					
139	Benign tumours of the uterus F	3								2		1				1	1	1				1		1						1	
141	Other diseases of the female genital organs F	4								1	2	1					2	2			1	1			1			1			
142	Non-puerperal diseases of the breast (cancer excepted) F	1				1											1							1							
	Class VIII. The puerperal state Total F.	15			1				5	9						7	5		3		2	1	2		1	1	1	1	1	2	1	2
143	Accidents of pregnancy F	2			1					1							1		1				1		1						
	(b.) Ectopic gestation F	1			1														1						1						
	(c.) Others under this title F	1								1							1						1								
145	Other accidents of labour F	3							3							2			1		1							1	1		
	(a.) Caesarean section F	1							1										1		1										
	(b.) Difficult labour F	2							2							2												1	1		
146	Puerperal septicæmia F	6							1	5						3	3						1			1		1		1	2
148	Puerperal albuminuria and convulsions F	4							1	3						2	1		1		1	1					1			1	

TABLE 27.—CAUSES OF DEATH FOR EACH SEX BY CONJUGAL CONDITION, NATIVITY, AND MONTH OF DEATH IN VANCOUVER CITY, POINT GREY, AND SOUTH VANCOUVER, 1928—*Continued.*

No.	CAUSES OF DEATH.	TOTAL.	CONJUGAL CONDITION.													NATIVITY.					MONTHS.											
			Under 15 years.	Single.					Married.						Widowed.	Not stated.	Canada.	British.	Foreign.		Not stated.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
				15 to 24 years.	25 to 44 years.	45 to 64 years.	65 years and over.	Age not stated.	15 to 24 years.	25 to 44 years.	45 to 64 years.	65 years and over.	Age not stated.						United States.	Other.													
	Class IX. Diseases of the skin and of the cellular tissue..Total	10	3	1		1				1	2			2		6	3		1		1	2		2	2			1	1			1
	Ditto .....M.	7	2	1		1					2			1		5	2				1	1		2	1			1				1
	,, ...F.	3	1							1				1		1	1		1			1			1				1			
151	Gangrene .....M.	2									1			1		2					1	1										
	,, ...F.	1												1			1					1										
153	Acute abscess .....M.	2	1								1					1	1							1				1				
	,, ...F.	1								1									1						1							
154	Other diseases of the skin and annexa .....M.	3	1	1		1										2	1							1	1							1
	,, ...F.	1	1													1													1			
	Class X. Diseases of the bones and of the organs of locomotion .....Total	3			1					1				1		1	2				1		1									1
	Ditto .....M.	1			1											1							1									
	,, ...F.	2								1				1			2				1											1
155	Diseases of the bones (mastoid and tuberculosis excepted)..M	1			1											1							1								
	Ditto .....F.	1												1			1															1
156	Diseases of the joints (tuberculosis and rheumatism excepted) .....F.	1								1							1				1											
	Class XI. Malformations.....Total	36	35	1												34		1		1	2	10	5		4	1	4	1	3	2	4	
	,, ...M.	22	21	1												20		1		1	1	4	2		3	1	3	1	3	1	3	
	,, ...F.	14	14													14					1	6	3		1		1			1	1	
159	Congenital malformations (still-births not included) .....M.	22	22	1												20		1		1	1	4	2		3	1	3	1	3	1	3	
	Ditto .....F.	14	14													14					1	6	3		1		1			1	1	
	(a.) Congenital hydrocephalus .....M.	3	3													2				1						1			1	1		
	(b.) Congenital malformations of the heart .....M.	12	11	1												11		1			1	3	2				2		2		2	
	Ditto .....F.	10	10													10						4	3				1			1	1	
	(c.) Others under this title....M.	7	7													7						1			3		1	1			1	
	,, ...F.	4	4													4					1	2			1							
	Class XII. Diseases of early infancy .....Total	76	76													76					6	5	5	5	8	9	10	4	9	6	5	4
	Ditto .....M.	39	39													39					4	2	4	3	5	3	4	2	5	2	1	4
	,, ...F.	37	37													37					2	3	1	2	3	6	6	2	4	4	4	

160	Congenital debility, icterus, and sclerema ..... M.	2	2													2									1	1					
	Ditto ..... F.	2	2													2											1			1		
161	Premature birth, injury at birth ..... M.	33	33													33				4	2	4	2	4	2	2	2	4	2	1	4
	Ditto ..... F.	31	31													31				2	3	1	2		6	5	1	4	4	3	
	(a.) Premature birth ..... M.	28	28													28				4	1	3	2	3	2	1	1	4	2	1	4
	,, ... F.	27	27													27				1	3		2		4	5	1	4	4	3	
	(b.) Injury at birth ..... M.	5	5													5					1	1		1		1	1				
	,, ... F.	4	4													4				1		1			2						
162	Other diseases peculiar to early infancy ..... M.	4	4													4							1	1		1		1			
	Ditto ..... F.	4	4													4								3		1					
	(a.) Specified diseases ..... M.	4	4													4							1	1		1		1			
	,, ... F.	4	4													4								3		1					
	Class XIII. Old age ..... Total	10								1			9		2	7		1		2		1		1	1	3	1	1			
	,, ... M.	3											3			3						1		1		1					
	,, ... F.	7								1			6		2	4		1		2					1	2	1	1			
164	Senility ..... M.	3											3			3						1		1		1					
	,, ... F.	7								1			6		2	4		1		2					1	2	1	1			
	Class XIV. External causes ..... Total	189	18	15	17	16	7		34	39	16		27		72	73	10	31	3	18	10	17	16	18	15	19	16	12	19	13	16
	,, ... M	138	11	14	15	15	6		23	32	12		10		45	57	6	27	3	15	8	12	12	12	11	14	12	9	13	8	12
	,, ... F.	51	7	1	2	1	1		11	7	4		17		27	16	4	4		3	2	5	4	6	4	5	4	3	6	5	4
165–174	Suicides ..... M.	35		1	3	9	1		7	10	3		1		3	20	1	9	2	4	1	4	5	3	2	1	3	4	4	2	2
	,, ... F.	6							5				1		4	2					1	1	1			1				1	1
165	Suicide by solid or liquid poisons (corrosive substances excepted) ..... M	1			1														1				1								
	Ditto ..... F	1							1						1								1								
166	Suicide by corrosive substances ..... M	3			1				1	1						3										1		1	1		
	Ditto ..... F	2							2						1	1										1				1	
167	Suicide by poisonous gas ..... M.	9			1	5	1			2					1	8				2		1		1			1	2	1	1	
	,, ... F.	1											1		1						1										
168	Suicide by hanging or strangulation ..... M	4				1					2		1		1	2		1					1	1			1	1			
169	Suicide by drowning ..... M.	5							2	3						2		2	1	1			2		1			1			
170	Suicide by firearms ..... M.	7		1		2			2	1	1				1	1	1	4		1		1	1				2	1			1
	,, ... F.	1							1						1								1								
171	Suicide by cutting or piercing instruments ..... M.	6				1			2	3						4		2			1	2		1	1						1
	Ditto ..... F.	1							1							1														1	
175	Poisoning by food ..... M.	2			1					1						1			1			1			1						
177	Other acute accidental poisonings (gas excepted) ..... M.	2			1					1					1	1				1			1								
	Ditto ..... F.	1			1										1												1				
179	Accidental burns and scalds (conflagration excepted) ..... M.	2					1			1					1	1				1					1						
	Ditto ..... F.	7	2		1					1	1		2		5	1		1		1			1	1	1			1	1		1
180	Accidental mechanical suffocation ..... M.	1		1											1															1	
	(b.) Asphyxia ..... M.	1		1											1															1	
181	Accidental absorption of irrespirable or poisonous gas ..... M.	3		1			1			1						1		2		1										1	1
182	Accidental drowning ..... M.	10	2	2		2			1	2			1		4	1	1	4						1	2	5		1			1
183	Accidental traumatism by firearms ..... M.	2		1						1					1	1				2											

TABLE 27.—CAUSES OF DEATH FOR EACH SEX BY CONJUGAL CONDITION, NATIVITY, AND MONTH OF DEATH IN VANCOUVER CITY, POINT GREY, AND SOUTH VANCOUVER, 1928—*Continued.*

No.	CAUSES OF DEATH.	TOTAL.	CONJUGAL CONDITION.													NATIVITY.					MONTHS.											
			Under 15 years.	Single.					Married.						Widowed.	Not stated.	Canada.	British.	Foreign.		Not stated.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
				15 to 24 years.	25 to 44 years.	45 to 64 years.	65 years and over.	Age not stated.	15 to 24 years.	25 to 44 years.	45 to 64 years.	65 years and over.	Age not stated.						United States.	Other.													
185	*Accidental traumatism by fall*..M.	28	4		3	1	2			4	6	3		5		12	13	2	1		2	1	3	3	3	1	3	6	2	2		2
	,, ...F.	15				1	1			2	2	1		8		8	6	1			2	1	1		1	2	1	1		2	3	1
187	Accidental traumatism by machines .....M.	4		1						1	1	1				3	1						2		2						
188	Accidental traumatism by other crushing (vehicles, railways, landslides, etc.) .....M.	42	4	7	6	2	1			7	8	5		2		16	15	2	9		3	6	1	4	1	4	5	2	1	6	4	5
	Ditto .....F.	18	4	1						3	4	2		4		6	6	3	3				3	1	4	1	1	1	2	3	1	1
	(a.) Railroad accidents .....M.	2								1		1					2				1			1								
	,, ...F.	1												1		1									1							
	(b.) Street-car accidents .....M.	6		2	1					1	1			1		1	3		2			2					2			1		1
	,, ...F.	3	1								1	1				2	1						1	1	1							
	(c.) Automobile accidents ....M.	29	4	5	3	2				3	7	4		1		13	9	2	5		2	3	1	2	1	3	3	1	1	5	3	4
	,, ...F.	13	2	1						3	3	1		3		2	5	3	3				1		2	1	1	1	2	3	1	1
	(e.) Injuries by other vehicles .....M.	1								1							1									1						
	Ditto .....F.	1	1													1							1									
	(f.) Other crushing .....M.	4			2		1			1						2			2			1		1				1			1	
196	Other accidental electric shocks .....M.	2								2							2				1								1			
197–199	Homicides .....M.	1								1									1													1
	,, ...F.	2	1							1						1	1							1				1				
197	Homicide by firearms .....M.	1								1									1													1
	,, ...F.	1								1							1							1								
199	Homicide by other means.....F.	1	1													1												1				
201	Fracture (cause not specified)..M.	1												1		1							1									
	,, ...F.	2												2		2											2					
202	Other external violence (cause specified .....M.	3	1		1	1										2			1					1				1		1		
	Class XV. Ill-defined diseases .....Total	2			1	1										1			1									1		1		
	Ditto .....M.	2			1	1										1			1									1		1		
205	Cause of death not specified or ill-defined .....M.	2			1	1										1			1									1		1		
	(a.) Ill-defined .....M.	1			1														1									1				
	(b.) Not specified or unknown .....M.	1				1										1														1		

TABLE 28.—CAUSES OF DEATH BY SEX IN CENSUS DIVISIONS, BRITISH COLUMBIA, 1928.

No.	CAUSES OF DEATH.		TOTAL.	Victoria.	New Westminster.	Nanaimo.	Beaton.	Alberni.	Ashcroft.	Grand Forks.	Vancouver.
	Deaths, all causes	Total	5910	763	850	333	418	460	178	540	2368
	,,	M.	3663	457	510	208	287	286	111	359	1445
	,,	F.	2247	306	340	125	131	174	67	181	923
	Class I. Epidemic, endemic, and infectious diseases	Total	978	107	140	44	54	129	47	103	354
	,,	M.	560	66	74	26	34	63	21	64	212
	,,	F.	418	41	66	18	20	66	26	39	142
1	Typhoid and paratyphoid fever	M.	6	.....	1	1	2	.....	.....	1	1
	,,	F.	4	.....	.....	.....	.....	.....	1	1	2
	(a.) Typhoid fever	M.	6	.....	1	1	2	.....	.....	1	1
	,,	F.	4	.....	.....	.....	.....	.....	1	1	2
7	Measles	M.	4	1	1	1	.....	1	.....	.....	.....
	,,	F.	3	.....	1	1	.....	.....	.....	1	.....
8	Scarlet fever	M.	2	.....	.....	.....	.....	.....	.....	.....	2
	,,	F.	3	1	.....	.....	1	.....	.....	1	.....
9	Whooping-cough	M.	7	1	.....	.....	.....	3	1	1	1
	,,	F.	6	.....	1	.....	.....	3	.....	.....	2
10	Diphtheria	M.	19	1	2	3	.....	.....	.....	.....	13
	,,	F.	21	.....	4	.....	1	.....	1	2	13
11	Influenza	M.	78	4	11	8	6	9	8	7	25
	,,	F.	68	5	14	3	4	9	5	4	24
	(a.) Sole cause	M.	15	.....	4	1	.....	4	5	.....	1
	,,	F.	17	1	3	1	2	1	4	1	4
	(b.) With phthisis	M.	3	.....	1	.....	.....	2	.....	.....	.....
	,,	F.	6	.....	1	.....	.....	1	1	.....	3
	(c.) With bronchitis	M.	4	1	.....	.....	1	.....	.....	1	1
	,,	F.	1	.....	.....	.....	.....	.....	.....	.....	1
	(d.) With pneumonia	M.	33	2	3	5	3	1	.....	3	16
	,,	F.	27	3	8	2	1	3	.....	2	8
	(e.) With other respiratory diseases	M.	4	.....	.....	1	1	1	.....	.....	1
	,,	F.	1	1	.....	.....	.....	.....	.....	.....	.....
	(f.) With diseases and accidents of pregnancy and parturition	F.	2	.....	1	.....	.....	.....	.....	.....	1
	(g.) With other causes	M.	19	1	3	1	1	1	3	3	6
	,,	F.	14	.....	1	.....	1	4	.....	1	7
13	Mumps	M.	1	.....	.....	.....	.....	.....	.....	.....	1
	,,	F.	1	.....	.....	.....	.....	.....	.....	1	.....
16	Dysentery	M.	3	.....	2	.....	.....	.....	.....	.....	1
	,,	F.	6	.....	4	.....	.....	.....	.....	.....	2
20	Leprosy	M.	1	1	.....	.....	.....	.....	.....	.....	.....
21	Erysipelas	M.	10	.....	1	.....	2	1	.....	1	5
	,,	F.	3	.....	.....	.....	.....	.....	.....	.....	3
22	Acute anterior poliomyelitis	M.	15	3	2	2	2	1	.....	1	4
	,,	F.	4	.....	1	.....	.....	.....	1	.....	2
23	Lethargic encephalitis	M.	2	.....	1	.....	.....	.....	.....	.....	1
	,,	F.	5	2	.....	.....	.....	.....	.....	.....	3
24	Meningococcus meningitis	M.	15	1	1	.....	2	4	.....	1	6
	,,	F.	6	.....	1	.....	.....	1	2	.....	2
25	Other epidemic and endemic diseases	F.	1	.....	.....	.....	.....	1	.....	.....	.....
	(a.) Chicken-pox	F.	1	.....	.....	.....	.....	1	.....	.....	.....
30	Mycoses	M.	1	1	.....	.....	.....	.....	.....	.....	.....
	,,	F.	1	.....	.....	.....	.....	1	.....	.....	.....
31–37	Tuberculosis, total	M.	359	50	43	10	14	40	11	50	141
	,,	F.	274	32	38	14	13	50	16	26	85
31	Tuberculosis of the respiratory system	M.	292	39	35	7	10	35	10	46	110
	,,	F.	231	27	32	11	11	42	14	25	69
32	Tuberculosis of the meninges and central nervous system	M.	23	4	2	2	1	2	1	2	9
	,,	F.	19	1	1	3	2	5	.....	.....	7
33	Tuberculosis of the intestines and peritoneum	M.	14	2	3	.....	2	1	.....	.....	6
	,,	F.	10	2	3	.....	.....	.....	1	1	3
34	Tuberculosis of the vertebral column	M.	7	1	1	.....	.....	1	.....	1	3
	,,	F.	5	2	1	.....	.....	1	.....	.....	1
35	Tuberculosis of the joints	M.	4	.....	.....	.....	.....	.....	.....	1	3
	,,	F.	1	.....	.....	.....	.....	.....	.....	.....	1
36	Tuberculosis of other organs	M.	10	3	2	1	1	.....	.....	.....	3
	,,	F.	2	.....	1	.....	.....	1	.....	.....	.....
	(c.) Lympathic system (mesenteric and retroperitoneal glands excepted)	M.	3	2	1	.....	.....	.....	.....	.....	.....
	Ditto	F.	1	.....	.....	.....	.....	1	.....	.....	.....
	(d.) Genito-urinary system	M.	7	1	1	1	1	.....	.....	.....	3
	,,	F.	1	.....	1	.....	.....	.....	.....	.....	.....
37	Disseminated tuberculosis	M.	9	1	.....	.....	.....	1	.....	.....	7
	,,	F.	6	.....	.....	.....	.....	1	1	.....	4
	(a.) Acute	M.	8	1	.....	.....	.....	1	.....	.....	6
	,,	F.	4	.....	.....	.....	.....	.....	1	.....	3
	(b.) Chronic or unstated	M.	1	.....	.....	.....	.....	.....	.....	.....	1
	,,	F.	2	.....	.....	.....	.....	1	.....	.....	1
38	Syphilis	M.	21	3	5	.....	2	3	.....	2	6
	,,	F.	8	1	1	.....	.....	1	.....	2	3
41	Purulent infection, septicæmia	M.	16	.....	4	1	4	1	1	.....	5
	,,	F.	4	.....	1	.....	1	.....	.....	1	1

TABLE 28.—CAUSES OF DEATH BY SEX IN CENSUS DIVISIONS, BRITISH COLUMBIA, 1928—*Continued.*

No.	CAUSES OF DEATH.		TOTAL.	Victoria.	New Westminster.	Nanaimo.	Beaton.	Alberni.	Ashcroft.	Grand Forks.	Vancouver.
	Class II. General diseases not included in Class I.	Total	826	112	98	50	47	39	10	60	410
	,,	M.	437	59	51	19	31	22	7	39	209
	,,	F.	389	53	47	31	16	17	3	21	201
43–49	Cancer, total	M.	304	47	30	11	21	14	6	24	151
	,,	F.	272	41	31	20	8	13	3	13	143
43	Cancer of the buccal cavity	M.	9	3	.....	1	.....	1	1	.....	3
	,,	F.	1	.....	.....	.....	.....	.....	.....	.....	1
44	Cancer of the stomach and liver	M.	138	20	14	8	11	6	3	7	69
	,,	F.	69	13	5	7	1	4	1	5	33
45	Cancer of the peritoneum, intestines, and rectum	M.	55	8	5	1	6	3	1	6	25
	,,	F.	38	7	6	3	1	.....	.....	2	19
46	Cancer of the female genital organs	F.	76	12	10	5	2	3	2	4	38
47	Cancer of the breast	M.	2	.....	.....	.....	.....	.....	.....	1	1
	,,	F.	47	6	5	2	3	3	.....	1	27
48	Cancer of the skin	M.	12	2	.....	.....	.....	.....	.....	4	6
49	Cancer of other or unspecified organs	M.	88	14	11	1	4	4	1	6	47
	,,	F.	41	3	5	3	1	3	.....	1	25
	(a.) Cancer of eye and ear	M.	1	.....	.....	.....	.....	.....	.....	.....	1
	(b.) Cancer of circulatory system	M.	5	.....	.....	1	.....	.....	.....	1	3
	,,	F.	5	.....	.....	2	.....	.....	.....	.....	3
	(c.) Cancer of respiratory system	M.	15	1	1	.....	1	.....	1	.....	11
	,,	F.	8	1	.....	.....	1	1	.....	.....	5
	(d.) Cancer of digestive system	M.	21	3	4	.....	1	3	.....	1	9
	,,	F.	14	2	3	.....	.....	2	.....	.....	7
	(e.) Cancer of genito-urinary organs	M.	38	6	6	.....	1	1	.....	3	21
	,,	F.	4	.....	2	1	.....	.....	.....	.....	1
	(f.) Cancer of bones and joints	M.	1	.....	.....	.....	.....	.....	.....	.....	1
	,,	F.	2	.....	.....	.....	.....	.....	.....	1	1
	(g.) Cancer of other specified organs	M.	4	4	.....	.....	.....	.....	.....	.....	.....
	,,	F.	6	.....	.....	.....	.....	.....	.....	.....	6
	(h.) Generalized cancer	M.	3	.....	.....	.....	1	.....	.....	1	1
	,,	F.	2	.....	.....	.....	.....	.....	.....	.....	2
50	Benign tumours and tumours not returned as malignant (tumours of female genital organs excepted)	F.	4	1	.....	.....	.....	1	.....	.....	2
51	Acute rheumatic fever	M.	8	1	2	.....	1	1	.....	.....	3
	,,	F.	10	.....	1	2	1	.....	.....	.....	6
52	Chronic rheumatism, osteoarthritis, gout	M.	4	1	1	.....	1	.....	.....	1	.....
	,,	F.	2	.....	.....	.....	.....	.....	.....	.....	2
56	Rickets	M.	1	.....	1	.....	.....	.....	.....	.....	.....
	,,	F.	1	.....	.....	.....	.....	.....	.....	.....	1
57	Diabetes mellitus	M.	35	3	6	1	4	1	.....	5	15
	,,	F.	40	2	6	5	3	1	.....	2	21
58	Anæmia, chlorosis	M.	20	2	7	2	.....	1	.....	.....	8
	,,	F.	15	3	3	2	1	1	.....	2	3
	(a.) Pernicious anæmia	M.	18	2	5	2	.....	1	.....	.....	8
	,,	F.	13	2	3	2	1	1	.....	1	3
	(b.) Other anæmias and chlorosis	M.	2	.....	2	.....	.....	.....	.....	.....	.....
	,,	F.	2	1	.....	.....	.....	.....	.....	1	.....
59	Diseases of the pituitary gland	F.	1	.....	.....	.....	.....	.....	.....	1	.....
60	Diseases of the thyroid gland	M.	5	1	.....	.....	1	.....	.....	1	2
	,,	F.	23	4	5	.....	3	.....	.....	2	9
	(a.) Exophthalmic goitre	M.	2	.....	.....	.....	1	.....	.....	.....	1
	,,	F.	14	2	2	.....	2	.....	.....	2	6
	(b.) Other diseases of the thyroid gland	M.	3	1	.....	.....	.....	.....	.....	1	1
	,,	F.	9	2	3	.....	1	.....	.....	.....	3
61	Diseases of the parathyroid glands	F.	1	.....	.....	.....	.....	.....	.....	.....	1
62	Diseases of the thymus	M.	13	2	2	.....	1	1	.....	2	5
	,,	F.	7	1	1	.....	.....	1	.....	.....	4
63	Diseases of the adrenals (Addison's disease)	M.	1	.....	.....	.....	.....	.....	.....	1	.....
64	Diseases of the spleen	M.	4	.....	.....	1	.....	.....	.....	1	2
	,,	F.	1	.....	.....	1	.....	.....	.....	.....	.....
65	Leukæmia, lymphadenoma	M.	12	1	1	1	.....	.....	.....	2	7
	,,	F.	6	1	.....	1	.....	.....	.....	.....	4
	(a.) Leukæmia	M.	9	.....	1	1	.....	.....	.....	1	6
	,,	F.	5	1	.....	1	.....	.....	.....	.....	3
	(b.) Lymphadenoma (Hodgkin's disease)	M.	3	1	.....	.....	.....	.....	.....	1	1
	,,	F.	1	.....	.....	.....	.....	.....	.....	.....	1
66	Alcoholism	M.	25	1	1	2	2	3	.....	2	14
	,,	F.	2	.....	.....	.....	.....	.....	.....	.....	2
	(a.) Delirium tremens	M.	3	.....	.....	.....	1	1	.....	.....	1
	(b.) Acute alcoholism	M.	14	.....	1	2	1	2	.....	.....	8
	,,	F.	2	.....	.....	.....	.....	.....	.....	.....	2
	(c.) Chronic alcoholism	M.	8	1	.....	.....	.....	.....	.....	2	5
67	Chronic poisoning by mineral substances	M.	1	.....	.....	.....	.....	1	.....	.....	.....
	(a.) Chronic lead-poisoning	M.	1	.....	.....	.....	.....	1	.....	.....	.....
68	Chronic organic poisoning	M.	3	.....	.....	1	.....	.....	.....	.....	2
	,,	F.	2	.....	.....	.....	.....	.....	.....	.....	2
	(a.) Chronic morphinism	F.	1	.....	.....	.....	.....	.....	.....	.....	1
	(b.) Chronic cocainism, etc.	F.	1	.....	.....	.....	.....	.....	.....	.....	1
	(c.) Other organic poisoning	M.	3	.....	.....	1	.....	.....	.....	.....	2
69	Other general diseases	M.	1	.....	.....	.....	.....	.....	1	.....	.....
	,,	F.	2	.....	.....	.....	.....	.....	.....	1	1

TABLE 28.—CAUSES OF DEATH BY SEX IN CENSUS DIVISIONS, BRITISH COLUMBIA, 1928—*Continued.*

No.	CAUSES OF DEATH.		TOTAL.	Victoria.	New Westminster.	Nanaimo.	Beaton.	Alberni.	Ashcroft.	Grand Forks.	Vancouver.
	Other general diseases—Continued.										
	(b.) Hæmophilia	F.	1								1
	(c.) Purpura hæmorrhagica	M.	1						1		
	(d.) Others under this title	F.	1							1	
	Class III. Diseases of the nervous system and of the organs of special sense	Total	434	68	101	17	36	14	7	29	162
	Ditto	M.	256	36	65	8	21	10	4	14	98
	,,	F.	178	32	36	9	15	4	3	15	64
70	Encephalitis	M.	3					1			2
	(a.) Abscess of brain	M.	3					1			2
71	Meningitis	M.	12	2	2			1		1	6
	,,	F.	12	1	2	1	1	1			6
	(a.) Simple meningitis	M.	12	2	2			1		1	6
	,,	F.	12	1	2	1	1	1			6
72	Tabes dorsalis (locomotor ataxia)	M.	6		1		1				4
	,,	F.	1								1
73	Other diseases of the spinal cord	M.	15		1		3		1		10
	,,	F.	6	2	1		2				1
74	Cerebral hæmorrhage, apoplexy	M.	103	25	15	5	12	4	2	6	34
	,,	F.	90	22	13	6	10	1	1	8	29
	(a.) Apoplexy	M.	23	3	5	3	4		1	4	3
	,,	F.	19	2	1	1	3	1		3	8
	(b.) Cerebral hæmorrhage	M.	74	19	10	2	8	4	1	2	28
	,,	F.	70	20	12	5	7		1	4	21
	(c.) Cerebral thrombosis and embolism	M.	6	3							3
	,,	F.	1							1	
75	Paralysis without specified cause	M.	8			1		2			5
	,,	F.	5	1	1						3
	(a.) Hemiplegia	M.	5					1			4
	,,	F.	4	1	1						2
	(b.) Others under this title	M.	3			1		1			1
	,,	F.	1								1
76	General paralysis of the insane	M.	19		15		1				3
	,,	F.	3		1		1				1
77	Other forms of mental alienation	M.	19	2	15						2
	,,	F.	12	1	9						2
78	Epilepsy	M.	19	1	9	2	1	1	1	1	3
	,,	F.	7		3			2	1		1
79	Convulsions, non-puerperal (5 years or over)	F.	1								1
80	Infantile convulsions (under 5 years of age)	M.	6	1	1		1	1		1	1
	,,	F.	3		1				1		1
82	Neuralgia and neuritis	F.	1			1					
83	Softening of the brain	M.	7		2					3	2
	,,	F.	3							1	2
84	Other diseases of the nervous system	M.	23	4	4		2			1	12
	,,	F.	21	2	4					4	11
86	Diseases of the ear and of the mastoid process	M.	16	1						1	14
	,,	F.	13	3	1	1	1			2	5
	(a.) Diseases of the ear	M.	6								6
	,,	F.	7		1	1	1			2	2
	(b.) Diseases of the mastoid process	M.	10	1						1	8
	,,	F.	6	3							3
	Class IV. Diseases of the circulatory system	Total	1132	179	193	51	84	48	11	85	481
	,,	M.	725	104	125	31	58	41	9	58	299
	,,	F.	407	75	68	20	26	7	2	27	182
87–90	Diseases of the heart	M.	435	62	71	23	44	31	8	37	159
	,,	F.	273	57	46	15	22	4	1	23	105
87	Pericarditis	M.	1								1
	,,	F.	3		1		1			1	
88	Endocarditis and myocarditis (acute)	M.	13		1		1	2			9
	,,	F.	12	4	1	1	3				3
	(a.) Acute endocarditis	M.	10		1		1	1			7
	,,	F.	8	3	1		2				2
	(b.) Acute myocarditis	M.	3					1			2
	,,	F.	4	1		1	1				1
89	Angina pectoris	M.	57	8	11	5	6	6			21
	,,	F.	23	4	1		1			2	15
90	Other diseases of the heart	M.	364	54	59	18	37	23	8	37	128
	,,	F.	235	49	43	14	17	4	1	20	87
	(a.) Valvular disease	M.	74	13	8	2	8	6	4	7	26
	,,	F.	47	7	12	2	2	2		4	18
	(b.) Fatty degeneration of the heart	M.	6		1	1		1			3
	,,	F.	3	1							2
	(d.) Chronic endocarditis	M.	59	9	2	2	12	4	2	5	23
	,,	F.	64	12	11	3	7			7	24
	(e.) Chronic myocarditis	M.	180	21	42	7	13	8	2	22	65
	,,	F.	93	18	17	5	7	2		8	36
	(f.) Others under this title	M.	45	11	6	6	4	4		3	11
	,,	F.	28	11	3	4	1		1	1	7

TABLE 28.—CAUSES OF DEATH BY SEX IN CENSUS DIVISIONS, BRITISH COLUMBIA, 1928—*Continued.*

No.	CAUSES OF DEATH.		TOTAL.	Victoria.	New Westminster.	Nanaimo.	Beaton.	Alberni.	Ashcroft.	Grand Forks.	Vancouver.
91	Diseases of the arteries	M.	275	38	53	8	13	9	.....	21	133
	,,	F.	126	16	21	5	3	3	.....	4	74
	(a.) Aneurism	M.	25	1	3	1	1	1	.....	4	14
	,,	F.	5	1	.....	.....	.....	1	.....	1	2
	(b.) Arteriosclerosis	M.	245	37	50	7	10	8	.....	17	116
	,,	F.	119	15	20	5	3	2	.....	3	71
	(c.) Other diseases of the arteries	M.	5	.....	.....	.....	2	.....	.....	.....	3
	,,	F.	2	.....	1	.....	.....	.....	.....	.....	1
92	Embolism and thrombosis (not cerebral)	M.	11	4	.....	.....	1	1	1	.....	4
	,,	F.	4	2	.....	.....	.....	.....	.....	.....	2
93	Diseases of the veins (varices, hæmorrhoids, phlebitis, etc.)	M.	3	.....	.....	.....	.....	.....	.....	.....	3
	,,	F.	1	.....	1	.....	.....	.....	.....	.....	.....
94	Diseases of the lymphatic system (lymphangitis, etc.)	M.	1	.....	1	.....	.....	.....	.....	.....	.....
	,,	F.	2	.....	.....	.....	1	.....	1	.....	.....
95	Hæmorrhage without specified cause	F.	1	.....	.....	.....	.....	.....	.....	.....	1
	Class V. Diseases of the respiratory system	Total	469	50	61	24	21	42	20	57	194
	,,	M.	289	31	32	16	14	20	14	31	131
	,,	F.	180	19	29	8	7	22	6	26	63
97	Diseases of the nasal fossæ and their annexa	M.	2	.....	.....	.....	.....	1	.....	.....	1
98	Diseases of the larynx	M.	1	.....	.....	.....	.....	.....	.....	.....	1
	,,	F.	3	2	.....	.....	.....	.....	.....	.....	1
	(b.) Laryngitis	M.	1	.....	.....	.....	.....	.....	.....	.....	1
	,,	F.	2	1	.....	.....	.....	.....	.....	.....	1
	(c.) Croup	F.	1	1	.....	.....	.....	.....	.....	.....	.....
99	Bronchitis	M.	14	3	1	2	1	2	3	2	.....
	,,	F.	10	1	.....	.....	.....	2	1	1	5
	(a.) Acute	M.	6	1	1	1	.....	.....	2	1	.....
	,,	F.	4	.....	.....	.....	.....	.....	1	1	2
	(b.) Chronic	M.	5	1	.....	.....	1	1	1	1	.....
	,,	F.	4	1	.....	.....	.....	2	.....	.....	1
	(c.) Not otherwise defined, under 5 years of age	M.	1	.....	.....	.....	.....	1	.....	.....	.....
	,,	F.	2	.....	.....	.....	.....	.....	.....	.....	2
	(d.) Not otherwise defined, 5 years or over	M.	2	1	.....	1	.....	.....	.....	.....	.....
100	Bronchopneumonia (including capillary bronchitis)	M.	54	7	5	3	3	4	2	2	28
	,,	F.	43	3	10	2	3	6	3	2	14
	(a.) Bronchopneumonia	M.	53	7	5	2	3	4	2	2	28
	,,	F.	43	3	10	2	3	6	3	2	14
	(b.) Capillary bronchitis	M.	1	.....	.....	1	.....	.....	.....	.....	.....
101	Pneumonia	M.	166	16	22	8	8	11	6	19	76
	,,	F.	91	8	13	6	2	10	1	20	31
	(a.) Lobar	M.	103	9	8	5	5	2	3	10	61
	,,	F.	48	3	8	2	1	.....	.....	12	22
	(b.) Not otherwise defined	M.	63	7	14	3	3	9	3	9	15
	,,	F.	43	5	5	4	1	10	1	8	9
102	Pleurisy	M.	19	3	2	.....	.....	.....	2	1	11
	,,	F.	10	2	3	.....	1	1	.....	.....	3
103	Congestion and hæmorrhagic infarct of the lung	M.	3	1	.....	.....	.....	.....	.....	1	1
	,,	F.	9	1	3	.....	.....	1	.....	1	3
104	Gangrene of the lung	M.	1	.....	.....	.....	.....	.....	.....	1	.....
105	Asthma	M.	11	.....	1	1	.....	.....	1	3	5
	,,	F.	9	2	.....	.....	1	.....	.....	2	4
107	Other diseases of the respiratory system (tuberculosis excepted)	M.	18	1	1	2	2	2	.....	2	8
	,,	F.	5	.....	.....	.....	.....	2	1	.....	2
	(a.) Chronic interstitial pneumonia (including occupational diseases of the lungs)	M.	6	.....	.....	2	.....	.....	.....	.....	4
	Ditto	F.	1	.....	.....	.....	.....	1	.....	.....	.....
	(c.) Others under this title	M.	12	1	1	.....	2	2	.....	2	4
	,,	F.	4	.....	.....	.....	.....	1	1	.....	2
	Class VI. Diseases of the digestive system	Total	395	60	40	17	21	34	12	47	164
	,,	M.	246	38	20	11	16	20	8	32	101
	,,	F.	149	22	20	6	5	14	4	15	63
108	Diseases of the mouth and annexa	M.	4	.....	.....	.....	.....	.....	1	.....	3
	,,	F.	1	.....	.....	.....	.....	.....	1	.....	.....
109	Diseases of the pharynx and tonsils (including adenoid vegetations)	M.	8	.....	.....	.....	2	.....	.....	2	4
	,,	F.	12	2	.....	.....	1	3	.....	1	5
	(b.) Pharynx and tonsils	M.	8	.....	.....	.....	2	.....	.....	2	4
	,,	F.	12	2	.....	.....	1	3	.....	1	5
110	Diseases of the œsophagus	M.	2	.....	.....	.....	.....	.....	.....	1	1
	,,	F.	1	.....	.....	1	.....	.....	.....	.....	.....
111	Ulcer of the stomach and duodenum	M.	42	9	1	.....	2	7	2	5	16
	,,	F.	8	2	2	.....	.....	.....	.....	1	3
	(a.) Ulcer of the stomach	M.	28	5	1	.....	2	6	2	3	9
	,,	F.	4	2	1	.....	.....	.....	.....	.....	1
	(b.) Ulcer of the duodenum	M.	14	4	.....	.....	.....	1	.....	2	7
	,,	F.	4	.....	1	.....	.....	.....	.....	1	2
112	Other diseases of the stomach (cancer excepted)	M.	20	6	3	1	1	2	.....	1	6
	,,	F.	15	.....	2	1	1	1	.....	.....	10

TABLE 28.—CAUSES OF DEATH BY SEX IN CENSUS DIVISIONS, BRITISH COLUMBIA, 1928—*Continued.*

No.	CAUSES OF DEATH.	TOTAL.	Victoria.	New Westminster.	Nanaimo.	Beaton.	Alberni.	Ashcroft.	Grand Forks.	Vancouver.
113	Diarrhœa and enteritis (under 2 years of age) ..... M.	15	2	3	3	.....	3	.....	1	3
	,, ... F.	13	2	4	2	1	.....	1	.....	3
114	Diarrhœa and enteritis (2 years or over) ..... M.	18	.....	3	1	1	3	.....	1	9
	,, ... F.	18	3	4	.....	.....	3	.....	2	6
117	Appendicitis and typhlitis ..... M.	56	8	5	2	6	3	2	7	23
	,, ... F.	23	.....	4	.....	1	1	.....	4	13
118	Hernia, intestinal obstruction ..... M.	19	4	2	1	.....	.....	.....	2	10
	,, ... F.	18	3	1	1	.....	1	1	2	9
	(a.) Hernia ..... M.	10	3	1	1	.....	.....	.....	1	4
	,, ... F.	10	1	1	1	.....	1	1	1	4
	(b.) Intestinal obstruction ..... M.	9	1	1	.....	.....	.....	.....	1	6
	,, ... F.	8	2	.....	.....	.....	.....	.....	1	5
119	Other diseases of the intestines ..... M.	7	1	1	.....	.....	.....	.....	3	2
	,, ... F.	4	.....	.....	.....	.....	1	.....	2	1
120	Acute yellow atrophy of the liver ..... M.	1	.....	.....	.....	.....	.....	.....	.....	1
	,, ... F.	1	.....	.....	.....	.....	.....	.....	.....	1
122	Cirrhosis of the liver ..... M.	21	2	.....	3	2	1	3	2	8
	,, ... F.	7	1	1	.....	.....	.....	1	.....	4
	(b.) Not specified as alcoholic ..... M.	21	2	.....	3	2	1	3	2	8
	,, ... F.	7	1	1	.....	.....	.....	1	.....	4
123	Biliary calculi ..... M.	7	2	.....	.....	.....	.....	.....	2	3
	,, ... F.	9	3	.....	.....	.....	2	.....	.....	4
124	Other diseases of the liver ..... M.	20	3	.....	.....	2	.....	.....	5	10
	,, ... F.	11	4	1	1	.....	2	.....	1	2
125	Diseases of the pancreas ..... M.	3	.....	2	.....	.....	.....	.....	.....	1
	,, ... F.	3	.....	1	.....	.....	.....	.....	1	1
126	Peritonitis without specified cause ..... M.	3	1	.....	.....	.....	1	.....	.....	1
	..... F.	5	2	.....	.....	1	.....	.....	1	1
	Class VII. Non-venereal diseases of the genito-urinary system and annexa ..... Total	410	60	42	17	25	22	7	38	199
	Ditto ..... M.	274	39	22	11	17	14	3	31	137
	,, ... F.	136	21	20	6	8	8	4	7	62
128	Acute nephritis (including unspecified, under 10 years of age) ..... M.	11	1	2	.....	1	.....	.....	2	5
	,, ... F.	3	.....	.....	.....	.....	.....	.....	.....	3
129	Chronic nephritis (including unspecified, 10 years of age or over) ..... M.	188	26	17	6	10	10	3	20	96
	,, ... F.	97	13	15	6	5	6	3	6	43
131	Other diseases of the kidneys and annexa ..... M.	13	1	.....	1	1	1	.....	2	7
	,, ... F.	7	2	1	.....	1	.....	.....	.....	3
132	Calculi of the urinary passages ..... M.	1	.....	.....	.....	.....	.....	.....	.....	1
	,, ... F.	1	.....	.....	.....	.....	1	.....	.....	.....
133	Diseases of the bladder ..... M.	6	1	.....	.....	1	.....	.....	1	3
	,, ... F.	1	.....	1	.....	.....	.....	.....	.....	.....
134	Diseases of the urethra, urinary abscess, etc. ..... M.	2	.....	.....	.....	.....	2	.....	.....	.....
	(a.) Stricture of the urethra ..... M.	1	.....	.....	.....	.....	1	.....	.....	.....
	(b.) Other diseases of the urethra ..... M.	1	.....	.....	.....	.....	1	.....	.....	.....
135	Diseases of the prostate ..... M.	52	10	3	4	4	1	.....	6	24
136	Non-venereal diseases of the male genital organs ..... M.	1	.....	.....	.....	.....	.....	.....	.....	1
137	Cysts and other benign tumours of the ovary ..... F.	2	2	.....	.....	.....	.....	.....	.....	.....
138	Salpingitis and pelvic abscess ..... F.	8	1	1	.....	.....	.....	1	1	4
139	Benign tumours of the uterus ..... F.	7	1	1	.....	1	.....	.....	.....	4
141	Other diseases of the female genital organs ..... F.	9	2	1	.....	1	1	.....	.....	4
142	Non-puerperal diseases of the breast (cancer excepted) ..... F.	1	.....	.....	.....	.....	.....	.....	.....	1
	Class VIII. The puerperal state ..... Total F.	61	3	8	5	6	12	2	5	20
143	Accidents of pregnancy ..... F.	9	1	1	2	.....	2	.....	.....	3
	(b.) Ectopic gestation ..... F.	5	.....	.....	2	.....	2	.....	.....	1
	(c.) Others under this title ..... F.	4	1	1	.....	.....	.....	.....	.....	2
144	Puerperal hæmorrhage ..... F.	4	.....	2	.....	1	1	.....	.....	.....
145	*Other accidents of labour* ..... F.	9	.....	1	.....	.....	2	1	2	3
	(a.) Caesarean section ..... F.	1	.....	.....	.....	.....	.....	.....	.....	1
	(b.) Difficult labour ..... F.	3	.....	1	.....	.....	.....	.....	.....	2
	(c.) Other surgical operations and instrumental delivery ..... F.	5	.....	.....	.....	.....	2	1	2	.....
146	Puerperal septicæmia ..... F.	23	1	1	2	5	4	.....	2	8
147	Puerperal phlegmasia alba dolens, puerperal embolism, sudden death in puerperium ..... F.	2	.....	1	.....	.....	.....	.....	.....	1
148	Puerperal albuminuria and convulsions ..... F.	12	1	2	.....	.....	2	1	1	5
149	Following childbirth (not otherwise defined) ..... F.	2	.....	.....	1	.....	1	.....	.....	.....
	Class IX. Diseases of the skin and of the cellular tissue ..... Total	26	6	1	1	2	1	.....	4	11
	,, ... M.	17	2	.....	1	2	1	.....	3	8
	,, ... F.	9	4	1	.....	.....	.....	.....	1	3
151	Gangrene ..... M.	7	2	.....	.....	1	.....	.....	2	2
	,, ... F.	4	3	.....	.....	.....	.....	.....	.....	1
152	Furuncle ..... M.	2	.....	.....	1	.....	.....	.....	1	.....
	,, ... F.	1	.....	1	.....	.....	.....	.....	.....	.....
153	Acute abscess ..... M.	3	.....	.....	.....	1	.....	.....	.....	2
	,, ... F.	1	.....	.....	.....	.....	.....	.....	.....	1

TABLE 28.—CAUSES OF DEATH BY SEX IN CENSUS DIVISIONS, BRITISH COLUMBIA, 1928—*Continued.*

No.	CAUSES OF DEATH.		TOTAL.	Victoria.	New Westminster.	Nanaimo.	Beaton.	Alberni.	Ashcroft.	Grand Forks.	Vancouver.
154	Other diseases of the skin and annexa	M.	5	.....	.....	.....	.....	1	.....	.....	4
	,,	F.	3	1	.....	.....	.....	.....	.....	1	1
	Class X. Diseases of the bones and of the organs of locomotion	Total	11	3	2	1	1	.....	.....	1	3
	,,	M.	5	1	2	.....	1	.....	.....	.....	1
	,,	F.	6	2	.....	1	.....	.....	.....	1	2
155	Diseases of the bones (mastoid and tuberculosis excepted)	M.	5	1	2	.....	1	.....	.....	.....	1
	,,	F.	3	1	.....	.....	.....	.....	.....	1	1
156	Diseases of the joints (tuberculosis and rheumatism excepted)	F.	3	1	.....	1	.....	.....	.....	.....	1
	Class XI. Malformations	Total	65	2	11	2	2	2	1	6	39
	,,	M.	37	2	6	1	1	1	1	2	23
	,,	F.	28	.....	5	1	1	1	.....	4	16
159	Congenital malformations (still-births not included)	M.	37	2	6	1	1	1	1	2	23
	,,	F.	28	.....	5	1	1	1	.....	4	16
	(a.) Congenital hydrocephalus	M.	3	.....	.....	.....	.....	.....	.....	.....	3
	,,	F.	2	.....	1	.....	1	.....	.....	.....	.....
	(b.) Congenital malformations of the heart	M.	18	1	3	1	.....	1	.....	.....	12
	,,	F.	20	.....	3	1	.....	.....	.....	4	12
	(c.) Others under this title	M.	16	1	3	.....	1	.....	1	2	8
	,,	F.	6	.....	1	.....	.....	1	.....	.....	4
	Class XII. Diseases of early infancy	Total	263	25	39	19	35	22	15	25	83
	,,	M.	140	11	21	9	20	14	8	14	43
	,,	F.	123	14	18	10	15	8	7	11	40
160	Congenital debility, icterus, and sclerema	M.	20	.....	4	2	1	6	3	2	2
	,,	F.	15	2	5	1	2	.....	2	1	2
161	Premature birth, injury at birth	M.	94	8	13	6	17	5	1	8	36
	,,	F.	87	10	12	8	8	5	4	7	33
	(a.) Premature birth	M.	78	7	12	5	12	5	1	7	29
	,,	F.	74	7	10	7	8	3	4	6	29
	(b.) Injury at birth	M.	16	1	1	1	5	.....	.....	1	7
	,,	F.	13	3	2	1	.....	2	.....	1	4
162	Other diseases peculiar to early infancy	M.	26	3	4	1	2	3	4	4	5
	,,	F.	21	2	1	1	5	3	1	3	5
	(a.) Specified diseases	M.	19	3	4	1	1	2	.....	3	5
	,,	F.	18	.....	1	1	5	3	1	2	5
	(b.) Unspecified causes under 3 months	M.	7	.....	.....	.....	1	1	4	1	.....
	,,	F.	3	2	.....	.....	.....	.....	.....	1	.....
	Class XIII. Old age	Total	77	10	16	5	4	18	8	3	13
	,,	M.	41	3	12	4	1	10	3	3	5
	,,	F.	36	7	4	1	3	8	5	.....	8
164	Senility	M.	41	3	12	4	1	10	3	3	5
	,,	F.	36	7	4	1	3	8	5	.....	8
	Class XIV. External causes	Total	692	63	90	76	70	62	28	71	232
	,,	M.	582	53	73	68	63	59	26	65	75
	,,	F.	110	10	17	8	7	3	2	6	57
165–174	Suicides	M.	87	9	10	5	6	5	3	11	38
	,,	F.	13	1	2	.....	1	1	1	1	6
165	Suicide by solid or liquid poisons (corrosive substances excepted)	M.	2	.....	.....	1	.....	.....	.....	.....	1
	,,	F.	1	.....	.....	.....	.....	.....	.....	.....	1
166	Suicide by corrosive substances	M.	5	.....	1	.....	.....	1	.....	.....	3
	,,	F.	3	.....	1	.....	.....	.....	.....	.....	2
167	Suicide by poisonous gas	M.	9	.....	.....	.....	.....	.....	.....	.....	9
	,,	F.	1	.....	.....	.....	.....	.....	.....	.....	1
168	Suicide by hanging or strangulation	M.	18	1	5	1	2	1	.....	3	5
	,,	F.	2	.....	1	.....	.....	.....	.....	1	.....
169	Suicide by drowning	M.	9	.....	1	.....	1	.....	.....	1	6
	,,	F.	2	.....	.....	.....	1	.....	1	.....	.....
170	Suicide by firearms	M.	31	7	1	2	2	3	2	6	8
	,,	F.	2	1	.....	.....	.....	.....	.....	.....	1
171	Suicide by cutting or piercing instruments	M.	10	1	1	1	1	.....	.....	.....	6
	,,	F.	2	.....	.....	.....	.....	1	.....	.....	1
173	Suicide by crushing	M.	3	.....	1	.....	.....	.....	1	1	.....
175	Poisoning by food	M.	3	.....	.....	.....	.....	.....	.....	1	2
	,,	F.	2	1	.....	.....	.....	.....	.....	1	.....
177	Other acute accidental poisonings (gas excepted)	M.	4	.....	.....	.....	.....	.....	.....	1	3
	,,	F.	2	.....	.....	.....	.....	.....	1	.....	1
178	Conflagration	M.	11	.....	.....	.....	.....	1	1	9	.....
179	Accidental burns and scalds (conflagration excepted)	M.	7	1	.....	.....	3	.....	.....	1	2
	,,	F.	11	1	1	2	.....	.....	.....	.....	7
180	Accidental mechanical suffocation	M.	4	.....	2	.....	1	.....	.....	.....	1
	,,	F.	1	.....	1	.....	.....	.....	.....	.....	.....
	(a.) Overlaying	F.	1	.....	1	.....	.....	.....	.....	.....	.....
	(b.) Asphyxia	M.	4	.....	2	.....	1	.....	.....	.....	1

TABLE 28.—CAUSES OF DEATH BY SEX IN CENSUS DIVISIONS, BRITISH COLUMBIA, 1928—*Continued.*

No.	CAUSES OF DEATH.		TOTAL.	Victoria.	New Westminster.	Nanaimo.	Beaton.	Alberni.	Ashcroft.	Grand Forks.	Vancouver.
181	Accidental absorption of irrespirable or poisonous gas	M.	9	2	.....	.....	.....	2	.....	.....	5
	,,	F.	1	1	.....	.....	.....	.....	.....	.....	.....
182	Accidental drowning	M.	98	10	14	9	12	18	3	10	22
	,,	F.	10	.....	2	2	.....	.....	.....	.....	6
183	Accidental traumatism by firearms	M.	14	2	1	3	.....	3	2	1	2
	,,	F.	1	1	.....	.....	.....	.....	.....	.....	.....
184	Accidental traumatism by cutting or piercing instruments	M.	2	.....	1	.....	.....	.....	1	.....	.....
185	Accidental traumatism by fall	M.	63	4	7	3	6	4	.....	8	31
	,,	F.	29	3	3	1	4	1	.....	2	15
186	Accidental traumatism in mines and quarries	M.	30	.....	1	6	10	6	.....	3	4
	(a.) Coal-mines	M.	14	.....	.....	6	8	.....	.....	.....	.....
	(b.) Other mines	M.	14	.....	.....	.....	2	6	.....	2	4
	(c.) Quarries	M.	2	.....	1	.....	.....	.....	.....	1	.....
187	Accidental traumatism by machines	M.	17	4	3	2	1	2	.....	1	4
188	Accidental traumatism by other crushing (vehicles, railways, landslides, etc.)	M.	201	20	28	39	19	15	13	15	52
	Ditto	F.	29	1	6	1	1	.....	.....	2	18
	(a.) Railroad accidents	M.	32	1	1	4	10	2	8	4	2
	,,	F.	3	.....	1	.....	.....	.....	.....	1	1
	(b.) Street-car accidents	M.	7	1	.....	.....	.....	.....	.....	.....	6
	,,	F.	3	.....	.....	.....	.....	.....	.....	.....	3
	(c.) Automobile accidents	M.	70	5	20	3	2	.....	1	6	33
	,,	F.	21	1	5	1	.....	.....	.....	1	13
	(d.) Aeroplane and balloon accidents	M.	2	1	.....	.....	.....	1	.....	.....	.....
	(e.) Injury by other vehicles	M.	6	.....	2	.....	.....	1	1	1	1
	,,	F.	1	.....	.....	.....	.....	.....	.....	.....	1
	(f.) Other crushing	M.	84	12	5	32	7	11	3	4	10
	,,	F.	1	.....	.....	.....	1	.....	.....	.....	.....
189	Injuries by animals (poisoning excepted)	M.	1	.....	1	.....	.....	.....	.....	.....	.....
193	Excessive cold	M.	2	.....	.....	.....	.....	.....	.....	1	1
	,,	F.	1	.....	.....	.....	1	.....	.....	.....	.....
194	Excessive heat	M.	2	.....	.....	.....	.....	.....	1	1	.....
196	Other accidental electric shocks	M.	3	.....	.....	.....	1	.....	.....	.....	2
197–	Homicides	M.	6	.....	1	.....	.....	3	.....	.....	2
199	,,	F.	6	1	2	.....	.....	1	.....	.....	2
197	Homicide by firearms	M.	4	.....	.....	.....	.....	3	.....	.....	1
	,,	F.	3	1	1	.....	.....	.....	.....	.....	1
198	Homicide by cutting or piercing instruments	F.	1	.....	.....	.....	.....	1	.....	.....	.....
199	Homicide by other means	M.	2	.....	1	.....	.....	.....	.....	.....	1
	,,	F.	2	.....	1	.....	.....	.....	.....	.....	1
201	Fracture (cause not specified)	M.	2	.....	1	.....	.....	.....	.....	.....	1
	,,	F.	2	.....	.....	.....	.....	.....	.....	.....	2
202	Other external violence (cause specified)	M.	16	1	3	1	4	.....	2	2	3
	,,	F.	2	.....	.....	2	.....	.....	.....	.....	.....
	Class XV. Ill-defined diseases	Total	71	15	8	4	10	15	10	6	3
	,,	M.	54	12	7	3	8	11	7	3	3
	,,	F.	17	3	1	1	2	4	3	3	.....
204	Sudden death	M.	2	.....	.....	.....	.....	1	.....	1	.....
205	Cause of death not specified or ill-defined	M.	52	12	7	3	8	10	7	2	3
	,,	F.	17	3	1	1	2	4	3	3	.....
	(a.) Ill-defined	M.	8	1	.....	1	1	1	2	1	1
	,,	F.	1	.....	.....	.....	.....	.....	1	.....	.....
	(b.) Not specified or unknown	M.	15	1	3	1	.....	4	3	1	2
	,,	F.	8	.....	.....	1	.....	2	2	3	.....
	(c.) Heart-failure	M.	29	10	4	1	7	5	2	.....	.....
	,,	F.	8	3	1	.....	2	2	.....	.....	.....

TABLE 29.—CAUSES OF DEATH BY SEX IN CITIES OF 1,000 POPULATION AND OVER, BRITISH COLUMBIA, 1928.

No.	CAUSES OF DEATH.	TOTAL.	Chilliwack.	Cranbrook.	Cumberland.	Duncan.	Fernie.	Grand Forks.	Kamloops.	Kelowna.	Ladysmith.	Merritt.	Nanaimo.	Nelson.	New Westminster.	North Vancouver.	Port Alberni.	Port Coquitlam.	Port Moody.	Prince George.	Prince Rupert.	Revelstoke.	Rossland.	Trail.	Vancouver City, Point Grey, S. Vancouver.	Vernon.	Victoria.
	Deaths, all causes ..... Total	3980	51	57	28	32	35	26	117	46	35	24	78	70	297	66	32	2	2	30	62	23	20	51	2201	37	558
	,, ... M.	2417	36	42	17	24	21	18	86	24	18	15	42	50	156	39	21	2	.....	25	42	17	10	32	1335	23	322
	,, ... F.	1563	15	15	11	8	14	8	31	22	17	9	36	20	141	27	11	.....	2	5	20	6	10	19	866	14	236
	Class I. Epidemic, endemic, and infectious diseases..Total	588	6	9	2	3	8	2	16	7	6	6	12	8	51	8	4	.....	.....	5	10	4	3	10	328	5	75
	,, ... M.	356	5	8	2	2	4	1	9	3	4	4	5	4	24	5	3	.....	.....	4	5	2	3	8	198	3	50
	,, ... F.	232	1	1	.....	1	4	1	7	4	2	2	7	4	27	3	1	.....	.....	1	5	2	.....	2	130	2	25
1	Typhoid and paratyphoid fever ..... M.	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....
	,, ... F.	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....
	(a.) Typhoid fever ..... M.	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....
	,, ... F.	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....
7	Measles ..... M.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	,, ... F.	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
8	Scarlet fever ..... M.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
	,, ... F.	2	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Whooping-cough ..... M.	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....
	,, ... F.	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....
10	Diphtheria ..... M.	16	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	13	.....	1
	,, ... F.	17	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	1	.....	.....	.....	1	.....	1	.....	.....	12	.....	.....
11	Influenza ..... M.	45	2	1	1	.....	1	.....	2	.....	2	1	2	.....	1	1	2	.....	.....	.....	1	.....	2	.....	23	1	2
	,, ... F.	43	1	.....	.....	.....	2	1	.....	1	.....	.....	3	.....	5	.....	1	.....	.....	.....	3	.....	.....	1	20	.....	5
	(a.) Sole cause ..... M.	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....
	,, ... F.	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	1	.....	.....	1	3	.....	1
	(b.) With phthisis ..... F.	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....
	(c.) With bronchitis ..... M.	3	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
	,, ... F.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
	(d.) With pneumonia ..... M.	24	1	1	.....	.....	.....	.....	.....	.....	2	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	15	1	1
	,, ... F.	20	1	.....	.....	.....	1	1	.....	1	.....	.....	2	.....	3	.....	.....	.....	.....	.....	1	.....	.....	.....	7	.....	3
	(e.) With other respiratory diseases ..... M.	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
	,, ... F.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
	(f.) With diseases and accidents of pregnancy and parturition ..... F.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
	(g.) With other causes ..... M.	13	1	.....	1	.....	.....	.....	1	.....	.....	1	.....	.....	.....	1	1	.....	.....	.....	.....	.....	1	.....	5	.....	1
	,, ... F.	9	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	6	.....	.....
13	Mumps ..... M.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
	,, ... F.	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
16	Dysentery ..... M.	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
	,, ... F.	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
21	Erysipelas ..... M.	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	1	4	1	.....
	,, ... F.	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	.....
22	Acute anterior poliomyelitis ..... M.	10	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	1	.....	.....	.....	3	.....	3
	,, ... F.	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....
23	Lethargic encephalitis ..... M.	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
	,, ... F.	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	2
24	Meningococcus meningitis ..... M.	11	.....	2	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	6	.....	1
	,, ... F.	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....
30	Mycoses ..... M.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
	,, ... F.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
31–37	Tuberculosis, total ..... M.	225	2	3	1	2	3	1	5	2	2	3	1	3	13	2	1	.....	.....	2	2	.....	1	3	133	1	39
	,, ... F.	134	.....	1	.....	.....	1	.....	5	2	2	.....	4	3	14	2	.....	.....	.....	.....	1	1	.....	1	79	1	17

31	Tuberculosis of the respiratory system	M.	169	1	2		1	1	1	4	1	1	2	1	3	10	1				2	2		1	2	103	1	29
	,,	F.	108		1			1		5	2	1		3	2	12	2					1	1		1	63	1	12
32	Tuberculosis of the meninges and central nervous system	M.	18			1	1	1			1					1	1	1								8		3
	Ditto	F.	11									1		1	1											7		1
33	Tuberculosis of the intestines and peritoneum	M.	12					1								2									1	6		2
	,,	F.	7													2										3		2
34	Tuberculosis of the vertebral column	M.	5							1																3		1
	,,	F.	3																							1		2
35	Tuberculosis of the joints	M.	4										1													3		
	,,	F.	1																							1		
36	Tuberculosis of other organs	M.	9	1	1							1														3		3
	(c.) Lymphatic system (mesenteric and retroperitoneal glands excepted)	M.	2																									2
	(d.) Genito-urinary system	M.	7	1	1							1														3		1
37	Disseminated tuberculosis	M.	8																							7		1
	,,	F.	4																							4		
	(a.) Acute	M.	7																							6		1
	,,	F.	3																							3		
	(b.) Chronic or unstated	M.	1																							1		
	,,	F.	1																							1		
38	Syphilis	M.	12							1	1														2	5		3
	,,	F.	7							2						1										3		1
41	Purulent infection, septicæmia	M.	14	1	1										1	3					1	1	1			5		
	,,	F.	2												1											1		
	Class II. General diseases not included in Class I.	Total	658	7	10	5	6	3	4	16	6	6	2	17	9	44	11	2			3	13	3	3	5	389	2	92
	,,	M.	348	5	8	1	5	2	2	13	2	2	2	7	6	20	5	2			2	8	3	2	3	198	2	48
	,,	F.	310	2	2	4	1	1	2	3	4	4		10	3	24	6				1	5		1	2	191		44
43–49	Cancer, total	M.	246	4	5	1	4	2	1	9	1	1	1	4	4	12	5	1			1	6	2	2		141	1	38
	,,	F.	218	1	1	3	1			1	4	2		6	1	16	5				1	4		1	1	136		34
43	Cancer of the buccal cavity	M.	6																							3		3
	,,	F.	1																							1		
44	Cancer of the stomach and liver	M.	109	2	4	1	3			2		1		4	1	6	3					3		1		65		13
	,,	F.	54	1		1	1				3			3	1		2				1					30		11
45	Cancer of the peritoneum, intestines, and rectum	M.	46		1					3			1		2	3	1	1				1	2	1		23		7
	,,	F.	34			1				1						6										19		7
46	Cancer of the female genital organs	F.	57			1					1	2		1		4	3					2			1	35		7
47	Cancer of the breast	M.	2							1																1		
	,,	F.	40		1									1		4						1		1		26		6
48	Cancer of the skin	M.	9						1																	6		2
49	Cancer of other or unspecified organs	M.	74	2			1	2		3	1				1	3	1				1	2				43	1	13
	,,	F.	32											1		2						1				25		3
	(a.) Cancer of eye and ear	M.	1																							1		
	(b.) Cancer of circulatory system	M.	4							1																3		
	,,	F.	4											1												3		
	(c.) Cancer of respiratory system	M.	12																		1					10		1
	,,	F.	6																							5		1
	(d.) Cancer of digestive system	M.	17				1	1								2	1					1				8	1	2
	,,	F.	10																			1				7		2
	(e.) Cancer of genito-urinary organs	M.	33	2			1			2	1					1						1				19		6
	,,	F.	3													2										1		
	(f.) Cancer of bones and joints	M.	1																							1		
	,,	F.	1																							1		
	(g.) Cancer of other specified organs	M.	4																									4
	,,	F.	6																							6		
	(h.) Generalized cancer	M.	2												1											1		
	,,	F.	2																							2		

TABLE 29.—CAUSES OF DEATH BY SEX IN CITIES OF 1,000 POPULATION AND OVER, BRITISH COLUMBIA, 1928—*Continued.*

No.	CAUSES OF DEATH.	TOTAL.	Chilliwack.	Cranbrook.	Cumberland.	Duncan.	Fernie.	Grand Forks.	Kamloops.	Kelowna.	Ladysmith.	Merritt.	Nanaimo.	Nelson.	New Westminster.	North Vancouver.	Port Alberni.	Port Coquitlam.	Port Moody.	Prince George.	Prince Rupert.	Revelstoke.	Rossland.	Trail.	Vancouver City, Point Grey, S. Vancouver.	Vernon.	Victoria.
50	Benign tumours and tumours not returned as malignant (tumours of female genital organs excepted.....F.	2																						2		
51	Acute rheumatic fever .....M.	7													2								1	3		1
	,, ...F.	9									2				1								1	5		
52	Chronic rheumatism, osteoarthritis, gout .....M.	1																				1				
	,, ...F.	1																						1		
56	Rickets .....F.	1																						1		
57	Diabetes mellitus .....M.	27	1	1					1	1			1	2	2									15		3
	,, ...F.	32		1			1		1				3	1	2									21		2
58	Anæmia, chlorosis .....M.	14											1		3						1			7		2
	,, ...F.	11						1					1		2	1					1			2		3
	(a.) Pernicious anæmia .....M.	13											1		2						1			7		2
	,, ...F.	9											1		2	1					1			2		2
	(b.) Other anæmias and chlorosis .....M.	1													1											
	,, ...F.	2						1																			1
60	Diseases of the thyroid gland .....M.	5		1																				2	1	1
	,, ...F.	18	1					1						1	2									9		4
	(a.) Exophthalmic goitre .....M.	2		1																				1		
	,, ...F.	10	1					1																6		2
	(b.) Other diseases of the thyroid gland.....M.	3																						1	1	1
	,, ...F.	8												1	2									3		2
61	Diseases of the parathyroid glands .....F.	1																						1		
62	Diseases of the thymus .....M.	11				1			1						1						1		1	5		1
	,, ...F.	5													1									4		
63	Diseases of the adrenals (Addison's disease).....M.	1							1																	
64	Diseases of the spleen .....M.	2																						2		
	,, ...F.	1			1																					
65	Leukæmia, lymphadenoma .....M.	11							1		1	1												7		1
	,, ...F.	5																						4		1
	(a.) Leukæmia .....M.	8									1	1												6		
	,, ...F.	4																						3		1
	(b.) Lymphadenoma (Hodgkin's disease).....M.	3							1															1		1
	,, ...F.	1																						1		
66	Alcoholism .....M.	19		1				1									1						1	14		1
	,, ...F.	2																						2		
	(a.) Delirium tremens .....M.	3															1						1	1		
	(b.) Acute alcoholism .....M.	9		1																				8		
	,, ...F.	2																						2		
	(c.) Chronic alcoholism .....M.	7						1																5		1
68	Chronic organic poisoning .....M.	3											1											2		
	,, ...F.	2																						2		
	(a.) Chronic morphinism .....F.	1																						1		
	(b.) Chronic cocainism, etc. .....F.	1																						1		
	(c.) Other organic poisoning .....M.	3											1											2		
69	Other general diseases .....M.	1																		1						
	,, ...F.	2							1															1		
	(b.) Hæmophilia .....F.	1																						1		
	(c.) Purpura, hæmorrhagica .....M.	1																		1						
	(d.) Others under this title .....F.	1							1																	

	Class III. Diseases of the nervous system and of the organs of special sense ..... Total	283	3	9	1	2	3	1	4	2	1	1	2	11	19	4	2	.....	1	1	2	2	1	.....	155	2	54
	Ditto ..... M.	150	2	5	.....	1	1	.....	2	1	.....	.....	.....	7	6	2	1	.....	.....	.....	2	1	.....	.....	93	1	25
	,, ... F.	133	1	4	1	1	2	1	2	1	1	1	2	4	13	2	1	.....	1	1	.....	1	1	.....	62	1	29
70	Encephalitis ..... M.	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....
	(a.) Abscess of brain ..... M.	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....
71	Meningitis ..... M.	9	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	6	.....	2
	,, ... F.	9	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	6	.....	1
	(a.) Simple meningitis ..... M.	9	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	6	.....	2
	,, ... F.	9	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	6	.....	1
72	Tabes dorsalis (locomotor ataxia) ..... M.	6	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	.....	.....
	,, ... F.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
73	Other diseases of the spinal cord ..... M.	13	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	10	.....	.....
	,, ... F.	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1
74	Cerebral hæmorrhage, apoplexy ..... M.	68	1	3	.....	1	.....	.....	.....	1	.....	.....	.....	5	4	1	.....	.....	.....	.....	2	1	.....	.....	33	.....	16
	,, ... F.	70	1	4	1	1	1	1	.....	1	.....	.....	1	2	6	2	.....	.....	.....	.....	.....	1	.....	.....	27	1	20
	(a.) Apoplexy ..... M.	9	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	2	.....	.....	.....	.....	.....	.....	1	.....	.....	3	.....	1
	,, ... F.	16	.....	.....	.....	1	1	.....	1	.....	.....	1	1	.....	.....	2	.....	.....	.....	.....	.....	1	.....	.....	6	.....	2
	(b.) Cerebral hæmorrhage ..... M.	53	1	3	.....	.....	.....	.....	1	.....	.....	.....	3	2	1	.....	.....	.....	.....	2	.....	.....	.....	.....	27	.....	13
	,, ... F.	54	1	4	1	1	.....	.....	.....	.....	.....	.....	1	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	21	1	18
	(c.) Cerebral thrombosis and embolism ..... M.	6	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	2
75	Paralysis without specified cause ..... M.	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	5	.....	.....
	,, ... F.	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	1
	(a.) Hemiplegia ..... M.	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	.....	.....
	,, ... F.	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	1
	(b.) Others under this title ..... M.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
	,, ... F.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
76	General paralysis of the insane ..... M.	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	.....
	,, ... F.	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....
77	Other forms of mental alienation ..... M.	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	2
	,, ... F.	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	1
78	Epilepsy ..... M.	5	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	.....
	,, ... F.	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	1	.....	.....	.....	.....	1	.....	.....
79	Convulsions, non-puerperal (5 years or over) ..... F.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
80	Infantile convulsions (under 5 years of age) ..... M.	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	1	1	1
	,, ... F.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
82	Neuralgia and neuritis ..... F.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
83	Softening of the brain ..... M.	4	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....
	,, ... F.	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....
84	Other diseases of the nervous system ..... M.	13	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	9	.....	3
	,, ... F.	19	.....	.....	.....	.....	.....	.....	2	.....	.....	1	.....	.....	2	.....	.....	.....	1	.....	.....	.....	.....	.....	11	.....	2
86	*Diseases of the ear and of the mastoid process* ..... M.	14	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	13	.....	1
	,, ... F.	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	5	.....	3
	(a.) Diseases of the ear ..... M.	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	6	.....	.....
	,, ... F.	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....
	(b.) Diseases of the mastoid process ..... M.	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	7	.....	1
	,, ... F.	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	3
	Class IV. Diseases of the circulatory system ..... Total	822	12	10	6	5	9	4	31	3	2	4	15	22	61	12	5	.....	.....	2	11	3	7	7	455	7	129
	,, ... M.	516	9	9	3	5	5	2	24	3	1	2	9	19	38	9	5	.....	.....	2	8	2	3	4	279	5	70
	,, ... F.	306	3	1	3	.....	4	2	7	.....	1	2	6	3	23	3	.....	.....	.....	.....	3	1	4	3	176	2	59
87–90	Diseases of the heart ..... M.	296	8	7	1	2	4	2	13	1	.....	2	7	16	22	4	3	.....	.....	2	5	1	2	2	148	4	40
	,, ... F.	202	3	.....	2	.....	3	2	5	.....	1	2	5	3	15	3	.....	.....	.....	.....	2	1	4	3	100	1	47
87	Pericarditis ..... M.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
	,, ... F.	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
88	Endocarditis and myocarditis (acute) ..... M.	10	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	9	.....	.....
	,, ... F.	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	3	.....	4
	(a.) Acute endocarditis ..... M.	8	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	7	.....	.....
	,, ... F.	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	3

TABLE 29.—CAUSES OF DEATH BY SEX IN CITIES OF 1,000 POPULATION AND OVER, BRITISH COLUMBIA, 1928—*Continued.*

No.	CAUSES OF DEATH.	TOTAL.	Chilliwack.	Cranbrook.	Cumberland.	Duncan.	Fernie.	Grand Forks.	Kamloops.	Kelowna.	Ladysmith.	Merritt.	Nanaimo.	Nelson.	New Westminster.	North Vancouver.	Port Alberni.	Port Coquitlam.	Port Moody.	Prince George.	Prince Rupert.	Revelstoke.	Rossland.	Trail.	Vancouver City, Point Grey, S. Vancouver.	Vernon.	Victoria.
	Diseases of the heart—Continued.																										
	(b.) Acute myocarditis ..... M.	2																						2		
	,, ... F.	3																					1	1		1
89	Angina pectoris ..... M.	34	1	1			2							1	4						1		1	19		4
	,, ... F.	20																				1		15		4
90	Other diseases of the heart ..... M.	251	7	6	1	2	1	2	13	1		2	7	15	18	4	3			2	4	1	2	1	119	4	36
	,, ... F.	172	3		2		3	2	4		1	2	5	3	15	3					2	1	2	2	82	1	39
	(a.) Valvular disease ..... M.	47	1	2		1	1		2					2	1		1			2				1	24	1	8
	,, ... F.	35	3					2					1	1	3							1			17		7
	(b.) Fatty degeneration of the heart ..... M.	2											1												1		
	,, ... F.	3																							2		1
	(d.) Chronic endocarditis ..... M.	44		2					1	1		1	2	5							2		1		22		7
	,, ... F.	45					2		1		1	2		1	1	1							1		23	1	11
	(e.) Chronic myocarditis ..... M.	130	6	1	1	1		1	10			1	2	7	17	4	1				1	1	1		61	2	12
	,, ... F.	66			1				2				1	1	10	1					2		1	2	34		11
	(f.) Others under this title ..... M.	28		1				1					2	1			1				1				11	1	9
	,, ... F.	23			1		1		1				3		1	1									6		9
91	Diseases of the arteries ..... M.	207	1	1	2	2	1		11	2	1		2	3	16	4	1				3	1	1	2	125	1	27
	,, ... F.	99		1	1		1		2				1		8						1				73	1	10
	(a.) Aneurism ..... M.	20							2		1				2									1	14		
	,, ... F.	3																							2		1
	(b.) Arteriosclerosis ..... M.	183	1	1	2	2	1		9	2			2	2	14	4	1				3	1	1	1	108	1	27
	,, ... F.	94		1	1		1		2				1		7						1				70	1	9
	(c.) Other diseases of the arteries ..... M.	4												1											3		
	,, ... F.	2													1										1		
92	Embolism and thrombosis (not cerebral) ..... M.	10		1		1											1								4		3
	,, ... F.	4																							2		2
93	Diseases of the veins (varices, hæmorrhoids, phlebitis, etc.) ..... M.	3														1								2		
95	Hæmorrhage without specified cause ..... F.	1																						1		
	Class V. Diseases of the respiratory system ..... Total	321	5	5	3	3	2	1	10	10	3	4	5	1	20	4	4			3	3		2	3	185	8	37
	,, ... M.	201	3	3	2	3	1		8	3	3	2	5		7	1				3	3		1	3	126	3	21
	,, ... F.	120	2	2	1		1	1	2	7		2		1	13	3	4						1		59	5	16
97	Diseases of the nasal fossæ and their annexa ..... M.	1																							1		
98	Diseases of the larynx ..... M.	1																							1		
	,, ... F.	3																							1		2
	(b.) Laryngitis ..... M.	1																							1		
	,, ... F.	2																							1		1
	(c.) Croup ..... F.	1																									1
99	Bronchitis ..... M.	6								1			1								2						2
	,, ... F.	6																							5		1
	(a.) Acute ..... M.	1											1														
	,, ... F.	2																							2		
	(b.) Chronic ..... M.	3								1											1						1
	,, ... F.	2																							1		1
	(c.) Not otherwise defined (under 5 years of age) ..... M.	1																			1						
	,, ... F.	2																							2		
	(d.) Not otherwise defined (5 years or over) ..... M.	1																									1

100	Bronchopneumonia (including capillary bronchitis)	M.	36				1			1				2		1						1		1	1	25		3
	,,	F.	28	1	1					1	1				1	5		2						1		13		2
	(a.) Bronchopneumonia	M.	35			1				1				1		1						1		1	1	25		3
	,,	F.	28	1	1					1	1				1	5		2						1		13		2
	(b.) Capillary bronchitis	M.	1											1														
101	Pneumonia	M.	118	2	2	2	2	1		5	2	1	1	1		5	1					2			2	75	3	11
	,,	F.	59	1		1		1	1	6		2				4	2	1								29	3	7
	(a.) Lobar	M.	86	2	2	1	2			2	1	1	1	1		2	1					2			1	60	2	5
	,,	F.	40	1		1			1		6		1			2	1									21	3	3
	(b.) Not otherwise defined	M.	32			1		1		3	1					3									1	15	1	6
	,,	F.	19					1		1			1			2	1	1								8		4
102	Pleurisy	M.	17	1						1												1				11		3
	,,	F.	7													1		1								3		2
103	Congestion and hæmorrhagic infarct of the lung	M.	2																							1		1
	,,	F.	7													3	1									2	1	
104	Gangrene of the lung	M.	1							1																		
105	Asthma	M.	6										1	1												4		
	,,	F.	8		1																					4	1	2
107	Other diseases of the respiratory system (tuberculosis excepted)	M.	13		1						2					1										8		1
	Ditto	F.	2																							2		
	(a.) Chronic interstitial pneumonia (including occupational diseases of the lungs)	M.	6								2															4		
	(c.) Others under this title	M.	7		1											1										4		1
	,,	F.	2																							2		
	Class VI. Diseases of the digestive system	Total	301	3	3	3	4	3	4	13	7	5		6	2	19	5	3		1	7	2		2	3	157	5	44
	,,	M.	186	2	2	2	1	3	3	8	5	2		4	2	8	4	1			6			1	3	96	3	28
	,,	F.	115	1	1	1	3		1	5	2	3		2		11	1	2		1	1			1		61	2	16
108	Diseases of the mouth and annexa	M.	4																		1					3		
109	Diseases of the pharynx and tonsils (including adenoid vegetations)	M.	6								2															4		
	,,	F.	8															1								5		2
	(b.) Pharynx and tonsils	M.	6								2															4		
	,,	F.	8															1								5		2
110	Diseases of the œsophagus	M.	2							1																1		
	,,	F.	1								1																	
111	Ulcer of the stomach and duodenum	M.	34							2	1					1					2				2	16	1	9
	,,	F.	8				1			1						2										3		1
	(a.) Ulcer of the stomach	M.	22							1	1					1					2				2	9	1	5
	,,	F.	4				1									1										1		1
	(b.) Ulcer of the duodenum	M.	12							1																7		4
	,,	F.	4							1						1										2		
112	Other diseases of the stomach (cancer excepted)	M.	12													1								1		6		4
	,,	F.	12			1										1				1						9		
113	Diarrhœa and enteritis (under 2 years of age)	M.	8								1	1		1		1	1									2		1
	,,	F.	9			1								2		1								1		3		1
114	Diarrhœa and enteritis (2 years or over)	M.	12								1	1				1	1									8		
	,,	F.	14			1				1	1					3										6		2
117	Appendicitis and typhlitis	M.	44	2		1		2		3					1	2	2	1			1				1	21		7
	,,	F.	20						1	1						4										13	1	
118	Hernia, intestinal obstruction	M.	14			1										1										9		3
	,,	F.	16	1						1		1					1	1								8		3
	(a.) Hernia	M.	8			1										1										4		2
	,,	F.	9	1						1		1						1								4		1
	(b.) Intestinal obstruction	M.	6																							5		1
	,,	F.	7														1									4		2
119	Other diseases of the intestines	M.	4							2																2		
	,,	F.	2								1															1		

TABLE 29.—CAUSES OF DEATH BY SEX IN CITIES OF 1,000 POPULATION AND OVER, BRITISH COLUMBIA, 1928—*Continued.*

No.	CAUSES OF DEATH.	TOTAL.	Chilliwack.	Cranbrook.	Cumberland.	Duncan.	Fernie.	Grand Forks.	Kamloops.	Kelowna.	Ladysmith.	Merritt.	Nanaimo.	Nelson.	New Westminster.	North Vancouver.	Port Alberni.	Port Coquitlam.	Port Moody.	Prince George.	Prince Rupert.	Revelstoke.	Rossland.	Trail.	Vancouver City, Point Grey, S. Vancouver.	Vernon.	Victoria.
120	Acute yellow atrophy of the liver.....M	1																						1		
	,, ...F.	1																						1		
122	Cirrhosis of the liver.....M.	19		1		1		1					3	1						2	1				8		1
	,, ...F.	5																		1					4		
	(b.) Not specified as alcoholic.....M	19		1		1		1					3	1						2	1				8		1
	,, ...F.	5																		1					4		
123	Biliary calculi .....M	4																							3	1	
	,, ...F.	7																							4		3
124	Other diseases of the liver.....M	18		1			1	2																	10	1	3
	,, ...F.	6							1		1														2		2
125	Diseases of the pancreas.....M	2													1										1		
	,, ...F.	2																							1	1	
126	Peritonitis without specified cause.....M.	2																			1				1		
	,, ...F.	4		1																					1		2
	Class VII. Non-venereal diseases of the genito-urinary system and annexa .....Total	331	1	4	2		1	3	10	5	2	3	6	8	23	3	3			3	5	1		4	191	1	52
	Ditto .....M.	229		4	2		1	3	10	3	1	2	2	6	12	2	3			2	3	1		2	133	1	36
	,, ...F.	102	1							2	1	1	4	2	11	1				1	2			2	58		16
128	Acute nephritis (including unspecified, under 10 years of age) .....M	9					1			1					1										5		1
	Ditto .....F	3																							3		
129	Chronic nephritis (including unspecified, 10 years of age or over) .....M	158		1	1			3	7			2	1	4	9	2	3			2	2	1		2	94	1	23
	Ditto .....F	72	1							1	1	1	4	1	7					1	2			2	41		10
131	Other diseases of the kidneys and annexa.....M	11									1			1							1				7		1
	,, ...F	5												1	1										2		1
132	Calculi of the urinary passages.....M	1																							1		
133	Diseases of the bladder.....M.	3																							2		1
	,, ...F.	1													1												
135	Diseases of the prostate .....M.	46		3	1				3	2			1	1	2										23		10
136	Non-venereal diseases of the male genital organs.....M.	1																							1		
137	Cysts and other benign tumours of the ovary.....F.	2																									2
138	Salpingitis and pelvic abscess.....F.	7								1					1										4		1
139	Benign tumours of the uterus.....F.	6													1	1									3		1
141	Other diseases of the female genital organs.....F.	5																							4		1
142	Non-puerperal diseases of the breast (cancer excepted)..F.	1																							1		
	Class VIII. The puerperal state.....Total F.	38	1	2		1					1	1	1	1	4	5					2		2		15		2
143	Accidents of pregnancy.....F.	7	1								1					1					1				2		1
	(b.) Ectopic gestation .....F.	3									1										1				1		
	(c.) Others under this title.....F.	4	1													1									1		1
144	Puerperal hæmorrhage .....F.	1													1												
145	Other accidents of labour.....F.	4										1													3		
	(a.) Caesarean section .....F.	1																							1		
	(b.) Difficult labour .....F.	2																							2		
	(c.) Other surgical operations and instrumental delivery .....F.	1										1															

146	Puerperal septicæmia ..... F.	16		2									1	1		2					1		2		6		1
147	Puerperal phlegmasia alba dolens, puerperal embolism, sudden death in puerperium ..... F.	2													1	1												
148	Puerperal albuminuria and convulsions ..... F.	8				1									2	1									4		
	Class IX. Diseases of the skin and of the cellular tissue ..... Total	21				1		1						2	1	1									10		5
	Ditto ..... M.	13				1		1						2		1									7		1
	,, ... F.	8													1										3		4
151	Gangrene ..... M.	6				1		1						1											2		1
	,, ... F.	4																							1		3
152	Furuncle ..... F.	1													1												
153	Acute abscess ..... M.	3												1											2		
	,, ... F.	1																							1		
154	Other diseases of the skin and annexa ..... M.	4														1									3		
	,, ... F.	2																							1		1
	Class X. Diseases of the bones and of the organs of locomotion ..... Total	7						1							1										3		2
	Ditto ..... M.	2													1										1		
	,, ... F.	5						1																	2		2
155	Diseases of the bones (mastoid and tuberculosis excepted) ..... M.	2													1										1		
	Ditto ..... F.	3						1																	1		1
156	Diseases of the joints (tuberculosis and rheumatism excepted) ..... F.	2																							1		1
	Class XI. Malformations ..... Total	48	1						2					3	1				1		1				36		2
	,, ... M.	31	1						1					3	1				1						22		2
	,, ... F.	17							1						1						1				14		
159	Congenital malformations (still-births not included) ..... M	31	1						1					3	1				1						22		2
	,, ... F.	17							1						1						1				14		
	(a.) Congenital hydrocephalus ..... M.	3																							3		
	,, ... F.	1																			1						
	(b.) Congenital malformations of the heart ..... M	14												1											12		1
	,, ... F.	12							1						1										10		
	(c.) Others under this title ..... M	14	1						1					2	1				1						7		1
	,, ... F.	4																							4		
	Class XII. Diseases of early infancy ..... Total	166	4	4	2	2	2	1	4		4		5	2	17	3	2			2	3			13	76	3	17
	,, ... M.	86	2	2	2	1	1	1	3		1		3	1	9	2	1			2	2			5	39	1	8
	,, ... F.	80	2	2		1	1		1		3		2	1	8	1	1				1			8	37	2	9
160	Congenital debility, icterus, and sclerema ..... M	6	1		1												1			1					2		
	,, ... F.	10	1										1		3									1	2	1	1
161	Premature birth, injury at birth ..... M.	67	1	2	1		1	1	3				3	1	8	1				1	1			4	33		6
	,, ... F.	60	1			1	1		1		2		1		4	1	1				1			6	31	1	8
	(a.) Premature birth ..... M	57	1	2	1		1	1	2				2	1	8	1				1	1			2	28		5
	,, ... F	54	1			1	1		1		2		1		4	1	1				1			6	27	1	6
	(b.) Injury at birth ..... M	10							1				1											2	5		1
	,, ... F.	6																							4		2
162	Other diseases peculiar to early infancy ..... M	13			1						1				1	1					1			1	4	1	2
	,, ... F.	10		2							1			1	1									1	4		
	(a.) Specified diseases ..... M	13			1						1				1	1					1			1	4	1	2
	,, ... F.	10		2							1			1	1									1	4		

TABLE 29.—CAUSES OF DEATH BY SEX IN CITIES OF 1,000 POPULATION AND OVER, BRITISH COLUMBIA, 1928—*Continued.*

No.	CAUSES OF DEATH.	TOTAL.	Chilliwack.	Cranbrook.	Cumberland.	Duncan.	Fernie.	Grand Forks.	Kamloops.	Kelowna.	Ladysmith.	Merritt.	Nanaimo.	Nelson.	New Westminster.	North Vancouver.	Port Alberni.	Port Coquitlam.	Port Moody.	Prince George.	Prince Rupert.	Revelstoke.	Rossland.	Trail.	Vancouver City, Point Grey, S. Vancouver.	Vernon.	Victoria.
	Class XIII. Old age ..... Total	25	1				1	1					3		1	1					1				10	1	5
	,, ... M.	11	1					1					2		1										3	1	2
	,, ... F.	14					1						1			1					1				7		3
164	Senility ..... M.	11	1					1					2		1										3	1	2
	,, ... F.	14					1						1			1					1				7		3
	Class XIV. External causes ..... Total	353	4	1	4	5	2	4	12	4	5	3	6	4	33	7	6	2		3	10	8		6	189	3	32
	,, ... M.	275	3	1	3	5	2	4	9	3	4	3	5	3	27	7	5	2		3	9	8		4	138	3	24
	,, ... F.	78	1		1				3	1	1		1	1	6		1				1			2	51		8
165–174	Suicide ..... M.	55			1			2	1	1					6		1				3				35		5
	,, ... F.	9													1		1							1	6		
165	Suicide by solid or liquid poisons (corrosive substances excepted) ..... M.	1																							1		
	Ditto ..... F.	1																							1		
166	Suicide by corrosive substances ..... M.	5													1		1								3		
	,, ... F.	2																							2		
167	Suicide by poisonous gas ..... M.	9																							9		
	,, ... F.	1																							1		
168	Suicide by hanging or strangulation ..... M.	11							1						4						1				4		1
	,, ... F.	1													1												
169	Suicide by drowning ..... M.	5																							5		
	,, ... F.	1																						1			
170	Suicide by firearms ..... M.	16			1			2		1											2				7		3
	,, ... F.	1																							1		
171	Suicide by cutting or piercing instruments ..... M.	7																							6		1
	,, ... F.	2															1								1		
173	Suicide by crushing ..... M.	1													1												
175	Poisoning by food ..... M.	2																							2		
	,, ... F.	2								1																	1
177	Other acute accidental poisonings (gas excepted) ..... M.	3								1															2		
	,, ... F.	1																							1		
178	Conflagration ..... M.	1																		1							
179	Accidental burns and scalds (conflagration excepted) ..... M.	4																				1			2		1
	,, ... F.	11									1		1		1										7		1
180	Accidental mechanical suffocation ..... M.	1																							1		
	,, ... F.	1	1																								
	(a.) Overlaying ..... F.	1	1																								
	(b.) Asphyxia ..... M.	1																							1		
181	Accidental absorption of irrespirable or poisonous gas ..... M.	6																			1				3		2
	,, ... F.	1																									1
182	Accidental drowning ..... M.	23								1		1			4	1		1			1			1	10	1	2
183	Accidental traumatism by firearms ..... M.	4																1							2		1
	,, ... F.	1																									1
184	Accidental traumatism by cutting or piercing instruments ..... M.	2													1					1							
185	Accidental traumatism by fall ..... M.	50			1			1	4					3	3	2	3				1	1			28	1	2
	,, ... F.	23							2					1	1									1	15		3

186	Accidental traumatism in mines and quarries	M.	6					1				1		4														
	(a.) Coal-mines	M.	6					1				1		4														
187	Accidental traumatism by machines	M.	9													1		1								4		3
188	Accidental traumatism by other crushing (vehicles, railways, landslides, etc.)	M.	96	3	1	1	5	1	1	3		3	2	1		12	4				1	3	4		1	42	1	7
	Ditto	F.	22							1						2										18		1
	(a.) Railroad accidents	M.	9					1		1												1	3		1	2		
	,,	F.	2							1																1		
	(b.) Street-car accidents	M.	7																							6		1
	,,	F.	3																							3		
	(c.) Automobile accidents	M.	56	1	1				1	2			1			12	3					1				29	1	4
	,,	F.	16													2										13		1
	(d.) Aeroplane and balloon accidents	M.	2																			1						1
	(e.) Injuries by other vehicles	M.	2	1																						1		
	,,	F.	1																							1		
	(f.) Other crushing	M.	20	1		1	5					3	1	1			1				1	1				4		1
196	Other accidental electric shocks	M.	2																							2		
197–	Homicides	M.	1																							1		
199	,,	F.	4													1						1				2		
197	Homicide by firearms	M.	1																							1		
	,,	F.	1																							1		
198	Homicide by cutting or piercing instruments	F.	1																			1						
199	Homicide by other means	F.	2													1										1		
201	Fracture (cause not specified)	M.	1																							1		
	,,	F.	2																							2		
202	Other external violence (cause specified)	M.	9							1													2		2	3		1
	,,	F.	1			1																						
	Class XV. Ill-defined diseases	Total	18	3				1										1				1				2		10
	,,	M.	13	3				1																		2		7
	,,	F.	5															1				1						3
205	Cause of death not specified or ill-defined	M.	13	3				1																		2		7
	,,	F.	5															1				1						3
	(a.) Ill-defined	M.	1																							1		
	(b.) Not specified or unknown	M.	1																							1		
	(c.) Heart-failure	M.	11	3				1																				7
	,,	F.	5															1				1						3

TABLE 30.—MARRIAGES BY MONTHS FOR BRITISH COLUMBIA, 1928.

PROVINCE.	TOTAL.	MONTHS.											
		Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
British Columbia	4,942	255	299	266	416	303	611	477	475	517	450	435	438

TABLE 31.—MARRIAGES—CONJUGAL CONDITION OF CONTRACTING PARTIES, FOR BRITISH COLUMBIA, 1928.

PROVINCE.	TOTAL MARRIAGES.	MARRIAGES BETWEEN									PER CENT. OF BRIDE-GROOMS WHO WERE			PER CENT. OF BRIDES WHO WERE		
		Bachelors and			Widowers and			Divorced Men and								
		Spinsters.	Widows.	Divorced.	Spinsters.	Widows.	Divorced.	Spinsters.	Widows.	Divorced.	Bachelors.	Widowers.	Divorced.	Spinsters.	Widows.	Divorced.
British Columbia	4,942	3,938	226	146	224	179	28	111	36	54	87.2	8.7	4.1	86.5	8.9	4.6

TABLE 32.—MARRIAGES—AGES OF BRIDEGROOMS AND BRIDES, BRITISH COLUMBIA, 1928.

AGE OF BRIDE.

Age of Bridegroom.	Total Grooms.	Under 16.	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32
Under 18	7		1	2	1	2	1												
18	16		3	3	5	3		1					1						
19	40	1	6	3	7	9	10	1	2					1					
20	92	1	1	14	15	19	20	5	7	4	1	1	2				1		1
21	287		12	19	50	41	32	84	24	14	5	3	1	1					
22	347		6	12	41	52	36	93	54	25	9	8	2	2	2	4			1
23	323		1	16	38	35	31	69	41	39	17	18	8	4	4	1	1		
24	312	1	7	5	26	25	29	39	62	39	32	21	11	4	6	2	1	1	
25	330		2	8	25	29	24	40	41	42	38	37	17	5	9	4	4	2	
26	341	1	3	10	18	23	20	48	38	37	45	34	31	15	9		6		1
27	287	1	3	8	18	14	26	35	34	25	21	23	14	22	14	6	5	5	3
28	312		3	7	13	17	18	42	34	20	28	25	29	22	23	7	5	3	9
29	220		1	2	9	15	7	26	25	22	29	16	15	15	9	12	6	3	1
30	175		3	3	4	10	11	15	10	11	13	21	17	7	10	9	14	8	3
31	149			2	2	8	6	22	6	16	7	11	11	14	7	5	9	8	4
32	140			2	3	4	9	14	8	10	13	12	7	15	9	5	2	4	8
33	120			1	3	8	4	10	7	5	9	10	6	9	10	6	2	6	8
34	109				1	3	2	5	6	7	7	3	13	9	16	7	3	3	6
35	123		1	1	1		4	11	11	7	10	12	6	5	6	5	6	7	3
36	103			2	4	3	4	5	6	7	5	7	7	4	9	5	6	6	1
37	91			2		6	4	3	3	5	5	6	6	4	5	3	4	6	4
38	93		1		1	1	1	3	4	5	6	8	5	13	6	2	8	3	2
39	100			1	2	2	2		2	3	7	4	12	6	4	6	6	4	2
40	89			1	1		3	1	4	5	5	5	6	6	7	2	3	3	4
41	54					1	3	3	1	3	2	2	3		2	2	2		3
42	60					3	1	1	2	1	2	3	1	3	3	2	2	4	2
43	53			1	1		1	1		2	5	1	2	1	2	3	2	2	2
44	60				1			2	4	1	1	3	1		1	2	3		1
45	46						1		1			1	1	2	3	1	1		3
46	40			1					1	2			3		1	2	2		
47	33								2	1			1	3	2		1		1
48	49			1									1	3	2	1	4	3	1
49	19															1			2
50–54	119						1	1	1	1	2		1		2	1	2	5	2
55–59	85										1		1			1	2	4	2
60–64	57							1			1	1							
65–69	31																		
70–74	17																		
75–79	5																		
80 and over	3														1				
Not stated	5			1			1			1									
Total brides	4942	5	54	128	290	333	312	581	441	360	326	296	242	195	184	107	113	90	80

Age of Bridegroom.	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50–54	55–59	60–64	65–69	70–74	75 and over.	Not stated.
Under 18																								
18																								
19																								
20																								
21							1																	
22																								
23																								
24											1													
25			1		1						1													
26		1	1																					
27	2	4	2	1			1																	
28	1	2	1	1		1																		
29	1	4				1			1															
30	1			2		2					1													
31	3	1	3				1	1		1		1												
32	3	1	4	1	2					3						1								
33	5	3	2		3	2				1														
34	4	6	6		2																			
35	4	4	7	3	3	1	1	2	1				1											
36	5	3	2	3	3	1	1	1	1	1	1													
37	4	4	3	3	5	1	1	2	1			1												
38	4	5	2	2	4	2	1			1	1	1					1							
39	4	5	7	4	3	4	4	1	2	2		1												
40	4	2	5	6	4	1	2	2	4	1		1			1									
41	3	2	3	3	1	3	2	2	5		1		1			1								
42	3	2	1	2	4	1	3	3		6	3		1	1										
43	3	1	1	1	7	2	1	1	2	1	3	1	1		1			1						
44	3	5	3	1	3	2	2	4	1	5	3	2		1	2	2	1							
45		2	2	3	2	3		1	6	5			2	1	1			1	2	1				
46			3	5	3	2	2	2		2	2	1	2		2		1	1						
47	1	2	2	4	1	2		1	1			1	2	1	1	1		2						
48	2	2		2	1	4	2	1	3		2	2	3	3	2	1	1	2						
49	1	1	1	1	1		1	1		1		1				3	1	2	1					
50–54	1	4	8	2	6	2	5	8	4	8	2	4	5	4	4	6	3	14	8	2				
55–59	1	1	2	3	2	6		4	3	2	1	4	4	5		5	2	13	11	5				
60–64	1			1	2	2			2	2	1	3	2	1	3	1	3	12	6	10	2			
65–69							1	1	1	1		2	1				1	7	7	5	2			
70–74											1		1	1		1	1	1	5	3	1	2		
75–79																			2		2	1		
80 and over																				1	1			
Not stated					1																			
Total brides	64	67	72	54	64	45	32	38	38	43	24	26	26	18	17	22	15	56	42	27	8	3		

TABLE 33.—MARRIAGES—DENOMINATIONS OF CONTRACTING PARTIES, BRITISH COLUMBIA, 1928.

DENOMINATION OF GROOM.	TOTAL GROOMS.	DENOMINATION OF BRIDE.																														
		Adventists.	Anglicans.	Baptists.	Brethren.	Christians.	Christian Science.	Church of Christ.	Congregationalists.	Disciples.	Evangelicals.	Friends.	Greek Catholics.	Greek Orthodox.	Holiness Movement.	Jews.	Lutherans.	Mennonites.	Methodists.	Mormons.	Pentecostal.	Presbyterians.	Protestants.	Roman Catholics.	Salvation Army.	Unitarians.	United Brethren.	United Church.	Oriental Religions.	No Religion.	Other Sects.	Not stated.
Adventists	12	9																					1				2				
Anglicans	1327		809	39	3	1	2							1			14			2		145	14	57	1			226		6	7	
Baptists	222		40	71		2							1	1			6			1	1	32	3	7				56		1		
Brethren	8		1		4																	1						2				
Christians	33		4	1		19																3		1				2	2		1	
Christian Science	32		6	1			17										1					2	1					3		1		
Church of Christ	2																					1						1				
Congregationalists																																
Disciples	2																											2				
Evangelicals	2		1																			1										
Friends	2		1																			1										
Greek Catholics	8		1										4											3								
Greek Orthodox	44		6	1										27			1					2	2	4				1				
Holiness Movement																																
Jews	18															17						1										
Lutherans	346	1	39	7	1	2					1			1		1	228	1		1		12	2	13	4			30			2	
Mennonites	2		1	1																												
Methodists																																
Mormons	7					1											1			1				1				3				
Penticostal	12																				12											
Presbyterians	764		171	37		4	5							1			15					366	9	44	1		1	104	1	2	2	1
Protestants	305		29	5		1	1										4					16	208	12				27		2		
Roman Catholics	522	2	64	10		2	3				1		1	1			9				2	40	13	326		1		38		6	3	
Salvation Army	19		1	1																		1		1	12			3				
Unitarians	3					1																				2						
United Brethren	1																							1								
United Church	1099	4	176	39	1	2	6							1			15	1		1		73	15	26	4			715	1	10	8	1
Oriental religions (Buddhists, Confucians, Mohammedans, Shintos, Sikhs, Hindus)	27					2																							24		1	
No religion	67		6	2		2								1			4					6	1	11		1		8		25		
Other sects	48		7	2			1										2	1				3		4				3		1	24	
Not stated	8		3			1																1	2					1				
Total brides	4942	16	1366	217	9	40	35				2		6	34		18	300	3		6	15	706	270	513	22	4	1	1227	28	54	48	2

TABLE 34.—MARRIAGES—BIRTHPLACE OF BRIDEGROOMS AND BRIDES, BRITISH COLUMBIA, 1928.

Birthplace of Bridegroom.	Total.	Birthplace of Bride. Canada.										British Isles.					British Possessions.		Europe.															Asia.					
		Prince Edward I.	Nova Scotia.	New Brunswick.	Quebec.	Ontario.	Manitoba.	Saskatchewan.	Alberta.	British Columbia.	Prov. not spec.	England.	Ireland.	Scotland.	Wales.	Other.	Newfoundland.	Other.	Austria.	Belgium.	Denmark.	Finland.	France.	Germany.	Holland.	Hungary.	Italy.	Norway.	Poland.*	Rumania.†	Russia.‡	Sweden.	Other.	China.	Japan.	Other.	United States.	Various.	Not specified.
Canada	1967	4	31	27	27	169	129	76	91	705	2	356	21	124	12		6	11	1	1	1	2	3	2	1		3	4	2	1	2	7	2	1	1		140	2	
Prince Edward Island	22			1		3	4	1		3		7	1	1																	1								
Nova Scotia	98		8	2	2	16	4	1	5	30		13		6				1						1													9		
New Brunswick	79		1	6	1	5	8	1	4	12		18	2	6	1			1											1								12		
Quebec	82	1			5	8	4	6	2	24		12	3	4	3			1																			9		
Ontario	383	1	5	4	7	54	26	20	20	88	1	79	5	25	3		1	1							1							4					37	1	
Manitoba	201		1	1	5	23	28	6	8	48		42	4	13	1			1										1		1	1		2				15		
Saskatchewan	87		2	1	3	5	7	8	3	21		17		8			1																				11		
Alberta	107		2	2		9	4	4	11	32		23	1	7	1				1										1								9		
British Columbia	904	2	12	10	4	46	44	29	38	446	1	143	5	54	2		4	6		1	1	2	3	1			3	3				3		1	1		38	1	
Province not specified	4									1		2			1																								
British Isles	1585	3	16	12	22	94	61	50	39	337	3	502	51	242	17	1	5	16		1	1	3	5	3	2		1	1			1	4	3	4			82	2	1
England	1006	2	9	10	15	56	43	33	25	212	2	384	24	97	9		3	10		1	1	3	4	2	2			1				1	2	4			48	2	1
Ireland	108		2	1		8	4	3	4	16		22	24	10		1		3															1				9		
Scotland	427	1	4	1	5	27	12	13	9	98	1	87	2	134	3		2	1					1	1			1				1	3					20		
Wales	40		1		2	3	2	1		11		8	1	1	4			2																			4		
Other	4								1			1			1																						1		
British Possessions	75				2	1	8	4	6	15		15		12	1		2	3																			6		
Newfoundland	18						3	2		4		4		2			2																				1		
Other	57				2	1	5	2	6	11		11		10	1			3																			5		
Europe	590		4	2	1	16	14	15	20	83		39	3	19	4		2	2	10	2	18	70	1	22	6	4	25	57	17	4	19	30	44	2			35		
Austria	25						2	1	2	2				1					9		1					1							3				3		
Belgium	11								1	5		1		1						2													1						
Denmark	24					3		1		2		2		1							12																3		
Finland	62									6												55										1							
France	15		1		1		3	1		2		2	1	2	1								1																
Germany	35							1		4		3						1			2			17							2		3				2		
Holland	25					2	1		1	6		4	1	3											6									1					
Hungary	5																									3							2						
Italy	50					1	2		1	15		5															24										2		
Norway	105		2	1		2		4	5	10		6		2			1					4						54			1	3					10		
Poland*	20		1			1	1		3			2		2															8		1						1		
Rumania†	9														1									1					4	1	1						1		
Russia‡	39						2	3	1	5		2												1					5	2	10		3	1			4		
Sweden	103					6	1	3	4	20		8		7	1		1	1			3	11		1				3			1	25					7		
Other	62			1		1	2	1	2	6		4	1		1				1					2			1			1	3	1	32				2		
Asia	71						1			28		2	1																				2	9	20	8			
China	24									13		1	1																					9					
Japan	35									15																									20				
Other	12						1					1																					2			8			
United States	646	4	6	5	8	37	18	17	27	102		65	6	20	1			3	1	1		2		2		1	4	4	1			3	4				303	1	
Various	5									3		1	1																										
Not specified	3									1		1																									1		
Totals	4942	11	57	46	60	317	231	162	183	1274	5	981	83	417	35	1	15	35	12	5	20	77	9	29	9	5	33	66	20	5	22	44	55	16	21	8	567	5	1

* Including Galicia. † Including Bukovina. ‡ Including Ukraine.

TABLE 35.—MARRIAGES—LITERACY OF BRIDEGROOMS AND BRIDES IN BRITISH COLUMBIA, CLASSIFIED BY BIRTHPLACE, 1928.

BIRTHPLACE.	BRIDEGROOMS.			BRIDES.		
	Total.	Illiterate.	Per Cent. Illiterate.	Total.	Illiterate.	Per Cent. Illiterate.
Total	4,942	53	1.1	4,942	60	1.2
Canada	1,967	46	2.3	2,346	50	2.1
Prince Edward Island	22	....	....	11	....	....
Nova Scotia	98	....	....	57	....	....
New Brunswick	79	....	....	46	....	....
Quebec	82	1	1.2	60	....	....
Ontario	383	....	....	317	....	....
Manitoba	201	....	....	231	....	....
Saskatchewan	87	....	....	162	1	0.6
Alberta	107	....	....	183	....	....
British Columbia	904	45	5.0	1,274	49	3.8
Province not specified	4	....	....	5	....	....
British Isles	1,585	....	....	1,517	....	....
England	1,006	....	....	981	....	....
Ireland	108	....	....	83	....	....
Scotland	427	....	....	417	....	....
Wales	40	....	....	35	....	....
Other	4	....	....	1	....	....
British Possessions	75	....	....	50	....	....
Newfoundland	18	....	....	15	....	....
Other	57	....	....	35	....	....
Europe	590	6	1.0	411	7	1.7
Austria	25	1	4.0	12	....	....
Belgium	11	1	9.1	5	1	20.0
Denmark	24	....	....	20	....	....
Finland	62	....	....	77	....	....
France	15	....	....	9	....	....
Germany	35	....	....	29	....	....
Holland	25	....	....	9	....	....
Hungary	5	....	....	5	....	....
Italy	50	2	4.0	33	1	3.0
Norway	105	....	....	66	....	....
Poland *	20	2	10.0	20	2	10.0
Rumania †	9	....	....	5	....	....
Russia ‡	39	....	....	22	1	4.5
Sweden	103	....	....	44	....	....
Other	62	....	....	55	2	3.6
Asia	71	....	....	45	3	6.7
China	24	....	....	16	1	6.3
Japan	35	....	....	21	2	9.5
Other	12	....	....	8	....	....
United States	646	....	....	567	....	....
Various	5	....	....	5	....	....
Not specified	3	1	33.3	1	....	....

* Including Galicia. † Including Bukovina. ‡ Including Ukraine.

VICTORIA, B.C.:
Printed by CHARLES F. BANFIELD, Printer to the King's Most Excellent Majesty.
1930.