PROVINCIAL BOARD OF HEALTH

SIXTY-FIFTH REPORT

OF

VITAL STATISTICS

OF THE

PROVINCE OF BRITISH COLUMBIA

FOR THE YEAR 1936

PRINTED BY
AUTHORITY OF THE LEGISLATIVE ASSEMBLY.

VICTORIA, B.C.:
Printed by CHARLES F. BANFIELD, Printer to the King's Most Excellent Majesty.
1938.

VICTORIA, B.C., December 1st, 1937.

To His Honour E. W. HAMBER,

Lieutenant-Governor of the Province of British Columbia.

MAY IT PLEASE YOUR HONOUR:

The undersigned has the honour to present the Report of the Vital Statistics Branch of the Provincial Board of Health for the year 1936.

G. M. WEIR,

Provincial Secretary.

OFFICE OF THE REGISTRAR, BIRTHS, DEATHS, AND MARRIAGES,
VICTORIA, B.C., December 1st, 1937.

The Honourable G. M. Weir,
Provincial Secretary, Victoria, B.C.

SIR,—I have the honour to submit the Sixty-fifth Report of the Vital Statistics Branch of the Provincial Board of Health.

I have the honour to be,
Sir,
Your obedient servant,

H. E. YOUNG,
Registrar of Births, Deaths, and Marriages.

ERRATA.

(VITAL STATISTICS REPORT, 1936.)

One *male* death in *August*—Age-group *1 Year*—*Single*—Born in the *United States*—*Division 4*—*Vancouver City*, from *Diarrhœa and Enteritis* was assigned to *No. 120b (Ulceration of intestines)* instead of *No. 119*. This affects the following tables:—

Table 24, pages 40 and 41.
Table 25, page 55.
Table 26, page 68.
Table 27, page 81.
Table 28, page 91.
Table 29, page 103.

One *female* death in *November*—Age-group *5–9 Years*—*Single*—Born in *Canada*—*Division 2*, from *Nephritis, unspecified*, was assigned to *No. 132* instead of *No. 130*. This affects the following tables:—

Table 24, page 41. *Table 25, page 56.* *Table 28, page 92.*

SIXTY-FIFTH REPORT UNDER THE VITAL STATISTICS ACT.

OFFICE OF REGISTRAR OF BIRTHS, DEATHS, AND MARRIAGES,
VICTORIA, B.C., December 1st, 1937.

H. E. Young, Esq., M.D., C.M., LL.D.,
Registrar, Births, Deaths, and Marriages, Victoria, B.C.

SIR,—I have the honour to submit the Sixty-fifth Report of Vital Statistics for the year ended December 31st, 1936.

POPULATION.

The population of the Province for the census year 1931 was 694,263. Estimates by the Dominion Bureau of Statistics for subsequent years are as follows: 1932, 704,000; 1933, 712,000; 1934, 725,000; 1935, 735,000; 1936, 750,000.

REGISTRATIONS.

The following table shows the total number of registrations, including Indian returns, received by this office for the year ended December 31st, 1936:—

	Living Births.	Deaths.	Marriages.
Area 1	426	152	131
Area 2	858	321	245
Area 3	854	367	320
Area 4	5,325	4,012	3,205
Area 5A	1,575	1,233	893
Area 5B	44	23	14
Area 6A	374	259	176
Area 6B	45	23	19
Area 7	147	68	47
Area 8A	236	97	104
Area 8B	130	60	45
Area 9A	4	3	3
Area 9B	10	2	3
Area 9C	154	81	56
Area 9D	6	6	3
Area 10A	1	------	------
Area 10B	1	3	1
Area 10C	188	36	37
Indian Reserves	808	508	163
Totals, year 1936	11,186	7,254	5,465
Totals, year 1935	10,987	6,927	5,020
Totals, year 1934	10,616	6,393	4,821

Still-births not included above: Indian Reserves, 9; Rest of Province, 227.

BIRTHS.

The total number of living children born in the Province in the year 1936, including Indians, was 10,571, as against 10,013 for the year 1935, giving a rate of 14 per 1,000 population, as against 13.6 for the year 1935.

The following table gives an analysis of births for the five-year period, 1932–36:—

Year and Sex.	Total Births.		Single.		Twin.			Triplet.			Legitimate.	Illegitimate.
	Born alive.	Still-born.	Born alive.	Still-born.	No.	Born alive.	Still-born.	No.	Born alive.	Still-born.		
1932.												
Male	5,197	.....	5,101	143	.....	96	.....	....	....	....	5,022	175
Female	5,017	.....	4,898	101	.....	119	9	....	....	....	4,844	173
Totals	10,214	253	9,999	244	112	215	9	....	....	....	9,866	348
1933.												
Male	4,971	.....	4,877	137	.....	94	4	....	....	....	4,784	187
Female	4,612	.....	4,504	105	.....	108	4	....	....	....	4,449	163
Totals	9,583	250	9,381	242	105	202	8	....	....	....	9,233	350
1934.												
Male	5,072	.....	4,968	115	.....	104	4	....	....	....	4,893	179
Female	4,741	.....	4,646	108	.....	92	4	....	3	....	4,574	167
Totals	9,813	231	9,614	223	102	196	8	1	3	....	9,467	346
1935.												
Male	5,090	.....	5,009	116	.....	80	5	....	1	....	4,921	169
Female	4,923	.....	4,836	89	.....	85	8	....	2	....	4,772	151
Totals	10,013	218	9,845	205	89	165	13	1	3	....	9,693	320
1936.												
Male	5,458	.....	5,350	118	.....	108	4	....	....	....	5,269	189
Female	5,113	.....	5,031	97	.....	79	3	....	3	....	4,925	188
Totals	10,571	222	10,381	215	97	187	7	1	3	....	10,194	377

NATURAL INCREASE.

The natural increase for the five-year period, 1932–36, is shown in the following table:—

Year.	Male.			Female.			Both Sexes.	Population (estimated).	Rate of Natural Increase per 1,000 Population.
	Births.	Deaths.	Excess of Births over Deaths.	Births.	Deaths.	Excess of Births over Deaths.	Excess of Births over Deaths.		
1932	5,197	3,708	1,489	5,017	2,442	2,575	4,064	704,000	5.77
1933	4,971	3,844	1,127	4,612	2,377	2,235	3,362	712,000	4.72
1934	5,072	3,986	1,086	4,741	2,392	2,349	3,435	725,000	4.73
1935	5,090	4,141	949	4,923	2,716	2,207	3,156	735,000	4.29
1936	5,458	4,433	1,025	5,113	2,789	2,324	3,349	750,000	4.46

DEATHS.

There were 7,222 deaths in the Province for the year 1936, and of these 4,433 were males and 2,789 females. The rate per 1,000 population was 9.6, as against 9.3 in the year 1935.

The following table shows deaths by age and sex:—

Year and Sex.	Under 1 Year.	1 Year.	2 Years.	3 Years.	4 Years.	5 to 9 Years.	10 to 19 Years.	20 to 29 Years.	30 to 39 Years.	40 to 49 Years.	50 to 59 Years.	60 to 69 Years.	70 to 79 Years.	80 to 89 Years.	90 to 99 Years.	100 Years and up.	Age not stated.	Totals.
1932.																		
Male	264	40	23	12	17	66	118	212	235	375	624	690	701	288	35	----	8	3,708
Female	213	27	21	17	15	61	136	158	176	215	298	383	425	240	51	4	2	2,442
1933.																		
Male	250	35	22	18	21	47	112	165	165	270	460	543	612	350	58	2	12	3,844
Female	189	33	16	16	14	42	149	186	187	382	495	627	542	183	10	3	5	2,377
1934.																		
Male	260	35	23	17	19	60	117	208	245	441	674	781	704	351	39	1	11	3,986
Female	166	29	21	24	9	46	99	137	135	196	318	450	469	251	38	3	1	2,392
1935.																		
Male	257	40	30	16	15	45	135	206	231	398	678	837	834	361	41	2	15	4,141
Female	203	42	18	17	16	53	107	153	151	234	361	453	531	320	51	4	2	2,716
1936.																		
Male	255	34	17	15	14	59	141	203	213	392	736	895	973	421	47	2	16	4,433
Female	210	37	13	23	12	51	117	196	175	233	398	452	536	274	60	1	1	2,789

INFANT MORTALITY.

The infant-mortality rate of British Columbia for the year 1936 was 43.9, as against 45.9 in the year 1935. Deaths of children under 1 year of age numbered 465—males 255, females 210.

The following table gives the principal causes of death of children under 1 year of age for the period 1932–36:—

Cause of Death.	1932.	1933.	1934.	1935.	1936.
Premature	125	141	124	123	114
Congenital debility	29	36	19	18	24
Malformations	53	45	38	45	47
Diarrhœa	27	18	28	18	24
Bronchopneumonia	25	21	35	39	36
Injury at birth	27	35	32	35	30
Pneumonia	20	22	23	22	23
Whooping-cough	10	7	2	7	9
Influenza	18	5	16	19	13
Convulsions	8	4	2	7	6
Tuberculosis	9	9	12	15	17
Other causes	126	96	95	112	122
Totals	477	439	426	460	465
Living births	10,214	9,583	9,813	10,013	10,571
Rate per 1,000 living births	46.7	45.8	43.4	45.9	43.9

MATERNAL MORTALITY.

Cause of Death.	1932.	1933.	1934.	1935.	1936.
Accidents of pregnancy:					
(*a.*) Abortion	10	9	14	17	21
(*b.*) Ectopic gestation	3	----	4	----	----
(*c.*) Other accidents of pregnancy	1	----	----	1	----
Puerperal hæmorrhage	9	7	5	7	5
Other accidents of childbirth:					
(*a.*) Caesarean section	2	1	----	----	1
(*b.*) Other surgical and instrumental delivery	----	2	----	----	1
(*c.*) Others under this title	5	2	3	4	6
Puerperal septicæmia	7	12	9	6	7
Phlegmasia alba dolens, embolism, sudden death	8	5	5	6	2
Puerperal albuminuria and convulsions	7	7	6	8	4
Following childbirth (not otherwise defined)	2	----	3	3	3
Puerperal diseases of the breast	----	----	1	----	----
Totals	54	45	50	52	50
Rate per 1,000 living births	5.3	4.7	5.0	5.1	4.7

TUBERCULOSIS.

Deaths attributed to tuberculosis during the year 1936 numbered 562—males 325, females 237—a decrease of 3 on the previous year; the rate per 1,000 population being 0.74, as against 0.76 in the year 1935.

Cause of Death.	1932.	1933.	1934.	1935.	1936.
Respiratory system	455	441	487	476	479
Meninges, central nervous system	47	43	35	36	34
Intestines and peritoneum	18	18	13	18	11
Vertebral column	10	6	6	7	9
Joints and bones	3	2	1	2	3
Other organs and unspecified	8	15	8	9	7
Disseminated tuberculosis	24	19	19	17	19
Totals	565	544	569	565	562
Rate per cent., all deaths	9.18	8.74	8.92	8.23	7.78
Rate per 1,000 population	0.80	0.76	0.78	0.76	0.74

CANCER.

The number of deaths from cancer for the year 1936 was 934—males 518, females 416—an increase of 81 over the previous year.

Cause of Death.	1932.	1933.	1934.	1935.	1936.
Buccal cavity	30	25	28	30	38
Digestive tract and peritoneum	383	445	411	433	471
Respiratory	38	38	57	51	40
Female genital organs	83	84	89	110	84
Breast	83	98	87	70	95
Skin	5	8	16	16	16
Other sites and not specified	140	145	133	183	190
Totals	762	843	821	893	934
Rate per cent., all deaths	12.39	13.55	12.87	13.02	12.93
Rate per 1,000 population	1.08	1.18	1.13	1.21	1.24

CLASSIFIED DEATHS.

Cause of Death.	1932.	1933.	1934.	1935.	1936.
General diseases	1,957	1,921	1,866	2,041	2,210
Nervous system	371	436	425	429	417
Circulatory system	1,502	1,563	1,677	1,787	1,887
Respiratory system	380	421	453	497	562
Digestive system	395	349	429	419	450
Non-venereal, genito-urinary system	404	375	406	466	511
The puerperal state	54	45	50	52	50
Diseases of the skin and cellular system	22	21	20	13	20
Diseases of the bones and organs of locomotion	13	18	17	14	20
Malformations	63	52	45	54	60
Diseases of early infancy	225	243	204	214	194
Old age	111	123	114	151	109
External causes	598	597	620	682	680
Ill-defined and unspecified	55	57	52	38	52
Totals	6,150	6,221	6,378	6,857	7,222
Rate per 1,000 population	8.7	8.7	8.8	9.3	9.6

SPECIFIED DEATHS.

Cause of Death.	1932.	1933.	1934.	1935.	1936.
Typhoid fever	7	10	9	8	6
Smallpox	16	4	2	2	1
Measles	26	1	1	8	19
Scarlet fever	5	4	6	2	5
Whooping-cough	19	10	5	9	17
Diphtheria	3	5	6	8	5
Influenza	172	125	103	139	162
Tuberculosis	565	544	569	565	562
Cancer	762	843	821	893	934
Bronchitis	22	19	19	19	20
Bronchopneumonia	125	133	157	173	234
Pneumonia (including lobar)	169	185	197	205	218
Diarrhœa and enteritis	51	54	68	46	62
The puerperal state	54	45	50	52	50
Malformations	63	52	45	54	60
Early infancy	225	243	204	214	194
Senility	111	123	114	151	109
Suicides	137	112	122	106	111
Automobile accidents	85	78	82	102	101
Drowning (accidental)	102	114	102	107	103
Mines	15	11	27	23	24
Homicides	27	14	18	12	20

MARRIAGES.

The number of marriages in the year 1936 was 5,451, an increase of 17 over the year 1935.

ORIENTAL RACES.

Chinese.—The total number of Chinese births registered during the year ended December 31st, 1936, was 129—males 69, females 60. Chinese children born alive and registered in the year 1936 numbered 109—males 59, females 50. The balance—10 males and 10 females—were born prior to the year 1936. Still-births, not included in foregoing, numbered 3—males 2, female 1. The number of Chinese deaths registered during the year 1936 was 212—males 195, females 17—as against 222 in the year 1935. Deaths from tuberculosis, 37—males 35, females 2; from cancer, 22—males 20, females 2. Deaths of children under 1 year of age, 7—males 2, females 5.

Japanese.—The total number of Japanese births registered was 602—males 298, females 304—as against 643 in the year 1935. The number born alive and registered during the year 1936 was 528—males 263, females 265—as against 516 in the year 1935. Registrations of children born prior to 1936 numbered 74. Still-births, 10—males 7, females 3. Registrations of deaths numbered 142—males 99, females 43. Deaths of children under 1 year of age, 26—males 11, females 15. Deaths from tuberculosis, 25—males 17, females 8; from cancer, 13—males 8, females 5.

INDIAN RETURNS.

The total number of registrations of births of Indians for the year ended December 31st, 1936, was 810—males 426, females 384. Registrations of deaths numbered 508—males 253, females 255. Deaths of children under 1 year of age, 115—males 69, females 46. Deaths from tuberculosis, 181—males 76, females 105; from cancer, 14—males 5, females 9. Marriages registered, 163.

GENERAL REMARKS.

The Report of the Inspector of Vital Statistics, which follows the tabulated statements, gives an interesting survey of the many activities of the Vital Statistics Branch during the year 1936.

I cannot close this report without expressing my deep appreciation of the unfailing courtesy and co-operation which I have received at all times from all officers connected with this branch of the Health Department, and from each member of my staff.

I have, etc.,

HERBERT B. FRENCH, M.A.,
Deputy Registrar of Births, Deaths, and Marriages.

LIST OF BIRTH, DEATH, AND MARRIAGE TABLES.

PAGE.

Table 1.—General Summary of Births, Deaths, and Marriages in British Columbia, by Census Divisions and Cities of 1,000 Population and over, 1936 14

BIRTHS.

Table 2.—Births (exclusive of Still-births) by Months, classified as Rural and Urban in each Census Division of British Columbia, 1936 15
Table 3.—Total Births (exclusive of Still-births) and Births in Institutions, showing the Number of Mothers Non-resident in British Columbia, 1936 16
Table 4.—Births (exclusive of Still-births) to Resident and Non-resident Mothers and Births in Institutions in Cities of 5,000 Population and over, British Columbia, 1936 16
Table 5.—Births (exclusive of Still-births) classified as Legitimate or Illegitimate for the Province and Cities of 5,000 Population and over, British Columbia, 1936 17
Table 6.—Plural Births classified to show Number of Children Born Alive and Still-born by Sex, British Columbia, 1936 17
Table 7.—Births (exclusive of Still-births) classified according to Ages of Parents, British Columbia, 1936 18
Table 8.—Births (exclusive of Still-births) classified according to Racial Origin of Parents, British Columbia, 1936 19
Table 9.—Births (exclusive of Still-births) classified according to Birthplace of Parents, British Columbia, 1936 20

INFANT MORTALITY.

Table 10.—Deaths of Children under One Year (exclusive of Still-births) by Months, classified as Rural and Urban in each Census Division, British Columbia, 1936 21
Table 11.—Total Deaths (exclusive of Still-births) and Deaths in Institutions of Children under One Year of Age, showing the Number Non-resident in British Columbia, 1936 22
Table 12.—Total Deaths (exclusive of Still-births) and Deaths in Institutions of Children under One Year of Age, classified according to Residence of Decedents in Cities of 5,000 Population and over, British Columbia, 1936 22
Table 13.—Deaths of Children under One Year (exclusive of Still-births) by Age at Death, British Columbia, 1936 23
Table 14.—Deaths of Children under One Year of Age (exclusive of Still-births), classified according to Racial Origin of Decedents, British Columbia, 1936 23
Table 15.—Deaths of Children under One Year of Age (exclusive of Still-births), classified according to Birthplace of Parents, British Columbia, 1936 24
Table 16.—Deaths of Children (exclusive of Still-births) from certain Specified Causes in First Year of Life, by Sex and Calendar Month of Death, British Columbia, 1936 25
Table 17.—Deaths of Children (exclusive of Still-births) from certain Specified Causes in First Year of Life, by Sex and Age at Death, British Columbia, 1936 26

GENERAL MORTALITY.

Table 18.—Total Deaths (exclusive of Still-births) and Deaths in Institutions, showing the Number Non-resident in British Columbia, 1936 27
Table 19.—Total Deaths (exclusive of Still-births) and Deaths in Institutions, classified according to Residence of Decedents in Cities of 5,000 Population and over, British Columbia, 1936 27
Table 20.—Deaths (exclusive of Still-births) by Single Years of Age and by Age Groups, British Columbia, 1936 28
Table 21.—Deaths (exclusive of Still-births) classified according to Racial Origin of Decedents, British Columbia, 1936 30
Table 22.—Deaths (exclusive of Still-births) classified according to Birthplace of Decedents, British Columbia, 1936 31
Table 23.—Deaths (exclusive of Still-births) classified according to Birthplace of Parents of Decedents, British Columbia, 1936 32
Table 24.—Causes of Death by Sex and Age, British Columbia, 1936 33

PAGE.

Table 25.—Causes of Death for each Sex by Conjugal Condition, Nativity, and Month of Death, British Columbia, 1936 46
Table 26.—Causes of Death by Sex and Age, Vancouver City, 1936 62
Table 27.—Causes of Death for each Sex by Conjugal Condition, Nativity, and Month of Death, Vancouver City, 1936 73
Table 28.—Causes of Death by Sex in Census Divisions, British Columbia, 1936 86
Table 29.—Causes of Death by Sex in Cities of 1,000 Population and over, British Columbia, 1936 96

MARRIAGES.

Table 30.—Marriages by Months, British Columbia, 1936 108
Table 31.—Marriages, Conjugal Condition of Contracting Parties, British Columbia, 1936 108
Table 32.—Marriages, Ages of Bridegrooms and Brides, British Columbia, 1936 109
Table 33.—Marriages, Denominations of Contracting Parties, British Columbia, 1936 110
Table 34.—Marriages, Birthplace of Bridegrooms and Brides, British Columbia, 1936 111
Table 35.—Marriages, Literacy of Bridegrooms and Brides, British Columbia, classified by Birthplace, 1936 112

BIRTH AND DEATH TABLES FOR INDIANS.

Table 36.—Births of Indians (exclusive of Still-births) by Months, British Columbia, 1936 112
Table 37.—Births of Indians (exclusive of Still-births) classified as Legitimate or Illegitimate, British Columbia, 1936 112
Table 38.—Births of Indians (exclusive of Still-births) classified according to Ages of Parents, British Columbia, 1936 113
Table 39.—Deaths of Indian Children under One Year (exclusive of Still-births) by Months, British Columbia, 1936 114
Table 40.—Deaths of Indian Children under One Year (exclusive of Still-births) by Age at Death, British Columbia, 1936 114
Table 41.—Deaths of Indian Children (exclusive of Still-births) from certain Specified Causes in First Year of Life for each Sex, British Columbia, 1936 115
Table 42.—Total Deaths of Indians (exclusive of Still-births) by Months, British Columbia, 1936 115
Table 43.—Deaths of Indians (exclusive of Still-births) by Single Years of Age and by Age Groups, British Columbia, 1936 116
Table 44.—Causes of Deaths of Indians by Sex and Age, British Columbia, 1936 117
Table 45.—Deaths of Half-breeds in British Columbia from certain Causes of Death, 1936 122

SPECIAL CLASSES OF ACCIDENTAL DEATHS IN BRITISH COLUMBIA, 1936.

(Included also under the numbers of the International List.)

Int. List No.	CAUSES OF DEATH.	Male.	Female.
	A.—Accidents in mines and quarries	24	----
186	Accidental injury by fall, crushing, or landslide	21	----
193	Accidents due to electric currents	1	----
194	Other accidents	2	----
	B.—Accidents caused by machines	14	----
181	Accidental burns (conflagration excepted)	1	----
186	Accidental injury by fall, crushing, or landslide	8	----
193	Accidents due to electric currents	1	----
194	Other accidents	4	----
	C.—Railway accidents	36	----
186	Accidental injury by fall, crushing, or landslide	35	----
194	Other accidents	1	----
	D.—Street-car accidents	3	2
186	Accidental injury by fall, crushing, or landslide	3	2
	E.—Automobile and motor-cycle accidents	72	29
178	Accidental absorption of toxic gases	2	----
182	Accidental mechanical suffocation	----	1
183	Accidental drowning	4	----
186	Accidental injury by fall, crushing, or landslide	65	28
194	Other accidents	1	----
	F.—Other land transportation	8	3
183	Accidental drowning	1	----
186	Accidental injury by fall, crushing, or landslide	7	3
	G.—Water transportation	41	2
178	Accidental absorption of toxic gases	4	----
183	Accidental drowning	26	2
186	Accidental injury by fall, crushing, or landslide	9	----
190	Excessive cold	1	----
194	Other accidents	1	----
	H.—Air transportation	1	----
186	Accidental injury by fall, crushing, or landslide	1	----

TABLE 1.—GENERAL SUMMARY OF BIRTHS, DEATHS, AND MARRIAGES IN BRITISH COLUMBIA, BY CENSUS DIVISIONS AND CITIES OF 1,000 POPULATION AND OVER, 1936.

PROVINCE, DIVISIONS, AND CITIES.	BIRTHS (Exclusive of Still-births).			DEATHS.									STILL-BIRTHS.	MARRIAGES.
				All Ages.			Under 1 Year.		1–4 Years.		5 Years and over.			
	Total.	M.	F.	Total.	M.	F.	M.	F.	M.	F.	M.	F.		
British Columbia	10,571	5,458	5,113	7,222	4,433	2,789	255	210	80	85	4,098	2,494	222	5,451
Division No. 1	407	207	200	155	109	46	7	6	4	...	98	40	9	132
Division No. 2	781	444	337	315	207	108	21	10	2	2	184	96	13	245
Division No. 3	836	426	410	395	235	160	23	17	8	8	204	135	15	330
Division No. 4	5,154	2,652	2,502	4,067	2,468	1,599	107	93	30	41	2,331	1,465	114	3,225
Division No. 5a	1,592	821	771	1,293	761	532	32	24	12	7	717	501	39	915
Division No. 5b	109	45	64	76	41	35	4	10	2	5	35	20	1	29
Division No. 6a	453	228	225	333	221	112	16	13	2	3	203	96	12	186
Division No. 6b	60	38	22	33	26	7	6	1	...	...	20	6	2	23
Division No. 7	212	110	102	105	66	39	6	11	2	2	58	26	3	62
Division No. 8a	249	120	129	123	78	45	3	6	7	5	68	34	...	115
Division No. 8b	222	108	114	110	74	36	11	5	4	6	59	25	5	68
Division No. 9a	7	5	2	3	3	...	...	...	...	...	3	...	...	4
Division No. 9b	24	12	12	6	4	2	...	...	1	1	3	1	...	2
Division No. 9c	251	135	116	146	99	47	15	10	3	4	81	33	7	75
Division No. 9d	27	14	13	22	15	7	4	2	2	...	9	5	...	4
Division No. 10a	1	...	1	...	...	...	...	...	...	...	...	...	...	...
Division No. 10b	5	3	2	4	3	1	...	1	...	...	3	...	...	...
Division No. 10c	181	90	91	36	23	13	...	1	1	1	22	11	2	36
Cities:														
Chilliwack	17	11	6	37	23	14	2	4	...	...	21	10	1	20
Courtenay	1	1	...	8	4	4	...	...	...	...	4	4	...	22
Cranbrook	3	2	1	14	11	3	...	...	...	...	11	3	...	51
Cumberland	53	27	26	19	12	7	...	...	...	...	12	7	1	16
Duncan	162	91	71	40	26	14	4	2	1	1	21	11	6	19
Fernie	72	27	45	27	18	9	2	...	...	...	16	9	1	28
Grand Forks	43	17	26	28	18	10	1	1	...	1	17	8	...	17
Kamloops	199	94	105	130	88	42	2	...	1	...	85	42	6	97
Kelowna	183	91	92	56	35	21	4	6	1	1	30	14	2	58
Ladysmith	29	14	15	24	13	11	1	...	1	...	11	11	1	11
Merritt	34	25	9	11	9	2	2	...	...	...	7	2	...	9
Nanaimo	149	79	70	97	57	40	2	1	1	...	54	39	4	133
Nelson	168	97	71	91	65	26	8	3	1	2	56	21	5	81
New Westminster	639	336	303	355	215	140	15	15	3	4	197	121	21	213
North Vancouver	175	91	84	100	58	42	1	2	1	...	56	40	2	51
Port Alberni	185	91	94	50	36	14	7	...	...	...	29	14	5	20
Port Coquitlam	2	1	1	7	4	3	...	...	...	...	4	3	...	11
Port Moody	1	...	1	4	4	...	1	...	...	...	3	...	...	7
Prince George	84	41	43	36	24	12	...	2	1	...	23	10	...	40
Prince Rupert	112	58	54	60	45	15	5	2	...	...	40	13	3	37
Revelstoke	57	33	24	21	10	11	...	...	...	...	10	11	1	21
Rossland	85	47	38	21	13	8	...	1	1	...	12	7	1	26
Trail	269	152	117	58	31	27	6	2	...	...	25	25	1	67
Vancouver	3,410	1,736	1,674	2,707	1,631	1,076	57	56	17	32	1,557	988	68	2,441
Vernon	202	101	101	64	29	35	6	4	...	...	23	31	3	73
Victoria	710	364	346	678	377	301	8	11	2	2	367	288	18	367

NOTE.—"Age not stated" included in 5 years and over.

TABLE 2.—BIRTHS (EXCLUSIVE OF STILL-BIRTHS) BY MONTHS, CLASSIFIED AS RURAL AND URBAN BY DIVISIONS, BRITISH COLUMBIA, 1936.

PROVINCE AND DIVISIONS.	TOTAL	MONTHS.											
		Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
British Columbia	10,571	868	833	866	909	918	894	923	912	935	849	830	834
Rural	3,527	304	305	288	316	304	284	313	292	282	277	280	282
Urban	7,044	564	528	578	593	614	610	610	620	653	572	550	552
Division No. 1	407	35	29	42	32	25	28	33	38	37	31	43	34
Rural	332	29	23	32	28	21	21	30	31	30	25	35	27
Urban	75	6	6	10	4	4	7	3	7	7	6	8	7
Cranbrook	3				2								1
Fernie	72	6	6	10	2	4	7	3	7	7	6	8	6
Division No. 2	781	57	60	58	73	68	69	66	66	68	72	58	66
Rural	202	13	25	11	16	20	19	15	20	18	18	10	17
Urban	579	44	35	47	57	48	50	51	46	50	54	48	49
Nelson	168	9	14	19	17	13	11	11	18	9	19	18	10
Revelstoke	57	4	2	5	3	4	9	7	9	4	2	4	4
Rossland	85	6	4	8	8	9	6	9	5	3	9	6	12
Trail	269	25	15	15	29	22	24	24	14	34	24	20	23
Division No. 3	836	66	64	69	80	66	76	78	72	61	71	77	56
Rural	408	30	33	30	38	26	43	38	36	32	30	38	34
Urban	428	36	31	39	42	40	33	40	36	29	41	39	22
Grand Forks	43	1	6	5	3	4	4	3	5	4	2	4	2
Kelowna	183	17	11	11	24	22	13	20	10	12	15	20	8
Vernon	202	18	14	23	15	14	16	17	21	13	24	15	12
Division No. 4	5,154	420	414	411	442	436	446	442	448	482	402	393	418
Rural	910	71	83	70	77	76	62	81	78	87	69	77	79
Urban	4,244	349	331	341	365	360	384	361	370	395	333	316	339
Chilliwack	17	6	2		1	2	3			1		2	
New Westminster	639	59	45	47	55	60	68	52	47	62	49	52	43
North Vancouver	175	19	19	12	15	16	7	15	17	15	13	13	14
Port Coquitlam	2			1		1							
Port Moody	1					1							
Vancouver	3,410	265	265	281	294	280	306	294	306	317	271	249	282
Division No. 5a	1,592	116	115	140	126	141	117	138	152	145	145	132	125
Rural	303	25	20	30	30	30	22	22	21	18	32	28	25
Urban	1,289	91	95	110	96	111	95	116	131	127	113	104	100
Courtenay	1					1							
Cumberland	53	4	4	5	5	5	4	1	6	6	4	2	7
Duncan	162	9	11	13	16	11	13	16	13	15	16	15	14
Ladysmith	29	3	2	1	3	1	1		5	4	2	2	5
Nanaimo	149	9	14	14	13	11	11	14	13	14	15	9	12
Port Alberni	185	13	13	15	13	14	16	13	21	18	16	16	17
Victoria	710	53	51	62	46	68	50	72	73	70	60	60	45
Division No. 5b	109	10	4	14	7	5	12	7	10	8	10	7	15
Rural	109	10	4	14	7	5	12	7	10	8	10	7	15
Division No. 6a	453	44	32	38	33	46	45	46	37	40	28	37	27
Rural	220	19	20	18	20	18	21	22	23	18	9	19	13
Urban	233	25	12	20	13	28	24	24	14	22	19	18	14
Kamloops	199	21	9	18	13	19	20	17	14	21	17	17	13
Merritt	34	4	3	2		9	4	7		1	2	1	1
Division No. 6b	60	9	6	3	4	11	2	3	5	5	3	6	3
Rural	60	9	6	3	4	11	2	3	5	5	3	6	3
Division No. 7	212	17	16	10	22	25	11	23	20	16	19	17	16
Rural	212	17	16	10	22	25	11	23	20	16	19	17	16
Division No. 8a	249	26	25	18	16	18	31	18	18	26	15	14	24
Rural	165	22	15	16	11	7	22	13	11	13	13	8	14
Urban	84	4	10	2	5	11	9	5	7	13	2	6	10
Prince George	84	4	10	2	5	11	9	5	7	13	2	6	10
Division No. 8b	222	22	23	30	20	28	16	21	8	12	17	14	11
Rural	222	22	23	30	20	28	16	21	8	12	17	14	11
Division No. 9a	7	2	1			2			1			1	
Rural	7	2	1			2			1			1	
Division No. 9b	24	2	4	1			5	2	1	3	4		2
Rural	24	2	4	1			5	2	1	3	4		2
Division No. 9c	251	20	22	17	25	29	21	26	20	21	13	16	21
Rural	139	11	14	8	14	17	13	16	11	11	9	5	10
Urban	112	9	8	9	11	12	8	10	9	10	4	11	11
Prince Rupert	112	9	8	9	11	12	8	10	9	10	4	11	11
Division No. 9d	27	7	3		2	1		1	5	1	2	2	3
Rural	27	7	3		2	1		1	5	1	2	2	3
Division No. 10a	1				1								
Rural	1				1								
Division No. 10b	5	2				1	1	1					
Rural	5	2				1	1	1					
Division No. 10c	181	13	15	15	26	16	14	18	11	10	17	13	13
Rural	181	13	15	15	26	16	14	18	11	10	17	13	13

TABLE 3.—TOTAL BIRTHS (EXCLUSIVE OF STILL-BIRTHS) AND BIRTHS IN INSTITUTIONS, SHOWING THE NUMBER OF MOTHERS NON-RESIDENT IN BRITISH COLUMBIA, 1936.

PROVINCE.	ALL BIRTHS.		IN INSTITUTIONS.	
	Total.	Births to Mothers Non-resident in Province.	Total.	Births to Mothers Non-resident in Province.
British Columbia	10,571	65	7,967	48

TABLE 4.—BIRTHS (EXCLUSIVE OF STILL-BIRTHS) TO RESIDENT AND NON-RESIDENT MOTHERS AND BIRTHS IN INSTITUTIONS IN CITIES OF 5,000 POPULATION AND OVER, BRITISH COLUMBIA, 1936.

ALL BIRTHS.

CITIES.	Total.	To Resident Mothers.	To Mothers Non-resident in City where Birth occurred and	
			Resident in Province.	Non-resident in Province.
Kamloops	199	80	118	1
Nanaimo	149	96	53	-------
Nelson	168	103	63	2
New Westminster	639	302	333	4
North Vancouver	175	104	70	1
Prince Rupert	112	77	35	-------
Trail	269	210	59	-------
Vancouver	3,410	2,940	441	29
Victoria	710	377	328	5

BIRTHS IN INSTITUTIONS.

Kamloops	197	78	118	1
Nanaimo	117	68	49	-------
Nelson	155	91	62	2
New Westminster	625	289	332	4
North Vancouver	168	99	68	1
Prince Rupert	97	63	34	-------
Trail	264	205	59	-------
Vancouver	2,733	2,286	424	23
Victoria	668	338	325	5

BIRTHS ELSEWHERE THAN IN INSTITUTIONS.

Kamloops	2	2	-------	-------
Nanaimo	32	28	4	-------
Nelson	13	12	1	-------
New Westminster	14	13	1	-------
North Vancouver	7	5	2	-------
Prince Rupert	15	14	1	-------
Trail	5	5	-------	-------
Vancouver	677	654	17	6
Victoria	42	39	3	-------

TABLE 5.—BIRTHS (EXCLUSIVE OF STILL-BIRTHS) CLASSIFIED AS LEGITIMATE OR ILLEGITIMATE FOR THE PROVINCE AND CITIES OF 5,000 POPULATION AND OVER, BRITISH COLUMBIA, 1936.

PROVINCE AND CITIES.	TOTAL BIRTHS.			LEGITIMATE.			ILLEGITIMATE.		
	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.
Total for the Province	10,571	5,458	5,113	10,194	5,269	4,925	377	189	188
Cities of 5,000 and over:									
Kamloops	199	94	105	191	91	100	8	3	5
Nanaimo	149	79	70	143	73	70	6	6	-----
Nelson	168	97	71	160	94	66	8	3	5
New Westminster	639	336	303	629	331	298	10	5	5
North Vancouver	175	91	84	172	90	82	3	1	2
Prince Rupert	112	58	54	109	56	53	3	2	1
Trail	269	152	117	266	150	116	3	2	1
Vancouver	3,410	1,736	1,674	3,238	1,654	1,584	172	82	90
Victoria	710	364	346	694	353	341	16	11	5

TABLE 6.—PLURAL BIRTHS CLASSIFIED TO SHOW NUMBER OF CHILDREN BORN ALIVE AND STILL-BORN BY SEX, BRITISH COLUMBIA, 1936.

CLASSIFICATION OF BIRTHS.		Total.
Twin births		97
Two males (both living)		37
One male and one female (both living)		30
Two females (both living)		24
One male living and one male still-born		3
One male living and one female still-born		1
One male still-born and one female living		1
Two females (both still-born)		1
Triplet births		1
Three females (all living)		1
Total multiple births	No.	98
,,	M.	112
,,	F.	85
Total single live births	No.	10,381
,,	M.	5,350
,,	F.	5,031
Total single still-births	No.	215
,,	M.	118
,,	F.	97
Total confinements		10,694

TABLE 7.—BIRTHS (EXCLUSIVE OF STILL-BIRTHS) CLASSIFIED ACCORDING TO AGES OF PARENTS, BRITISH COLUMBIA, 1936.

| AGE OF FATHER. | TOTAL. | AGE OF MOTHER. | | |

TABLE 8.—BIRTHS (EXCLUSIVE OF STILL-BIRTHS) CLASSIFIED ACCORDING TO RACIAL ORIGIN OF PARENTS, BRITISH COLUMBIA, 1936.

RACIAL ORIGIN OF FATHER.		TOTAL.	RACIAL ORIGIN OF MOTHER.																																				
			English.	Irish.	Scottish.	Welsh.	French.	Armenian.	Austrian.	Belgian.	Bulgarian.	Chinese.	Czech and Slovak.	Danish.	Dutch.	Finnish.	German.	Greek.	Hindu.	Hungarian.	Icelandic.	Indian.	Italian.	Japanese.	Jewish.	Negro.	Norwegian.	Polish.	Roumanian.	Russian.	Serb, Croat.	Swedish.	Swiss.	Syrian.	Ukrainian.*	Other.	Not specified.
English		3,583	2191	326	629	40	66		9	9			4	7	20	8	92			2	5	11	24		1	1	41	11	1	5	1	52	10	1	6	6	4
Irish		960	365	230	196	9	29		3	1		1		2	7	2	45			2	2	4	8				19	2	1	5	1	17	3		3	2	1
Scottish		1,748	692	186	575	35	45		6	5			1	7	12	7	57	1		2	3	12	13				27	9	2	8	2	31	3		1	4	2
Welsh		138	63	15	32	8	4		2						2		1					2				4					3	1			1	
French		258	68	42	29	5	70		1	1			1		2	1	18					2	3		1		3			2		5	3		1		
Armenian																																						
Austrian		71	16	5	4		1		33							1	2			1			1				2	1	1	2	1						
Belgian		31	12	2	2		1			9													1			1	1		1					1		
Bulgarian		1	1																																		
Chinese		115	3	1	1							108									1		1														
Czech and Slovak		66	6	4	4								44				2			1			2											2		1
Danish		72	31	6	11									17			2						1				2				2					
Dutch		145	42	13	12	1	1		1						52	1	14			1			1				4			1			1				
Finnish		76	13	1	3	1										54											1				3					
German		439	85	29	38	2	7		8	1			3	3	6	2	220			2			2				6	6		5		3	2	1	7	1	
Greek		14	4															8																	2	
Hindu		48																	48																	
Hungarian		35	3	1	2				2						1		3			21							1				1					
Icelandic		11	4	1	3																1					1					1					
Indian		687	2	2	1		1															681														
Italian		193	25	6	7	2	9		2				1				5						128			2			1		2					
Japanese		547		2																				545												
Jewish		30	2	1	1																				26											
Negro		9	3																							5	1									
Norwegian		255	73	13	24	2	6		1					1	1	2	11					5	2				89	2		2		21					
Polish		74	10	3	2		1		1								3			1								46		3		1			3		
Roumanian		22	3	1	1		1													3		1					2	6		1	1	1			1		
Russian		108	12	4	5	1	1		1								3										3	3	72		1				2		
Serb and Croat		69	4			2							1										4				2			55					1		
Swedish		250	76	24	31		17		2					1	2	9	9					4	3				13	2		2		54			1		
Swiss		38	15	1	5		1						1				4					1					1		1	1		1	6				
Syrian		2	1		1																																
Ukrainian*		71	2	2		1							1		1							1					1	3							58	1	
Other		20	9	3	1										1		1					1													3	
Not specified		8	3		1												1														1					2
Children born to married mothers	Total	10,194	3839	924	1621	109	261		72	26		109	57	38	107	87	493	9	48	36	11	726	193	546	28	6	214	97	15	109	62	202	30	2	87	20	10
,,	M.	5,269	1992	476	831	54	141		44	9		58	28	22	51	42	234	8	24	18	6	376	100	270	14	5	113	59	7	60	33	114	15	2	49	9	5
,,	F.	4,925	1847	448	790	55	120		28	17		51	29	16	56	45	259	1	24	18	5	350	93	276	14	1	101	38	8	49	29	88	15		38	11	5
Children born to unmarried mothers	Total	377	120	31	48	4	26		3				2	2	4	3	17				1	74	4	1	1	1	9	1		5		9			9	2	
,,	M.	189	63	18	19		12		3				2	2	1	1	9				1	37	3	1			3			2		4			6	2	
,,	F.	188	57	13	29	4	14								3	2	8					37	1		1	1	6	1		3		5			3		
Children born to all mothers	Total	10,571	3959	955	1669	113	287		75	26		109	59	40	111	90	510	9	48	36	12	800	197	547	29	7	223	98	15	114	62	211	30	2	96	22	10
,,	M.	5,458	2055	494	850	54	153		47	9		58	30	24	52	43	243	8	24	18	7	413	103	271	14	5	116	59	7	62	33	118	15	2	55	11	5
,,	F.	5,113	1904	461	819	59	134		28	17		51	29	16	59	47	267	1	24	18	5	387	94	276	15	2	107	39	8	52	29	93	15		41	11	5

* Including Galician and Bukovinian.

TABLE 9.—BIRTHS (EXCLUSIVE OF STILL-BIRTHS) CLASSIFIED ACCORDING TO BIRTHPLACE OF PARENTS, BRITISH COLUMBIA, 1936.

BIRTHPLACE OF FATHER.	TOTAL.	BIRTHPLACE OF MOTHER.																																									
		CANADA.										BRITISH ISLES.					BRITISH POSS.		EUROPE.																	ASIA.							
		Prince Edward Island.	Nova Scotia.	New Brunswick.	Quebec.	Ontario.	Manitoba.	Saskatchewan.	Alberta.	British Columbia.	Prov. not spec.	England.	Ireland.	Scotland.	Wales.	Other.	Newfoundland.	Other.	Austria.	Belgium.	Denmark.	Finland.	France.	Germany.	Holland.	Hungary.	Italy.	Norway.	Poland.	Roumania.	Russia.*	Sweden.	Other.	China.	Japan.	Other.	United States.	Various.	Not specified.
Canada	5224	7	52	27	47	259	328	463	456	2430	8	452	45	168	19	2	5	22	5	1	3	3	2	7	2	2	6	15	16	1	17	12	5	5	19	1	301	6	5
Prince Edward Island	29	3	1		1		3	1	4	8		4			1																					3		
Nova Scotia	121		9		3	7	7	11	9	43		9	2	11			1						1				1		1							6		
New Brunswick	74			7	2	2	6	6	3	17		15	1	1		2		1								1	1			1						8		
Quebec	135		3		13	11	11	7	15	34		17	2	4				1						1				1								15		
Ontario	665	1	10	5	6	74	56	62	67	172	2	82	7	34	6		1	4				1	1					2		1		1			1	68	1	
Manitoba	479	1	1	6	4	32	78	51	47	129		52	5	16	2			3	2					1		2		1	4		3	1	1				36	1	
Saskatchewan	469		3		2	25	33	124	52	137	1	26	3	13	1			1	1	1	1			2				1	3		6	1					32		
Alberta	438		6	1	3	20	18	60	81	154	1	36	5	15	2			1	1						1				3		4	2					24		
British Columbia	2798	2	19	8	13	88	114	139	176	1734	2	209	20	74	7		3	11	1		2	2	1	2	1		5	10	4		1	8	3	5	19		106	4	5
Province not specified	16						2	2	2	2	2	2																			1						3		
British Isles	2309	2	23	8	16	101	137	165	147	648	5	536	56	254	24	2	6	20	2	1	1	3	4	1	5		1	4	2		9	7	5	4			110		
England	1423	1	13	4	8	67	75	108	87	411	2	403	19	95	10	2	4	13	2	1	1	2	3	1	5		1	3	2		7	2	4	4			63		
Ireland	160		2	1	2	4	17	12	17	36	1	24	27	7	1			1										1			1					6		
Scotland	650	1	5	2	5	27	42	38	38	182	1	94	9	148	6		2	5				1	1								1	5	1				36		
Wales	62		3	1	1	2	3	7	4	12	1	14	1	3	6			1																			3		
Other	14					1			1	7		1		1	1																						2		
British Possessions	146				2	8	13	3	5	38		13	1	5			2	54																			2		
Newfoundland	22					4	5		1	6		1		1			2	1																			1		
Other	124				2	4	8	3	4	32		12	1	4				53																			1		
Europe	1301	1	3	5	6	21	48	96	61	207	3	61	3	18	6			5	38	8	12	66	4	50	13	22	83	61	77	16	94	36	111				66		
Austria	75				1	1	5	10	3	7		1							32			1		2		1			1	2	1		2			5		
Belgium	19							2	1	6		1								8																1		
Denmark	45			1		1	6	1	4	10	1	5			1						11	1		1				1								1		
Finland	72		1			1		1		7		2			1							50									3					6		
France	9					1				2		2						1					3															
Germany	115				1		2	14	12	18		6		1	2				2					41	1				5		3		2			5		
Holland	42					1	1	3		7		7		2				1						2	12						1					5		
Hungary	29							3	2	1		2														19			1							1		
Italy	142				2	3	2	1	3	33		1	1	2									1				83		1			2				7		
Norway	166	1				5	5	11	6	47		10		4				1	1		1	2		2				54				5				11		
Poland	100					2	9	10	2	5					1			1	1					1		1			59	1	2		1			4		
Roumania	31							8	2	5		2																1	2	9			1			1		
Russia*	151				1		11	14	12	8	1	2		1															8	9	84					6		
Sweden	147		2	1	1	5	4	12	11	35	1	13	2	7				1	1			12						5			1	28				5		
Other	158			3		1	3	6	3	16		7		1	1				1					1		1				1	2		103			8		
Asia	581				2		1		1	166		3																				1	42	362	2	1		
China	90						1			44		2																					42			1		
Japan	484				1				1	120																							362					
Other	7				1					2		1																				1		2			
United States	615		4	5	8	37	46	63	65	172		50	7	18	4		1	1	1		1			2	1	1		3	2		5	2	5	1			110		
Various	8					1			1	5		1																										
Not specified	10							2	1	3		1										1																2
Children born to—																																										
Married mothers	10194	10	82	45	81	427	573	792	737	3669	16	1117	112	463	53	4	14	102	46	10	17	73	10	60	21	25	90	83	97	17	125	57	127	52	381	3	590	6	7
Unmarried mothers	377	1	1		4	10	18	43	38	193		31	2	7	2				1		2	2		2				1	2	1	4		1				11		
All mothers	10571	11	83	45	85	437	591	835	775	3862	16	1148	114	470	55	4	14	102	47	10	19	75	10	62	21	25	90	84	99	18	129	57	128	52	381	3	601	6	7

* Including the Ukraine.

TABLE 10.—DEATHS OF CHILDREN UNDER ONE YEAR (EXCLUSIVE OF STILL-BIRTHS) BY MONTHS, CLASSIFIED AS RURAL AND URBAN IN EACH CENSUS DIVISION, BRITISH COLUMBIA, 1936.

PROVINCE AND DIVISIONS.	TOTAL.	MONTHS.											
		Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
British Columbia	465	37	42	42	40	55	34	35	24	33	40	45	38
Rural	219	16	20	21	19	20	13	18	11	16	18	24	23
Urban	246	21	22	21	21	35	21	17	13	17	22	21	15
Division No. 1	13	1	2	.....	1	1	.....	2	1	1	2	1	1
Rural	11	.....	2	.....	1	1	.....	2	.....	1	2	1	1
Urban	2	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Cranbrook	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Fernie	2	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Division No. 2	31	1	1	6	4	4	4	1	3	1	3	1	2
Rural	11	.....	.....	2	2	2	2	.....	1	.....	1	.....	1
Urban	20	1	1	4	2	2	2	1	2	1	2	1	1
Nelson	11	.....	1	.....	1	2	1	.....	2	1	2	.....	1
Revelstoke	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Rossland	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Trail	8	1	.....	3	1	.....	1	1	.....	.....	.....	1	.....
Division No. 3	40	4	7	1	1	4	2	4	1	3	5	4	4
Rural	18	1	3	1	1	1	1	1	1	2	2	2	2
Urban	22	3	4	.....	.....	3	1	3	.....	1	3	2	2
Grand Forks	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
Kelowna	10	2	1	.....	.....	.....	1	2	.....	1	1	1	1
Vernon	10	1	2	.....	.....	3	.....	1	.....	.....	2	.....	1
Division No. 4	200	19	18	18	22	24	18	13	6	15	17	17	13
Rural	47	5	4	5	5	3	4	6	2	3	4	3	3
Urban	153	14	14	13	17	21	14	7	4	12	13	14	10
Chilliwack	6	1	1	.....	.....	1	1	1	.....	1	.....	.....	.....
New Westminster	30	1	1	2	4	2	3	1	2	2	6	4	2
North Vancouver	3	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....
Port Coquitlam	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Port Moody	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Vancouver	113	12	11	11	12	17	9	5	2	9	7	10	8
Division No. 5a	56	2	5	7	6	7	3	6	7	2	5	5	1
Rural	20	.....	2	4	4	2	1	1	2	.....	1	2	1
Urban	36	2	3	3	2	5	2	5	5	2	4	3	.....
Courtenay	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cumberland	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Duncan	6	.....	.....	1	1	1	1	.....	1	.....	.....	1	.....
Ladysmith	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
Nanaimo	3	.....	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....
Port Alberni	7	.....	.....	.....	.....	.....	.....	1	1	2	3	.....	.....
Victoria	19	2	2	1	1	4	.....	4	3	.....	.....	2	.....
Division No. 5b	14	1	2	1	1	2	1	.....	1	.....	.....	4	1
Rural	14	1	2	1	1	2	1	.....	1	.....	.....	4	1
Division No. 6a	29	4	4	2	1	4	2	2	.....	1	2	4	3
Rural	25	4	4	2	1	2	1	2	.....	1	2	3	3
Urban	4	.....	.....	.....	.....	2	1	.....	.....	.....	.....	1	.....
Kamloops	2	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....
Merritt	2	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....
Division No. 6b	7	.....	.....	.....	.....	3	.....	.....	1	.....	.....	2	1
Rural	7	.....	.....	.....	.....	3	.....	.....	1	.....	.....	2	1
Division No. 7	17	2	.....	.....	.....	2	1	2	1	4	1	3	1
Rural	17	2	.....	.....	.....	2	1	2	1	4	1	3	1
Division No. 8a	9	.....	1	2	1	.....	.....	1	1	1	.....	.....	2
Rural	7	.....	1	2	1	.....	.....	.....	.....	1	.....	.....	2
Urban	2	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....
Prince George	2	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....
Division No. 8b	16	3	.....	1	1	1	1	1	1	1	3	3	.....
Rural	16	3	.....	1	1	1	1	1	1	1	3	3	.....
Division No. 9a	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Rural	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Division No. 9b	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Rural	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Division No. 9c	25	.....	1	4	1	2	2	3	.....	3	1	.....	8
Rural	18	.....	1	3	1	.....	1	3	.....	2	1	.....	6
Urban	7	.....	.....	1	.....	2	1	.....	.....	1	.....	.....	2
Prince Rupert	7	.....	.....	1	.....	2	1	.....	.....	1	.....	.....	2
Division No. 9d	6	.....	1	.....	.....	1	.....	.....	1	1	.....	1	1
Rural	6	.....	1	.....	.....	1	.....	.....	1	1	.....	1	1
Division No. 10a	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Rural	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Division No. 10b	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
Rural	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
Division No. 10c	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Rural	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 11.—TOTAL DEATHS (EXCLUSIVE OF STILL-BIRTHS) AND DEATHS IN INSTITUTIONS OF CHILDREN UNDER ONE YEAR OF AGE, SHOWING THE NUMBER NON-RESIDENT IN BRITISH COLUMBIA, 1936.

PROVINCE.	ALL DEATHS UNDER ONE YEAR.						IN INSTITUTIONS.					
	Total.			Non-resident in Province.			Total.			Non-resident in Province.		
	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.
British Columbia	465	255	210	1	...	1	258	137	121	1	...	1

TABLE 12.—TOTAL DEATHS (EXCLUSIVE OF STILL-BIRTHS) AND DEATHS IN INSTITUTIONS OF CHILDREN UNDER ONE YEAR OF AGE, CLASSIFIED ACCORDING TO RESIDENCE OF DECEDENTS IN CITIES OF 5,000 POPULATION AND OVER, BRITISH COLUMBIA, 1936.

ALL DEATHS UNDER ONE YEAR.

CITIES.	Total.			Residents.			Non-resident in City where Death occurred and					
							Resident in Province.			Non-resident in Province.		
	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.
Kamloops	2	2	...	1	1	...	1	1	...	...	...	...
Nanaimo	3	2	1	3	2	1	...	...	...	...	...	...
Nelson	11	8	3	10	7	3	1	1	...	...	...	...
New Westminster	30	15	15	15	7	8	15	8	7	...	...	...
North Vancouver	3	1	2	1	1	...	2	...	2	...	...	...
Prince Rupert	7	5	2	6	5	1	1	...	1	...	...	...
Trail	8	6	2	7	6	1	1	...	1	...	...	...
Vancouver	113	57	56	95	46	49	17	11	6	1	...	1
Victoria	19	8	11	12	5	7	7	3	4	...	...	...

DEATHS IN INSTITUTIONS.

Kamloops	2	2	...	1	1	...	1	1	...	...	...	...
Nanaimo	1	1	...	1	1	...	...	...	...	...	...	...
Nelson	9	7	2	8	6	2	1	1	...	...	...	...
New Westminster	29	14	15	14	6	8	15	8	7	...	...	...
North Vancouver	3	1	2	1	1	...	2	...	2	...	...	...
Prince Rupert	7	5	2	6	5	1	1	...	1	...	...	...
Trail	8	6	2	7	6	1	1	...	1	...	...	...
Vancouver	84	41	43	67	31	36	16	10	6	1	...	1
Victoria	19	8	11	12	5	7	7	3	4	...	...	...

DEATHS ELSEWHERE THAN IN INSTITUTIONS.

Kamloops	...	...	...	...	...	...	...	...	...	...	...	...
Nanaimo	2	1	1	2	1	1	...	...	...	...	...	...
Nelson	2	1	1	2	1	1	...	...	...	...	...	...
New Westminster	1	1	...	1	1	...	...	...	...	...	...	...
North Vancouver	...	...	...	...	...	...	...	...	...	...	...	...
Prince Rupert	...	...	...	...	...	...	...	...	...	...	...	...
Trail	...	...	...	...	...	...	...	...	...	...	...	...
Vancouver	29	16	13	28	15	13	1	1	...	...	...	...
Victoria	...	...	...	...	...	...	...	...	...	...	...	...

TABLE 13.—DEATHS OF CHILDREN UNDER ONE YEAR (EXCLUSIVE OF STILL-BIRTHS) BY AGE AT DEATH, BRITISH COLUMBIA, 1936.

AGES.		No.
All infants	Total	465
,,	M.	255
,,	F.	210
Under 1 day	Total	93
,,	M.	61
,,	F.	32
1 day	Total	27
,,	M.	15
,,	F.	12
2 days	Total	25
,,	M.	11
,,	F.	14
3 days	Total	22
,,	M.	14
,,	F.	8
4 days	Total	8
,,	M.	5
,,	F.	3
5 days	Total	2
,,	M.	1
,,	F.	1
6 days	Total	8
,,	M.	2
,,	F.	6
Under 1 week	Total	185
,,	M.	109
,,	F.	76
1 week and under 2 weeks	Total	19
,, ,,	M.	10
,, ,,	F.	9
2 weeks and under 3 weeks	Total	10
,, ,,	M.	3
,, ,,	F.	7
3 weeks and under 1 month	Total	11
,, ,,	M.	5
,, ,,	F.	6

AGES.		No.
Under 1 month	Total	225
,,	M.	127
,,	F.	98
1 month and under 2 months	Total	44
,, ,,	M.	24
,, ,,	F.	20
2 months and under 3 months	Total	28
,, ,,	M.	17
,, ,,	F.	11
3 months and under 4 months	Total	32
,, ,,	M.	17
,, ,,	F.	15
4 months and under 5 months	Total	26
,, ,,	M.	16
,, ,,	F.	10
5 months and under 6 months	Total	15
,, ,,	M.	9
,, ,,	F.	6
6 months and under 7 months	Total	17
,, ,,	M.	7
,, ,,	F.	10
7 months and under 8 months	Total	20
,, ,,	M.	12
,, ,,	F.	8
8 months and under 9 months	Total	12
,, ,,	M.	6
,, ,,	F.	6
9 months and under 10 months	Total	14
,, ,,	M.	6
,, ,,	F.	8
10 months and under 11 months	Total	15
,, ,,	M.	8
,, ,,	F.	7
11 months and under 12 months	Total	17
,, ,,	M.	6
,, ,,	F.	11

TABLE 14.—DEATHS OF CHILDREN UNDER ONE YEAR OF AGE (EXCLUSIVE OF STILL-BIRTHS), CLASSIFIED ACCORDING TO RACIAL ORIGIN OF DECEDENTS, BRITISH COLUMBIA, 1936.

Racial Origin.	Total.
All origins	465
English	129
Irish	29
Scottish	60
Welsh	5
French	7
Armenian	----
Austrian	----
Belgian	1
Bulgarian	----
Chinese	7
Czech and Slovak	2
Danish	3
Dutch	5
Finnish	2
German	13
Greek	----
Hindu	5

Racial Origin.	Total.
Hungarian	4
Icelandic	1
Indian	124
Italian	9
Japanese	26
Jewish	----
Negro	1
Norwegian	8
Polish	3
Roumanian	----
Russian	7
Serb and Croat	3
Swedish	6
Swiss	----
Syrian	----
Ukrainian*	1
Other	----
Not specified	4

* Including Galician and Bukovinian.

TABLE 15.—DEATHS OF CHILDREN UNDER ONE YEAR OF AGE (EXCLUSIVE OF STILL-BIRTHS), CLASSIFIED ACCORDING TO BIRTHPLACE OF PARENTS, BRITISH COLUMBIA, 1936.

BIRTHPLACE OF FATHER.	TOTAL FATHERS.	BIRTHPLACE OF MOTHER.																																										
		CANADA.										BRITISH ISLES.					BRITISH POSS.		EUROPE.															ASIA.								
		Prince Edward Island.	Nova Scotia.	New Brunswick.	Quebec.	Ontario.	Manitoba.	Saskatchewan.	Alberta.	British Columbia.	Prov. not spec.	England.	Ireland.	Scotland.	Wales.	Other.	Newfoundland.	Other.	Austria.	Belgium.	Denmark.	Finland.	France.	Germany.	Holland.	Hungary.	Italy.	Norway.	Poland.	Roumania.	Russia.*	Sweden.	Other.	China.	Japan.	Other.	United States.	Various.	Not specified.						
Canada	258		2	1		4	9	14	16	174	3	16	1					1									1					1		14		1								
Prince Edward Island																																													
Nova Scotia	2		1				1																																						
New Brunswick	3						1		1	1																																			
Quebec	1																										1																	
Ontario	29		1			2	2	6	1	6		6																								5								
Manitoba	11			1			3		2	3	1	1																																
Saskatchewan	18					1	1	3	4	5		2																								2								
Alberta	17							2	5	6		3																								1								
British Columbia	175					1	1	3	3	152	1	4	1					1																		6		1						
Province not specified	2									1	1																																	
British Isles	88		1		1		1	6	2	23		24	4	9	1			1					1													14								
England	56						1	3	1	16		20	2		1			1					1													10								
Ireland	5									1		1	2																							1								
Scotland	27		1		1			3	1	6		3		9																						3								
Wales																																													
Other																																													
British Possessions	8									2		1						5																										
Newfoundland																																													
Other	8									2		1						5																										
Europe	36				1		1	3	1	4		1		1	1						1	1			1	4	4		2		4		5			1							
Austria																																													
Belgium	1									1																																			
Denmark	2							1													1																						
Finland	1																					1																					
France																																													
Germany	1								1																																				
Holland	2									1														1																				
Hungary	4																								4																		
Italy	8				1		1			1																4									1								
Norway	2							1		1																																		
Poland	2																											2																
Roumania	1							1																																					
Russia*	5													1																4													
Sweden	2											1			1																													
Other	5																															5											
Asia	27									6																							2	19									
China	3									1																							2										
Japan	24									5																								19									
Other																																												
United States	22					1	1	2	2	8		3														1										4								
Various																																													
Not specified	26						1	1	3	14																	1									1		5						
Total mothers	465		3	1	2	5	13	26	24	231	3	45	5	10	2			7		1	1	1		1	5	4	2	2		4		5	2	20		34		6				

* Including the Ukraine.

TABLE 16.—DEATHS OF CHILDREN (EXCLUSIVE OF STILL-BIRTHS) FROM CERTAIN SPECIFIED CAUSES IN FIRST YEAR OF LIFE, BY SEX AND CALENDAR MONTH OF DEATH, BRITISH COLUMBIA, 1936.

Int. List No.	CAUSES OF DEATH.	TOTAL UNDER 1 YEAR.			MONTH OF DEATH.																									
					Jan.		Feb.		Mar.		Apr.		May.		June		July.		Aug.		Sept.		Oct.		Nov.		Dec.					
		T'l	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	All causes	465	255	210	19	18	22	20	20	22	20	20	35	20	20	14	15	20	14	10	19	14	26	14	25	20	20	18		
7	Measles	3	1	2		1																				1	1			
9	*Whooping-cough*	9	5	4				1			1	1	1				1	1	2					1							
11	Influenza	13	8	5				1	2	2	2	1	2		1									1	1					
15	Erysipelas	3	3		1																				1		1			
23	Tuberculosis of the respiratory system	11	6	5						1	2		1	1					1						1	2	1	1		
24	Tuberculosis of the meninges and central nervous system	3		3						1						1						1								
25–32	Tuberculosis, other forms	3	3				1		1		1																			
34	Syphilis	9	7	2			2		2				1		1					1					1			1		
36	Purulent infection, septicæmia	1		1																		1								
67	Diseases of the thymus gland	24	14	10	1	2	3	3	2	1		1	3		2	1								1	3			1		
79	Simple meningitis	5	2	3							1	1									1	1						1		
86	Convulsions	6	2	4				3			1																1	1		
89	Diseases of the ear and mastoid process	3	1	2						1					1							1								
106	Bronchitis	6	4	2			1	1									1				1	1					1			
107	Bronchopneumonia	36	22	14	4	2		3	1	2	4	1	5	2		1		2		1	1		4		1		2			
108, 109	Pneumonia	23	12	11	1	1	3	4	1		1	1			2		2					1		1	1	1	1	2		
115	Diseases of the buccal cavity and annexa and of the pharynx and tonsils (including adenoid vegetations)	1	1																		1									
116–118	Diseases of the stomach	1		1																				1						
119	Diarrhœa and enteritis	24	11	13	1		1			1			1	2			1	3	3	1		1	2	1	1	3	1	1		
122	Hernia, intestinal obstruction	1	1										1																	
130	Nephritis	1	1																		1									
157	Malformations	47	21	26	2	1	1		3	4		5	3	2	1	3	2	2	2	2	2		3		1	4	1	3		
	(a.) Congenital hydrocephalus	7	2	5						2		1					1			1			1					1		
	(c.) Congenital malformations of the heart	20	9	11	1	1			1			2	1	1		1	1	2	2		1		1		1	2		2		
	(b, d, e.) Others under this title	20	10	10	1		1		2	2		2	2	1	1	2				1	1		1			2	1			
158	Congenital debility	24	16	8	1	1	3	1	1	2	1		3	1		1			2		2	1	2	1			1			
159	Premature birth	114	64	50	4	4	3	1	6	4	1	3	9	8	7	4	2	10	2	3	6	2	10	4	8	2	6	5		
160	Injury at birth	30	18	12	1	3		1		1	3	1	3	1	3		2	1		1	2	1	2	1	1	1	1			
161	Other diseases peculiar to early infancy (under 3 months)	26	16	10	2	1	3			1	2	4	1				4		2			1		1	1	2	1			
	(a–e.) Specified diseases	23	13	10	1	1	3			1	2	4	1				3		2			1		1	1	2				
	(f.) No cause given, no doctor in attendance	3	3		1												1										1			
173–175	Homicide	1		1																						1				
176–198	Other external causes	10	5	5			1	1					1			2				1	2				1			1		
	Other specified causes	14	6	8	1	1						1		3	1			1					2	1	2	1				
199, 200	Unspecified or ill-defined causes	13	5	8		1			1	1					1	1						2	1		1	2	1	1		

TABLE 17.—DEATHS OF CHILDREN (EXCLUSIVE OF STILL-BIRTHS) FROM CERTAIN SPECIFIED CAUSES IN FIRST YEAR OF LIFE, BY SEX AND AGE AT DEATH, BRITISH COLUMBIA, 1936.

Int. List No.	CAUSES OF DEATH.	TOTAL UNDER 1 YEAR.			AGE AT DEATH.																													
					Under 1 Day.		1 Day and under 1 Week.		1 Week and under 2 Weeks.		2 Weeks and under 3 Weeks.		3 Weeks and under 1 Month.		1 Month and under 2 Months.		2 Months and under 3 Months.		3 Months and under 4 Months.		4 Months and under 5 Months.		5 Months and under 6 Months.		6 Months and under 7 Months.		7 Months and under 8 Months.		8 Months and under 9 Months.		9 Months and under 10 Months.		10 Months and under 11 Months.		11 Months and under 12 Months.	
		T'l.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
	All causes	465	255	210	61	32	48	44	10	9	3	7	5	6	24	20	17	11	17	15	16	10	9	6	7	10	12	8	6	6	6	8	8	7	6	11
7	Measles	3	1	2																1																1
9	Whooping-cough	9	5	4												1			1	1		1			1		1					1		1	1
11	Influenza	13	8	5											2	2					2				2		1				1	1			2
15	Erysipelas	3	3												2		1																		
23	Tuberculosis of the respiratory system	11	6	5	1												1					1	1				1	2					1	1	1	1
24	Tuberculosis of the meninges and central nervous system	3		3																					1			1								1
25–32	Tuberculosis, other forms	3	3														1					1			1										
34	Syphilis	9	7	2	1		4											1	1										1	1					
36	Purulent infection, septicæmia	1		1																					1										
67	Diseases of the thymus gland	24	14	10	1		2	2			1				3	2	1	1	2	1	3	2				1	1			1					
79	Simple meningitis	5	2	3					1									1	1	1															1
86	Convulsions	6	2	4			1													1					1	2		1							
89	Diseases of the ear and mastoid process	3	1	2																					1	1	1								
106	Bronchitis	6	4	2															1			1			1			1					1	1	
107	Bronchopneumonia	36	22	14				1								2	6	4	2	2	4			1	1	1	2		3		1		2	1	1	2
108, 109	Pneumonia	23	12	11						1			1		3	1	1	1	1	1	1	2	2				1	1		2			1	1	1	1
115	Diseases of the buccal cavity and annexa and of the pharynx and tonsils (including adenoid vegetations)	1	1														1																		
116–118	Diseases of the stomach	1		1																								1							
119	Diarrhœa and enteritis	24	11	13						1		1		2	2	2	1		3	1		1	1	2			1		1	1	1	2	1			
122	Hernia, intestinal obstruction	1	1																								1								
130	Nephritis	1	1																				1												
157	Malformations	47	21	26	3	2	7	9	2		1	3	1	4	4	2		1		2	2			1	1	1		1							
	(a.) Congenital hydrocephalus	7	2	5				2						1						1	1			1	1										
	(c.) Congenital malformations of the heart	20	9	11	2	2	3	4			1		1	2	2	1		1		1															
	(b, d, e.) Others under this title	20	10	10	1		4	3	2			3		1	2	1					1					1		1							
158	Congenital debility	24	16	8	3	2	3	1	1			1			2	2	1		3	1	1			1	1		1								
159	Premature birth	114	64	50	36	25	18	14	3	3		2	2		3	3	1	1		1		1	1												
160	Injury at birth	30	18	12	10	2	6	7		2	1								1																1
161	Other diseases peculiar to early infancy (under 3 months)	26	16	10	5	1	7	9	2				1		1																				
	(a–e.) Specified diseases	23	13	10	4	1	6	9	2				1																						
	(f.) No cause given, no doctor in attendance	3	3		1		1								1																				
173–175	Homicide	1		1																1															
176–198	Other external causes	10	5	5	1										2	3	1					1							1			1			
	Other specified causes	14	6	8					1	1							1	1			2	1				1				3	1	1	1		
199, 200	Unspecified or ill-defined causes	13	5	8				1		1									1	1	1		1	1					1			1			

TABLE 18.—TOTAL DEATHS (EXCLUSIVE OF STILL-BIRTHS) AND DEATHS IN INSTITUTIONS, SHOWING THE NUMBER NON-RESIDENT IN BRITISH COLUMBIA, 1936.

PROVINCE.	ALL DEATHS.						IN INSTITUTIONS.					
	Total.			Non-resident in Province.			Total.			Non-resident in Province.		
	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.
British Columbia	7,222	4,433	2,789	94	64	30	3,728	2,336	1,392	53	32	21

TABLE 19.—TOTAL DEATHS (EXCLUSIVE OF STILL-BIRTHS) AND DEATHS IN INSTITUTIONS, CLASSIFIED ACCORDING TO RESIDENCE OF DECEDENTS IN CITIES OF 5,000 POPULATION AND OVER, BRITISH COLUMBIA, 1936.

ALL DEATHS.

CITIES.	Total.			Residents.			Non-resident in City where Death occurred and					
							Resident in Province.			Non-resident in Province.		
	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.
Kamloops	130	88	42	81	59	22	47	28	19	2	1	1
Nanaimo	97	57	40	81	46	35	16	11	5	.....	.....	.....
Nelson	91	65	26	66	46	20	25	19	6	.....	.....	.....
New Westminster	355	215	140	156	92	64	195	120	75	4	3	1
North Vancouver	100	58	42	77	43	34	20	12	8	3	3	.....
Prince Rupert	60	45	15	44	34	10	15	11	4	1	.....	1
Trail	58	31	27	52	29	23	6	2	4	.....	.....	.....
Vancouver	2,707	1,631	1,076	2,353	1,409	944	308	197	111	46	25	21
Victoria	678	377	301	477	260	217	194	112	82	7	5	2

DEATHS IN INSTITUTIONS.

Kamloops	109	77	32	63	50	13	45	27	18	1	.....	1
Nanaimo	48	32	16	33	22	11	15	10	5	.....	.....	.....
Nelson	64	44	20	41	27	14	23	17	6	.....	.....	.....
New Westminster	289	169	120	96	50	46	190	116	74	3	3	.....
North Vancouver	56	31	25	36	18	18	19	12	7	1	1	.....
Prince Rupert	43	35	8	33	27	6	10	8	2	.....	.....	.....
Trail	45	25	20	40	23	17	5	2	3	.....	.....	.....
Vancouver	1,515	959	556	1,200	761	439	282	181	101	33	17	16
Victoria	488	270	218	304	164	140	179	103	76	5	3	2

DEATHS ELSEWHERE THAN IN INSTITUTIONS.

Kamloops	21	11	10	18	9	9	2	1	1	1	1	.....
Nanaimo	49	25	24	48	24	24	1	1	.....	.....	.....	.....
Nelson	27	21	6	25	19	6	2	2	.....	.....	.....	.....
New Westminster	66	46	20	60	42	18	5	4	1	1	.....	1
North Vancouver	44	27	17	41	25	16	1	.....	1	2	2	.....
Prince Rupert	17	10	7	11	7	4	5	3	2	1	.....	1
Trail	13	6	7	12	6	6	1	.....	1	.....	.....	.....
Vancouver	1,192	672	520	1,153	648	505	26	16	10	13	8	5
Victoria	190	107	83	173	96	77	15	9	6	2	2	.....

TABLE 20.—DEATHS (EXCLUSIVE OF STILL-BIRTHS) BY SINGLE YEARS OF AGE AND BY AGE GROUPS, BRITISH COLUMBIA, 1936.

AGES.	PROVINCE.			VANCOUVER CITY.			VICTORIA CITY.			NEW WESTMINSTER CITY.			REMAINDER OF PROVINCE.		
	Total	M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.
All ages	7222	4433	2789	2707	1631	1076	678	377	301	355	215	140	3482	2210	1272
Under 1 year	465	255	210	113	57	56	19	8	11	30	15	15	303	175	128
1 year	71	34	37	22	10	12	1	1		2		2	46	23	23
2 years	30	17	13	7		7	1		1	2	1	1	20	16	4
3 ,,	38	15	23	11	3	8				3	2	1	24	10	14
4 ,,	26	14	12	9	4	5	2	1	1				15	9	6
Total under 5 years	630	335	295	162	74	88	23	10	13	37	18	19	408	233	175
5 years	33	17	16	7	4	3	3	3		4	1	3	19	9	10
6 ,,	16	9	7	5	3	2				2		2	9	6	3
7 ,,	22	13	9	7	3	4	2	2					13	8	5
8 ,,	23	14	9	4	3	1				1		1	18	11	7
9 ,,	16	6	10	6	3	3							10	3	7
Total 5–9 years	110	59	51	29	16	13	5	5		7	1	6	69	37	32
10 years	24	9	15	8	2	6							16	7	9
11 ,,	16	9	7	6	4	2	1	1		1	1		8	3	5
12 ,,	16	6	10	4	1	3				1		1	11	5	6
13 ,,	22	13	9	4	3	1	2	2		2	2		14	6	8
14 ,,	22	10	12	3	2	1	1		1	3	2	1	15	6	9
Total 10–14 years	100	47	53	25	12	13	4	3	1	7	5	2	64	27	37
15 years	36	20	16	14	6	8	1	1		1		1	20	13	7
16 ,,	25	16	9	9	5	4	1		1	1	1		14	10	4
17 ,,	31	21	10	10	7	3	1		1	2	1	1	18	13	5
18 ,,	33	17	16	11	3	8	3	1	2	2	1	1	17	12	5
19 ,,	33	20	13	7	4	3	1		1	6	4	2	19	12	7
Total 15–19 years	158	94	64	51	25	26	7	2	5	12	7	5	88	60	28
20 years	34	12	22	5		5	5	1	4	2	1	1	22	10	12
21 ,,	41	24	17	10	6	4	2	1	1	1		1	28	17	11
22 ,,	42	18	24	12	7	5	4		4	7	2	5	19	9	10
23 ,,	40	24	16	7	4	3	2	2		6	2	4	25	16	9
24 ,,	36	16	20	12	5	7	3		3	3	2	1	18	9	9
Total 20–24 years	193	94	99	46	22	24	16	4	12	19	7	12	112	61	51
25 years	37	18	19	13	5	8	1		1	2	1	1	21	12	9
26 ,,	36	20	16	11	6	5	6	2	4	1	1		18	11	7
27 ,,	39	17	22	13	4	9	3	2	1	2		2	21	11	10
28 ,,	50	27	23	19	10	9	4	4		2	1	1	25	12	13
29 ,,	44	27	17	13	7	6	3	3		1		1	27	17	10
Total 25–29 years	206	109	97	69	32	37	17	11	6	8	3	5	112	63	49
30 years	41	23	18	16	9	7	1	1		1	1		23	12	11
31 ,,	33	19	14	10	5	5	2	1	1	1	1		20	12	8
32 ,,	40	22	18	11	5	6	1		1	1		1	27	17	10
33 ,,	43	19	24	17	6	11	2	1	1	4	2	2	20	10	10
34 ,,	23	13	10	10	5	5	2		2				11	8	3
Total 30–34 years	180	96	84	64	30	34	8	3	5	7	4	3	101	59	42
35 years	46	24	22	20	9	11	2	1	1	5	1	4	19	13	6
36 ,,	51	33	18	19	13	6	5	2	3	3	2	1	24	16	8
37 ,,	44	24	20	19	10	9	1		1	5	3	2	19	11	8
38 ,,	35	17	18	9	4	5	4	1	3				22	12	10
39 ,,	32	19	13	18	11	7	1	1		1	1		12	6	6
Total 35–39 years	208	117	91	85	47	38	13	5	8	14	7	7	96	58	38
40 years	50	29	21	27	18	9	2		2				21	11	10
41 ,,	30	15	15	8	4	4	3	1	2	1		1	18	10	8
42 ,,	53	31	22	23	14	9	6	2	4	3	3		21	12	9
43 ,,	70	41	29	33	17	16	3	1	2	3	2	1	31	21	10
44 ,,	44	27	17	15	8	7	2	1	1	5	4	1	22	14	8
Total 40–44 years	247	143	104	106	61	45	16	5	11	12	9	3	113	68	45
45 years	75	45	30	33	19	14	7	4	3	3	3		32	19	13
46 ,,	75	51	24	28	18	10	2	2		3	1	2	42	30	12
47 ,,	82	53	29	35	21	14	5	4	1	3	3		39	25	14
48 ,,	74	51	23	30	20	10	5	3	2	5	3	2	34	25	9
49 ,,	72	49	23	33	20	13	8	5	3	1	1		30	23	7
Total 45–49 years	378	249	129	159	98	61	27	18	9	15	11	4	177	122	55

TABLE 20.—DEATHS (EXCLUSIVE OF STILL-BIRTHS) BY SINGLE YEARS OF AGE AND BY AGE GROUPS, BRITISH COLUMBIA, 1936—*Continued.*

AGES.	PROVINCE.			VANCOUVER CITY.			VICTORIA CITY.			NEW WESTMINSTER CITY.			REMAINDER OF PROVINCE.		
	Total	M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.
50 years	105	71	34	49	33	16	12	8	4	3	1	2	41	29	12
51 "	99	50	49	34	19	15	7	2	5	6	1	5	52	28	24
52 "	103	69	34	46	32	14	9	5	4	4	2	2	44	30	14
53 "	101	60	41	51	32	19	8	4	4	3	2	1	39	22	17
54 "	116	83	33	55	43	12	11	6	5	3	1	2	47	33	14
Total 50–54 years	524	333	191	235	159	76	47	25	22	19	7	12	223	142	81
55 years	114	75	39	57	45	12	7	4	3	3	2	1	47	24	23
56 "	121	84	37	54	34	20	14	9	5	4	3	1	49	38	11
57 "	135	85	50	52	36	16	13	6	7	10	5	5	60	38	22
58 "	122	75	47	56	32	24	14	8	6	4	4		48	31	17
59 "	118	84	34	42	31	11	11	8	3	7	3	4	58	42	16
Total 55–59 years	610	403	207	261	178	83	59	35	24	28	17	11	262	173	89
60 years	144	93	51	56	35	21	13	8	5	8	6	2	67	44	23
61 "	116	85	31	49	36	13	11	5	6	3	2	1	53	42	11
62 "	127	90	37	56	39	17	13	8	5	10	9	1	48	34	14
63 "	139	92	47	55	38	17	21	13	8	8	4	4	55	37	18
64 "	139	102	37	55	38	17	17	11	6	5	4	1	62	49	13
Total 60–64 years	665	462	203	271	186	85	75	45	30	34	25	9	285	206	79
65 years	147	103	44	65	42	23	18	10	8	7	6	1	57	45	12
66 "	118	80	38	43	28	15	17	11	6	5	3	2	53	38	15
67 "	120	76	44	37	23	14	14	5	9	6	5	1	63	43	20
68 "	145	81	64	52	25	27	17	9	8	9	4	5	67	43	24
69 "	152	93	59	61	39	22	12	7	5	5	4	1	74	43	31
Total 65–69 years	682	433	249	258	157	101	78	42	36	32	22	10	314	212	102
70 years	190	132	58	77	50	27	14	12	2	7	5	2	92	65	27
71 "	121	83	38	51	35	16	17	11	6	1		1	52	37	15
72 "	167	97	70	63	31	32	16	10	6	7	3	4	81	53	28
73 "	153	102	51	55	39	16	23	13	10	12	10	2	63	40	23
74 "	168	110	58	65	45	20	20	7	13	3	1	2	80	57	23
Total 70–74 years	799	524	275	311	200	111	90	53	37	30	19	11	368	252	116
75 years	165	114	51	63	44	19	26	18	8	9	8	1	67	44	23
76 "	158	102	56	67	41	26	22	10	12	3	2	1	66	49	17
77 "	118	71	47	38	22	16	11	5	6	8	6	2	61	38	23
78 "	143	83	60	62	34	28	19	11	8	8	6	2	54	32	22
79 "	126	79	47	45	26	19	15	10	5	5	4	1	61	39	22
Total 75–79 years	710	449	261	275	167	108	93	54	39	33	26	7	309	202	107
80 years	128	73	55	44	26	18	12	5	7	8	3	5	64	39	25
81 "	83	53	30	27	21	6	18	14	4				38	18	20
82 "	92	58	34	37	24	13	9	4	5	2	1	1	44	29	15
83 "	94	60	34	37	20	17	9	4	5	5	5		43	31	12
84 "	62	41	21	20	10	10	6	4	2	7	7		29	20	9
Total 80–84 years	459	285	174	165	101	64	54	31	23	22	16	6	218	137	81
85 years	82	52	30	29	19	10	13	9	4	10	5	5	30	19	11
86 "	55	33	22	24	10	14	5	3	2	4	3	1	22	17	5
87 "	35	19	16	10	7	3	8	4	4				17	8	9
88 "	28	11	17	13	4	9	4	3	1				11	4	7
89 "	36	21	15	17	9	8	4	3	1	1	1		14	8	6
Total 85–89 years	236	136	100	93	49	44	34	22	12	15	9	6	94	56	38
90 years	25	17	8	11	6	5	2	1	1				12	10	2
91 "	29	11	18	9	3	6	7	1	6	2	1	1	11	6	5
92 "	13	4	9	4	1	3							9	3	6
93 "	5	3	2	2	1	1							3	2	1
94 "	12	3	9	4	1	3				1		1	7	2	5
Total 90–94 years	84	38	46	30	12	18	9	2	7	3	1	2	42	23	19
95 years	12	6	6	5	2	3	2	1	1	1	1		4	2	2
96 "	6	2	4	2	1	1							4	1	3
97 "	3	1	2	1		1							2	1	1
98 "	1		1	1											
99 "	1		1										1		1
Total 95–99 years	23	9	14	9	3	6	2	1	1	1	1		11	4	7
100 years and over	3	2	1	2	1	1							1	1	
Not stated	17	16	1	1	1		1	1					15	14	1

TABLE 21.—DEATHS (EXCLUSIVE OF STILL-BIRTHS) CLASSIFIED ACCORDING TO RACIAL ORIGIN OF DECEDENTS, BRITISH COLUMBIA, 1936.

RACIAL ORIGIN.	PROVINCE.			VANCOUVER CITY.			VICTORIA CITY.			NEW WESTMINSTER CITY.			REMAINDER OF PROVINCE.		
	Total	M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.
All origins	7222	4433	2789	2707	1631	1076	678	377	301	355	215	140	3482	2210	1272
English	2778	1617	1161	1125	646	479	379	198	181	145	90	55	1129	683	446
Irish	796	472	324	344	190	154	54	28	26	53	27	26	345	227	118
Scottish	1407	873	534	630	380	250	134	77	57	64	41	23	579	375	204
Welsh	81	57	24	36	23	13	5	3	2	5	3	2	35	28	7
French	164	114	50	52	33	19	6	3	3	16	10	6	90	68	22
German	164	96	68	47	29	18	7	3	4	6	4	2	104	60	44
Armenian															
Austrian	35	29	6	10	8	2	1	1		4	3	1	20	17	3
Belgian	13	4	9	4		4	1		1				8	4	4
Bulgarian	4	3	1	2	1	1							2	2	
Chinese	216	198	18	108	99	9	46	41	5	4	4		58	54	4
Czech and Slovak	21	15	6	3	1	2				2	2		16	12	4
Danish	43	27	16	11	9	2	3	3		2	1	1	27	14	13
Dutch	67	41	26	15	6	9	3	2	1	2	1	1	47	32	15
Finnish	58	40	18	19	15	4	2		2	7	4	3	30	21	9
Greek	6	6		2	2					1	1		3	3	
Hindu	27	20	7	11	9	2	2	1	1				14	10	4
Hungarian	15	6	9	4	1	3	1		1	1	1		9	4	5
Icelandic	7	3	4	4	2	2				1		1	2	1	1
Indian	539	272	267	15	7	8	10	4	6	2		2	512	261	251
Italian	81	55	26	23	16	7	2	2		3	2	1	53	35	18
Japanese	141	99	42	62	39	23	1	1		8	5	3	70	54	16
Jewish	7	4	3	6	3	3							1	1	
Negro	12	10	2	8	7	1							4	3	1
Norwegian	119	78	41	34	22	12	3	1	2	13	6	7	69	49	20
Polish	34	20	14	11	4	7	1		1	3	2	1	19	14	5
Roumanian	11	8	3	2	1	1							9	7	2
Russian	59	34	25	23	12	11	1	1		1	1		34	20	14
Serb and Croat	26	19	7	8	6	2	1	1					17	12	5
Swedish	143	101	42	41	26	15	7	2	5	4	3	1	91	70	21
Swiss	14	13	1	2	2		2	1	1	1	1		9	9	
Syrian															
Ukrainian*	14	7	7	3	1	2	1		1	1		1	9	6	3
Other	12	8	4	3	3		1	1		1	1		7	3	4
Not specified	108	84	24	39	28	11	4	3	1	5	2	3	60	51	9

* Including Galician and Bukovinian.

TABLE 22.—DEATHS (EXCLUSIVE OF STILL-BIRTHS) CLASSIFIED ACCORDING TO BIRTHPLACE OF DECEDENTS, BRITISH COLUMBIA, 1936.

| PROVINCE AND CITIES. | Total Deaths by Sex. | BIRTHPLACE OF DECEDENTS. | | |

TABLE 23.—DEATHS (EXCLUSIVE OF STILL-BIRTHS) CLASSIFIED ACCORDING TO BIRTHPLACE OF PARENTS OF DECEDENTS, BRITISH COLUMBIA, 1936.

| BIRTHPLACE OF FATHER. | TOTAL FATHERS. | BIRTHPLACE OF MOTHER. | | |

TABLE 24.—CAUSES OF DEATH BY SEX AND AGE, BRITISH COLUMBIA, 1936.

Int. List No.	CAUSES OF DEATH.		TOTAL.	AGES.																										
				Under 1 Year.	1 Year.	2 Years.	3 Years.	4 Years.	5–9 Yrs.	10–14 Yrs.	15–19 Yrs.	20–24 Yrs.	25–29 Yrs.	30–34 Yrs.	35–39 Yrs.	40–44 Yrs.	45–49 Yrs.	50–54 Yrs.	55–59 Yrs.	60–64 Yrs.	65–69 Yrs.	70–74 Yrs.	75–79 Yrs.	80–84 Yrs.	85–89 Yrs.	90–94 Yrs.	95–99 Yrs.	100 Years and over.	Not stated.
	Deaths, all causes	Total	7222	465	71	30	38	26	110	100	158	193	206	180	208	247	378	524	610	665	682	799	710	459	236	84	23	3	17
	,,	M.	4433	255	34	17	15	14	59	47	94	94	109	96	117	143	249	333	403	462	433	524	449	285	136	38	9	2	16
	,,	F.	2789	210	37	13	23	12	51	53	64	99	97	84	91	104	129	191	207	203	249	275	261	174	100	46	14	1	1
	Class I. Infectious and parasitic diseases	Total	905	57	25	9	11	14	44	28	67	68	74	53	50	37	56	63	55	53	44	35	30	21	7	2			2
	,,	M.	536	34	10	5	4	9	23	9	40	26	36	29	21	27	38	46	44	44	29	23	17	16	3	2			1
	,,	F.	369	23	15	4	7	5	21	19	27	42	38	24	29	10	18	17	11	9	15	12	13	5	4				1
1	Typhoid fever	M.	6						1				2	1				1	1										
6	Smallpox	M.	1																		1								
7	Measles	M.	11	1	3			1	3	2	1																		
	,,	F.	8	2					4	1	1																		
8	Scarlet fever	M.	3							1		1		1															
	,,	F.	2						1															1					
9	Whooping-cough	M.	6	5				1																					
	,,	F.	11	4	2	2	2		1																				
10	Diphtheria	M.	2						1											1									
	,,	F.	3				1	1							1														
11	Influenza	M.	92	8	2		1	1	3	2	3		2	2	5	1	4	7	6	7	8	5	9	11	3	2			
		F.	70	5	1		1		3	1	1	2	1	3	3	4	6	4	1	4	10	6	7	3	4				
	(a.) ,, Sole cause	M.	10	3			1				1				1								1	1	1	1			
		F.	2	1	1																								
	(b.) ,, With bronchitis	M.	2																				1	1					
		F.	2																		1			1					
	(c.) ,, With pneumonia	M.	49	3	2				1	2			2	1	4	1	2	2	3	5	7	4	3	5	2				
		F.	37	3					2			1		3	2	1	3	3	1	1	7	2	4	3	1				
	(d.) ,, With other diseases of the respiratory system	M.	4	1														1					1		1				
		F.	2								1		1																
	(e.) ,, With intestinal complications	M.	3	1					1											1									
		F.	3				1			1												1							
	(f.) ,, With other causes	M.	24					1	1		2			1			2	4	3	1	1	1	3	4					
	,,	F.	24	1					1			1			1	3	3	1		3	2	3	3		2				
13	Dysentery	M.	2		1				1																				
	,,	F.	2																		1			1					
15	Erysipelas	M.	12	3									1					3	1		3			1					
	,,	F.	1											1															
16	Poliomyelitis and polioencephalitis (acute)	M.	6						1		1		2				1	1											
	,,	F.	1								1																		
17	Lethargic or epidemic encephalitis	M.	2									1		1															
	,,	F.	2								1		1																
18	Epidemic cerebrospinal meningitis	M.	6						1	1	1		1				1	1											
	,,	F.	3		1				1										1										
22	Tetanus	F.	1					1																					
23–	Tuberculosis	M.	325	9	4	5	3	6	12	3	30	23	27	22	14	22	26	28	29	28	12	11	6	4					1
32	,,	F.	237	8	10	2	2	2	11	17	23	36	33	18	24	5	10	9	9	3	4	4	6						1
23	Tuberculosis of the respiratory system	M.	284	6		3	2	3	5	3	25	22	27	21	14	21	25	26	26	27	11	10	3	3					1
	,,	F.	195	5	4	1	2	1	7	10	21	33	29	18	21	4	9	7	9	3	3	3	4						1
24	Tuberculosis of the meninges and central nervous system	M.	16		3	2	1	2	5			1					1		1										
	,,	F.	18	3	4	1		1	3	3	1	1			1														

TABLE 24.—CAUSES OF DEATH BY SEX AND AGE, BRITISH COLUMBIA, 1936—*Continued.*

Int. List No.	CAUSES OF DEATH.		TOTAL.	AGES.																										
				Under 1 Year.	1 Year.	2 Years.	3 Years.	4 Years.	5–9 Yrs.	10–14 Yrs.	15–19 Yrs.	20–24 Yrs.	25–29 Yrs.	30–34 Yrs.	35–39 Yrs.	40–44 Yrs.	45–49 Yrs.	50–54 Yrs.	55–59 Yrs.	60–64 Yrs.	65–69 Yrs.	70–74 Yrs.	75–79 Yrs.	80–84 Yrs.	85–89 Yrs.	90–94 Yrs.	95–99 Yrs.	100 Years and over.	Not stated.
	Tuberculosis—*Continued.*																													
25	Tuberculosis of the intestines and peritoneum	M.	5	1	1						1							1				1							
	,,	F.	6						1	2	1					1				1									
26	Tuberculosis of the vertebral column	M.	3													1		1			1								
	,,	F.	6										2		1			1				1	1						
27	Tuberculosis of the bones and joints (vertebral column excepted)	M.	1								1																		
	,,	F.	2							1								1											
	(b.) Of joints	M.	1								1																		
	,,	F.	2							1								1											
28	Tuberculosis of the skin and subcutaneous cellular tissue	M.	1																		1								
29	Tuberculosis of the lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted)	M.	1								1																		
30	Tuberculosis of the genito-urinary system	M.	3								1			1									1						
	,,	F.	2										1										1						
32	Disseminated tuberculosis	M.	11	2				1	2		1							2		1			1	1					
	,,	F.	8		2					1		2	1		1		1												
	(a.) Acute	M.	8	2				1	2											1			1	1					
	,,	F.	7		2					1		1	1		1		1												
	(c.) Not specified	M.	3								1							2											
	,,	F.	1									1																	
34	Syphilis	M.	47	7								1		1	2	4	4	5	6	7	3	5	2						
	,,	F.	17	2								2	2	2	1	1	2	3		1		1							
35	Gonococcus infection and other venereal diseases	M.	1										1																
36	Purulent infection, septicæmia (non-puerperal)	M.	7								3								1		1	2							
	,,	F.	6	1	1							2	1									1							
38	Malaria	M.	2														1			1									
42	Other diseases caused by helminths	F.	1				1																						
43	Mycoses	M.	2								1										1								
	,,	F.	1																	1									
44	Other infectious or parasitic diseases	M.	3	1										1			1												
	,,	F.	3	1				1										1											
	(a.) Chicken-pox	M.	1	1																									
	,,	F.	1	1																									
	(b.) German measles	M.	2											1			1												
	,,	F.	2					1										1											
	Class II. Cancer and other tumours	Total	1008		3	1	1		3	2	4	4	12	13	18	50	68	105	144	132	137	127	100	52	21	9		1	1
	,,	M.	554		1				1		3	1	9	5	5	19	24	37	77	87	83	80	75	28	12	5		1	1
	,,	F.	454		2	1	1		2	2	1	3	3	8	13	31	44	68	67	45	54	47	25	24	9	4			
45–53	Cancer and other malignant tumours	M.	518								3	1	8	5	5	17	22	34	73	83	80	72	71	26	11	5		1	1
	,,	F.	416		2	1			2	1	1	3	2	7	9	26	39	62	66	42	52	43	22	24	9	3			
45	Cancer of the buccal cavity and pharynx	M.	31														1	2	7	6	4	3	5	1		2			
	,,	F.	7									1						1	4				1						
46	Cancer of the digestive tract and peritoneum	M.	303									1	3	1	3	11	17	20	44	55	47	40	42	14	5				
	,,	F.	168											2	3	6	13	25	17	20	28	21	13	15	4	1			
	(a.) Of the œsophagus	M.	10														1	1	2		3	1	2						
	,,	F.	4															3							1				

	(b.) Of the stomach and duodenum	M.	134								1	2		1	6	7	9	18	26	22	15	18	8	1								
	"	F.	66										2	1		3	12	7	5	10	8	9	7	2								
	(c.) Of the rectum	M.	40									1				4	1	5	8	7	5	4	3	2								
	"	F.	14												1	3			4	2	1	3										
	(d.) Of the liver and biliary ducts	M.	29												2	2	3	3	5	4	5	5										
	"	F.	20												1	2	2	1	3	4	5	1	1									
	(e.) Of the pancreas	M.	17												2	1	1	3	3	2	4	1										
	"	F.	10												1	1	3	1	1	1			2									
	(f.) Of the peritoneum	M.	1										1																			
	"	F.	3												1				1	1												
	(g.) Of other organs	M.	72											2	1	2	5	13	13	9	10	12	3	2								
	"	F.	51											2	2	4	5	8	6	10	7		5	1	1							
47	Cancer of the respiratory organs	M.	35									1			3	1	3	9	4	3	6	3		2								
	"	F.	5							1	1						1	1			1											
	(a.) Of the larynx	M.	6															1		2	1	1		1								
	(b.) Of the lung	M.	24									1			3	1	3	6	3	1	3	2		1								
	"	F.	3														1	1			1											
	(c.) Of the mediastinum	M.	3															1	1		1											
	"	F.	2							1	1																					
	(d.) Of other organs of the respiratory system	M.	2															1			1											
48	Cancer of the uterus	F.	56								1	1		1	6	8	7	14	5	2	9		2									
	(a.) Of the uterus	F.	36												2	3	3	13	4	2	7		2									
	(b.) Of the cervix uteri	F.	20								1	1		1	4	5	4	1	1		2											
49	Cancer of other female genital organs	F.	28											1	2	1	5	6	4	5	3			1								
50	Cancer of the breast	M.	1													1																
	"	F.	94									1	1	2	8	13	17	17	8	7	5	7	4	2	2							
51	Cancer of the male genito-urinary organs	M.	93									3	2	1	2		3	10	10	16	16	16	8	3	2							1
	(a.) Of the bladder	M.	23												1			3	2	2	6	5	2	1								1
	(b.) Of the kidney	M.	8														1	3	1	2				1								
	(c.) Of the prostate gland	M.	56									2	1		1		1	4	7	12	9	10	6	2	1							
	(d.) Of the testicles and annexa	M.	3									1	1	1																		
	(e.) Of other male genito-urinary organs	M.	3														1				1	1										
52	Cancer of the skin	M.	11												1			1		1	2	1	2	1	1		1					
	"	F.	5											1						1	1		2									
53	Cancer of other or unspecified organs	M.	44					3		1	2	1		2	6	2	8	9	5	4	1											
	"	F.	53	2	1		2	1				4	1	4	4	6	7	5	9	3	1	1	2									
	(a.) Of the eye and orbit	M.	1																			1										
	(c.) Of the glandular system	M.	10						1		1						1		2	1	3		1									
	"	F.	12	1			1									1	1	4		2	1		1									
	(d.) Of the female urinary organs	F.	19	1	1							1		2		2	1	2	5	1	1		2									
	(e.) Of the bones and joints	M.	11						2									1	2	4	1	1										
	"	F.	6												1	1		1	1	1	1											
	(f.) Of the brain	M.	11										1	1		2	3	1	1	1		1										
	"	F.	6				1						2	1	1		1															
	(g.) Of the spine and spinal cord	M.	2														1		1													
	"	F.	2					1										1														
	(h.) Of the neck	M.	2														1			1												
	"	F.	1													1																
	(i.) Of the abdomen	M.	1																			1										
	"	F.	4														2		1	1												
	(j.) Of other specified organs	M.	4										1							2	1											
	"	F.	1										1																			
	(k.) Multiple cancer	M.	1																1													
	"	F.	2													1			1													
	(m.) Of unspecified or unknown location	M.	1																1													
54	Non-malignant tumours	M.	29		1			1							1	2		3	4	3	7	4	2	1								
	"	F.	35			1			1			1	1	4	5	4	5	1	3	1	4	3			1							
	(a.) Of the ovary	F.	8											1	3		1		2						1							
	(b.) Of the uterus	F.	17									1	1	2	2	3	3	1		1	2	1										

TABLE 24.—CAUSES OF DEATH BY SEX AND AGE, BRITISH COLUMBIA, 1936—*Continued.*

Int. List No.	CAUSES OF DEATH.		TOTAL.	AGES.																										
				Under 1 Year.	1 Year.	2 Years.	3 Years.	4 Years.	5–9 Yrs.	10–14 Yrs.	15–19 Yrs.	20–24 Yrs.	25–29 Yrs.	30–34 Yrs.	35–39 Yrs.	40–44 Yrs.	45–49 Yrs.	50–54 Yrs.	55–59 Yrs.	60–64 Yrs.	65–69 Yrs.	70–74 Yrs.	75–79 Yrs.	80–84 Yrs.	85–89 Yrs.	90–94 Yrs.	95–99 Yrs.	100 Years and over.	Not stated.
	Non-malignant tumours—*Continued.*																													
	(d.) Of the brain	M.	5		1				1								1			2										
	"	F.	1																		1									
	(e.) Of the thyroid gland	M.	2																	1	1									
	"	F.	5														1	1			1	2								
	(f.) Of the prostate gland	M.	17														1		2	1	1	6	3	2	1					
	(g.) Of other or unspecified sites	M.	5													1			1		1	1	1							
	"	F.	4				1			1					1					1										
55	Tumours, nature not specified	M.	7										1			1		3	1			1								
	"	F.	3														1	1			1									
	(d.) Of the brain	M.	4										1			1		2												
	"	F.	3														1	1			1									
	(g.) Of other or unspecified sites	M.	3															1	1			1								
	Class III. Rheumatic diseases, diseases of nutrition and of the endocrine glands and other general diseases	Total	212	26	2		2	1	4	7	4	11	7	6	4	8	3	12	16	25	29	20	13	6	5	1				
	"	M.	103	16	1		1	1	1	2	2	5	4		1	2		5	7	12	17	12	7	4	2	1				
	"	F.	109	10	1		1		3	5	2	6	3	6	3	6	3	7	9	13	12	8	6	2	3					
56	Acute rheumatic fever	M.	16								2	4	2			1		2		2	1	1				1				
	"	F.	18						2	5	1	2	2	2	1				1	1	1									
57	Chronic rheumatism, osteoarthritis	M.	3																2		1									
	"	F.	4														1	1				1		1						
59	Diabetes mellitus	M.	49						1	1					1			3	1	8	14	10	4	4	2					
	"	F.	45						1			2	1	1	1	2	1	3	5	10	8	5	2	2	1					
63	Rickets	M.	1										1																	
	"	F.	1								1																			
65	Diseases of the pituitary gland	F.	1																1											
66	Diseases of the thyroid and parathyroid glands	M.	11	2				1					1						3	2	1	1								
		F.	20				1					2		1		3		2	2	2	3	2	2							
	(a.) Simple goitre	M.	1																			1								
		F.	2													1		1												
	(b.) Exophthalmic goitre	M.	7										1						3	2	1									
		F.	16									2		1		2		1	2	2	3	1	2							
	(c.) Myxœdema, cretinism	M.	1					1																						
		F.	2				1															1								
	(d.) Tetany	M.	1	1																										
	(e.) Others under this title	M.	1	1																										
67	Diseases of the thymus gland	M.	18	14	1		1			1		1																		
	"	F.	12	10	1										1															
68	Diseases of the adrenals (Addison's disease)	M.	2													1						1								
		F.	1													1														
69	Other general diseases	M.	3																1			2								
		F.	7											1	1		1	1			1	1		1						
	(a.) Fatty or amyloid degeneration	M.	3																1			2								
		F.	6											1	1		1	1				1		1						
	(c.) Others under this title	F.	1																		1									

	Class IV. Diseases of the blood and blood-forming organs	Total	62	2	1		1		2	2	2	3		1	1	3	3	5	5	6	6	10	5	3	1					
	"	M.	35		1				1	2	1			1	1		3	3	5	3	5	4	3	1	1					
	"	F.	27	2			1		1		1	3				3		2		3	1	6	2	2						
70	Hæmorrhagic conditions	M.	4											1							1		1	1						
	"	F.	1													1														
	(a) Simple purpura	M.	3																		1		1	1						
	(b.) " Hæmophilia	F.	1													1														
		M.	1											1																
71	Anæmia	M.	9															1		2	2	2	2							
	"	F.	13	1								1						2		1		5	2	1						
	(a.) " Pernicious anæmia	M.	9															1		2	2	2	2							
	(b.) " Others under this title	F.	11	1								1						2		1		3	2	1						
		F.	2																			2								
72	Leukæmia and aleukæmia	M.	19		1				1	2	1				1		1	2	4	1	2	2			1					
	"	F.	10	1			1		1			2				2				1	1	1								
	(a.) " Leukæmia	M.	11		1				1	2					1		1		2		2	1								
	(b.) " Aleukæmia (Hodgkin's disease)	F.	9	1			1		1			2				2					1	1								
	"	M.	8								1							2	2	1		1			1					
73	Diseases of the spleen	F.	1																	1										
	"	M.	3														2		1											
		F.	3								1									1				1						
	Class V. Chronic poisonings and intoxications	Total	23											1	2	4	4	5	4	2				1					
	"	M.	21												2	3	4	5	4	2				1						
	"	F.	2											1		1														
75	Alcoholism	M.	16												2	2	3	3	3	2				1						
	"	F.	2											1		1														
	(a.) Delirium tremens	M.	3													1		1	1											
	(b.) Other alcoholic intoxications	M.	13												2	1	3	2	2	2				1						
	"	F.	2											1		1														
76	Chronic poisoning, by other organic substances	M.	3													1	1		1											
	(d.) Other organic poisoning	M.	3													1	1		1											
77	Chronic poisoning by mineral substances	M.	2															2												
	(a.) Lead (including occupational)	M.	1															1												
	(c.) Others under this title	M.	1															1												
	Class VI. Diseases of the nervous system and of the organs of special sense	Total	417	15	2	1	3		6	14	7	11	14	13	17	19	22	32	40	44	43	41	40	14	11	6	1	1		
	"	M.	246	6	2	1	1		3	6	6	5	8	4	8	10	15	20	26	27	29	30	24	6	7	1		1		
	"	F.	171	9			2		3	8	1	6	6	9	9	9	7	12	14	17	14	11	16	8	4	5	1			
78	Encephalitis (non-epidemic)	M.	3										1						2											
	"	F.	2							1								1												
79	Simple meningitis	M.	6	2					1	1					1	1														
	"	F.	8	3					1	1					1	1	1													
80	Progressive locomotor ataxia (tabes dorsalis)	M.	5																1	1	3									
81	Other diseases of the spinal cord	M.	12		1							1				1				2	1	4	1	1						
	"	F.	9										1	1		1	1		1	2		1					1			
82	Cerebral hæmorrhage, cerebral embolism, and thrombosis	M.	82										1				5	2	12	9	7	18	17	4	5	1		1		
	"	F.	71											1	1	3	1	6	6	10	11	5	13	7	3	4				
	(a.) Cerebral hæmorrhage	M.	73										1				5	2	11	9	5	15	14	4	5	1		1		
	(b.) Cerebral embolism and thrombosis	F.	65											1	1	3	1	6	6	10	7	4	12	7	3	4				
		M.	4																		1	2	1							
	(c.) Softening of the brain	F.	5																		3	1	1							
		M.	2																1				1							
	(d.) Hemiplegia and other paralysis, cause not specified	F.	1																		1									
		M.	3																		1	1	1							

TABLE 24.—CAUSES OF DEATH BY SEX AND AGE, BRITISH COLUMBIA, 1936—*Continued.*

Int. List No.	CAUSES OF DEATH.		TOTAL.	AGES.																										
				Under 1 Year.	1 Year.	2 Years.	3 Years.	4 Years.	5–9 Yrs.	10–14 Yrs.	15–19 Yrs.	20–24 Yrs.	25–29 Yrs.	30–34 Yrs.	35–39 Yrs.	40–44 Yrs.	45–49 Yrs.	50–54 Yrs.	55–59 Yrs.	60–64 Yrs.	65–69 Yrs.	70–74 Yrs.	75–79 Yrs.	80–84 Yrs.	85–89 Yrs.	90–94 Yrs.	95–99 Yrs.	100 Years and over.	Not stated.
83	General paralysis of the insane	M.	20												1	1	3	8	1	3	2		1							
	"	F.	4															1	2	1										
84	Dementia præcox and other psychoses	M.	56								2	3	6	1	4	6	5	6	5	6	6	5			1					
	"	F.	39									3	3	7	4	4	3	3	4	4	2	2								
	(a.) Dementia præcox	M.	41								2	3	6	1	4	5	5	3	5	4	2	1								
	"	F.	28									2	2	5	4	3	3	2	2	2	2	1								
	(b.) Other psychoses	M.	15													1		3		2	4	4			1					
	"	F.	11									1	1	2		1		1	2	2		1								
85	Epilepsy	M.	15	1						2				2		2	1	1	1	1	1		1	1	1					
	"	F.	7						1		1	2	2				1													
86	Convulsions (under 5 years of age)	M.	2	2																										
	"	F.	4	4																										
87	Other diseases of the nervous system	M.	33			1	1		2	1	2	1		1				3	3	4	8	3	3							
	"	F.	14												3				1		1	3	3	1	1	1				
	(a.) Chorea	M.	1															1												
	(b.) Neuralgia and neuritis	M.	2																		1		1							
	"	F.	1																					1						
	(c.) Paralysis agitans	M.	14											1					1	2	6	3	1							
	"	F.	5																		1	2	2							
	(d.) Sclerosis (other than of the spinal cord)	M.	5															2	1	1			1							
	"	F.	5												2				1						1	1				
	(e.) Others under this title	M.	11			1	1		2	1	2	1							1	1	1									
	"	F.	3												1							1	1							
88	Diseases of the organs of vision	M.	1																				1							
89	Diseases of the ear and mastoid process	M.	11	1	1					2	2				1		1		1	1	1									
	"	F.	13	2			2		1	6		1						1												
	(a.) Otitis	M.	3		1												1				1									
	"	F.	5	1			1			3																				
	(b.) Diseases of the mastoid process	M.	8	1						2	2				1				1	1										
	"	F.	8	1			1		1	3		1						1												
	Class VII. Diseases of the circulatory system	Total	1887		1	1			3	7	4	8	9	7	18	35	77	132	161	211	254	333	312	172	96	33	9	1	3	
	"	M.	1205						1	4		5	5		9	17	53	89	109	155	161	222	195	108	53	13	3		3	
	"	F.	682		1	1			2	3	4	3	4	7	9	18	24	43	52	56	93	111	117	64	43	20	6	1		
90–95	Diseases of the heart	M.	823							3		5	5		7	12	46	69	83	121	109	148	120	55	27	8	2		3	
	"	F.	426			1			2	3	4	3	4	7	8	11	17	26	32	37	58	75	68	37	22	10	1			
90	Pericarditis	M.	3							1								1				1								
	"	F.	1													1														
91	Acute endocarditis	M.	8							1		2			1			1	2	1										
	"	F.	7			1					2	1				2		1												
	(a.) Endocarditis, specified as acute	M.	7							1		2						1	2	1										
	"	F.	4			1					1	1						1												
	(b.) Endocarditis, unspecified (under 45 years of age)	M.	1												1															
	"	F.	3								1					2														
92	Chronic endocarditis, valvular diseases	M.	135							1		3	2		3	1	11	15	6	15	19	22	25	8	2	1	1			
	"	F.	73							2	1	2	1	4	2	3	4	6	6	10	13	7	5	6			1			
	(a.) Endocarditis, specified as chronic and other valvular diseases	M.	121							1		3	2		3	1	11	13	5	13	17	21	22	5	2	1	1			

| | | |

TABLE 24.—CAUSES OF DEATH BY SEX AND AGE, BRITISH COLUMBIA, 1936—*Continued.*

Int. List No.	CAUSES OF DEATH.		TOTAL.	AGES.																												
				Under 1 Year.	1 Year.	2 Years.	3 Years.	4 Years.	5–9 Yrs.	10–14 Yrs.	15–19 Yrs.	20–24 Yrs.	25–29 Yrs.	30–34 Yrs.	35–39 Yrs.	40–44 Yrs.	45–49 Yrs.	50–54 Yrs.	55–59 Yrs.	60–64 Yrs.	65–69 Yrs.	70–74 Yrs.	75–79 Yrs.	80–84 Yrs.	85–89 Yrs.	90–94 Yrs.	95–99 Yrs.	100 Years and over.	Not stated.
	Bronchopneumonia—*Continued.*																															
	(a.) Bronchopneumonia	M.	125	22	3	2	1	2	2	1		1	2			3	3	5	5	7	9	11	15	18	9	4						
	"	F.	109	14	5	2	1		3		1	3		2	4	1	2	4	5	6	6	12	18	9	6	3	2					
108	Lobar pneumonia	M.	100	5	4			1	3		1	3		3	4	3	6	13	11	9	7	9	6	7	3	1	1					
	"	F.	60	8	1			1	1		5	2	2	2		2	3	3	4	2	4	8	7	4	1							
109	Pneumonia, unspecified	M.	34	7					2		1	2				1	1	1	2	1	3	5	3	3	2							
	"	F.	24	3	4				1	1					2					2	2		3	3	3							
110	Pleurisy	M.	6						1		1				1		1			1		1										
	"	F.	9	1							1	1		1			1		1	2	1											
111	Congestion and hæmorrhagic infarct of the lung, etc.	M.	6											1		1				1				2	1							
	"	F.	2																													
	(a.) Pulmonary embolism and thrombosis	M.	3																						1		1					
	(b.) Others under this title	M.	3											1		1				1												
	"	F.	2																					2	1							
112	Asthma	M.	28						1						1	2	1	4	1	4	4	4	4	1	1		1					
	"	F.	11														3	2			1	1	1	3							
114	Other diseases of the respiratory system (tuberculosis excepted)	M.	17	1						1							2	6	1	3	1		2									
	Ditto	F.	2	1				1																								
	(a.) Chronic interstitial pneumonia, including occupational diseases of the respiratory system	M.	12							1							1	6	1	1	1		1									
	Ditto	F.	1					1																								
	(c.) Others under this title	M.	5	1													1			2			1									
	"	F.	1	1																												
	Class IX. Diseases of the digestive system	Total	450	29	10	4	8	4	13	14	15	14	5	7	17	19	33	38	39	52	33	37	24	26	8		1					
	"	M.	269	14	3	4	3	1	6	9	8	7	1	5	13	12	24	25	24	31	18	22	18	14	6		1					
	"	F.	181	15	7		5	3	7	5	7	7	4	2	4	7	9	13	15	21	15	15	6	12	2							
115	Diseases of the buccal cavity and annexa, and of the pharynx and tonsils (including adenoid vegetations)	M.	19	1	2	1	1		1		1	2		1	2		1	1	1	1		1	1	1								
	Ditto	F.	12		1				1	2	1	1				1	1		1	2		1										
	(a.) Diseases of the buccal cavity and annexa	M.	5												1			1		1			1	1								
	"	F.	5		1												1			2		1										
	(b.) Diseases of the tonsils	M.	5				1		1			1		1								1										
	"	F.	5							2	1	1				1																
	(c.) Others under this title	M.	9	1	2	1					1	1			1		1		1													
	"	F.	2						1										1													
117	Ulcer of the stomach or duodenum	M.	66											1	6	2	10	9	8	12	5	2	4	4	2		1					
	"	F.	15				1										1	2	4	2	1	2	1	1								
	(a.) Ulcer of the stomach	M.	39											1	4		6	3	3	7	4	2	4	2	2		1					
	"	F.	8														1	1	3	2	1											
	(b.) Ulcer of the duodenum	M.	27												2	2	4	6	5	5	1		2									
	"	F.	7				1											1	1			2	1	1								
118	Other diseases of the stomach	M.	5					1			1						1			1		1										
	"	F.	3	1	1																			1								
119	Diarrhœa and enteritis (under 2 years of age)	M.	11	11																												
	"	F.	17	13	4																											

| | | |

TABLE 24.—CAUSES OF DEATH BY SEX AND AGE, BRITISH COLUMBIA, 1936—*Continued.*

Int. List No.	CAUSES OF DEATH.		TOTAL.	AGES. Under 1 Year.	1 Year.	2 Years.	3 Years.	4 Years.	5–9 Yrs.	10–14 Yrs.	15–19 Yrs.	20–24 Yrs.	25–29 Yrs.	30–34 Yrs.	35–39 Yrs.	40–44 Yrs.	45–49 Yrs.	50–54 Yrs.	55–59 Yrs.	60–64 Yrs.	65–69 Yrs.	70–74 Yrs.	75–79 Yrs.	80–84 Yrs.	85–89 Yrs.	90–94 Yrs.	95–99 Yrs.	100 Years and over.	Not stated.
	Diseases of the female genital organs—*Continued.*																											
	(a.) Of the ovary, Fallopian tube, and parametrium	F.	6								1		2	1	1	1													
	(b.) Of the uterus	F.	11										2	2	1		2	1	1	1			1						
	(c.) Of the breast	F.	1																		1								
	(d.) Others under this title	F.	1																		1								
	Class XI.—Diseases of pregnancy, childbirth, and the puerperal state	Total	50								1	12	16	12	8	1													
140	Abortion with septic conditions	F.	18									5	9	3		1													
	(a.) Abortion	F.	13									4	6	2		1													
	(b.) Self-induced abortion	F.	5									1	3	1															
141	Abortion without mention of septic conditions (hæmorrhage included)	F.	3										1	1	1														
	(a.) Abortion	F.	2										1		1														
	(b.) Self-induced abortion	F.	1											1															
144	Puerperal hæmorrhage	F.	5										2	3															
	(a.) Placenta prævia	F.	2										1	1															
	(b.) Other hæmorrhages	F.	3										1	2															
145	Puerperal septicæmia (not specified as due to abortion)	F.	7								1	3	1		2														
	(a.) Puerperal septicæmia and pyæmia	F.	7								1	3	1		2														
146	Puerperal albuminuria and eclampsia	F.	4										2		2														
147	Other toxæmias of pregnancy	F.	3									1		1	1														
148	Puerperal phlegmasia alba dolens, embolism or sudden death (not specified as septic)	F.	2											2															
	(a.) Phlegmasia alba dolens and thrombosis	F.	1											1															
	(c.) Sudden death	F.	1											1															
149	Other accidents of childbirth	F.	8									3	1	2	2														
	(a.) Caesarean operation	F.	1											1															
	(b.) Dystocia	F.	2									1		1															
	(c.) Other surgical operations and instrumental delivery	F.	1									1																	
	(d.) Rupture of uterus in parturition	F.	1												1														
	(e.) Others under this title	F.	3									1	1		1														
	Class XII.—Diseases of the skin and cellular tissue	Total	20	1					1		2	2	1	1	1		1	3	2	2	1	1		1					
	,,	M.	13						1					1	1		1	2	2	2	1	1		1					
	,,	F.	7	1							2	2	1					1											
151	Carbuncle	M.	6						1					1			1	1	1		1								
	,,	F.	3								1	1	1																
152	Cellulitis, acute abscess	M.	5												1			1	1	2									
	,,	F.	3	1							1	1																	
153	Other diseases of the skin and annexa and of the cellular tissue	M.	2																			1		1					
	Ditto	F.	1															1											
	Class XIII.—Diseases of the bones and organs of locomotion	Total	20							2	2		1		1	1			1	2	1	5	1	2	1				

	Ditto	M.	12							1	2		1		1				1	1	1	2	1	1					
	"	F.	8							1				1						1		3		1	1					
154	Osteomyelitis	M.	6							1	2				1					1				1					
	"	F.	2							1				1																
155	Other diseases of the bones (tuberculosis excepted)	M.	2										1										1							
	"	F.	4																	1		2		1						
156	Diseases of the joints and other organs of *locomotion*	M.	4																1		1	2								
	"	F.	2																			1			1					
	(a.) Of the joints (tuberculosis and rheumatism excepted)	M.	2																		1	1								
	Ditto	F.	1																						1					
	(b.) Of other organs of locomotion	M.	2																1			1								
	"	F.	1																			1								
	Class XIV.—Congenital malformations	Total	60	47	3	2			3	1	1		1			1					1									
	"	M.	28	21	3				2		1										1									
	"	F.	32	26		2			1	1			1			1														
157	Congenital malformations (still-births excluded)	M.	28	21	3				2		1										1									
	"	F.	32	26		2			1	1			1			1														
	(a.) Congenital hydrocephalus	M.	4	2	2																									
	"	F.	6	5						1																				
	(b.) Spina bifida and meningocele	M.	2	2																										
	"	F.	4	4																										
	(c.) Congenital malformations of the heart	M.	11	9	1																1									
	"	F.	12	11					1																					
	(d.) Monstrosities	F.	1	1																										
	(e.) Others under this title	M.	11	8					2		1																			
	"	F.	9	5		2							1			1														
	Class XV.—Diseases of early infancy	Total	194	194																										
	"	M.	114	114																										
	"	F.	80	80																										
158	Congenital *debility*	M.	16	16																										
	"	F.	8	8																										
159	Premature birth	M.	64	64																										
	"	F.	50	50																										
160	Injury at birth	M.	18	18																										
	"	F.	12	12																										
	(b.) Without mention of Caesarean operation	M.	18	18																										
	"	F.	12	12																										
161	Other diseases peculiar to early infancy (under 3 months)	M.	16	16																										
	Ditto	F.	10	10																										
	(a.) Atelectasis	M.	8	8																										
	"	F.	4	4																										
	(b.) Icterus of the new-born	M.	8	8																										
	(e.) *Others, including lack of care*	M.	7	7																										
	"	F.	6	6																										
	(f.) No cause given, no doctor in attendance	M.	3	3																										
	Class XVI.—Senility	Total	109																	1	4	22	23	28	17	10	4			
	"	M.	57																		3	15	10	19	8	1	1			
	"	F.	52																	1	1	7	13	9	9	9	3			
162	Senility	M.	57																		3	15	10	19	8	1	1			
	"	F.	52																	1	1	7	13	9	9	9	3			

TABLE 24.—CAUSES OF DEATH BY SEX AND AGE, BRITISH COLUMBIA, 1936—*Continued.*

Int. List No.	CAUSES OF DEATH.		TOTAL.	AGES.																									
				Under 1 Year.	1 Year.	2 Years.	3 Years.	4 Years.	5–9 Yrs.	10–14 Yrs.	15–19 Yrs.	20–24 Yrs.	25–29 Yrs.	30–34 Yrs.	35–39 Yrs.	40–44 Yrs.	45–49 Yrs.	50–54 Yrs.	55–59 Yrs.	60–64 Yrs.	65–69 Yrs.	70–74 Yrs.	75–79 Yrs.	80–84 Yrs.	85–89 Yrs.	90–94 Yrs.	95–99 Yrs.	100 Years and over.	Not stated.
	Senility—*Continued.*																												
	(a.) With senile dementia (70 years and over)	M.	28																		9	8	9	2				
	,,	F.	21																		4	11	1	1	3	1		
	(b.) Without senile dementia (70 years and over)	M.	26																		6	2	10	6	1	1		
	,,	F.	29																		3	2	8	8	6	2		
	(c.) Premature senility (55 years but under 70 years)	M.	3																	3								
	,,	F.	2																	1	1							
	Class XVII. Violent or accidental deaths	Total	680	11	3	6	8		14	17	32	46	53	45	50	47	59	61	56	43	30	29	28	19	13		3		7
	,,	M.	530	5	2	4	5		10	9	25	39	41	39	43	38	54	54	48	34	24	19	14	7	7		2		7
	,,	F.	150	6	1	2	3		4	8	7	7	12	6	7	9	5	7	8	9	6	10	14	12	6		1		
163–171	Suicides	M.	86							1	1	3	7	6	8	7	11	13	9	9	5	2	3						1
	,,	F.	25									3	1	2	4	6	1	5	1	1	1								
163	Suicide by solid or liquid poisons or by absorption of corrosive substances	M.	3														1	1		1									
	Ditto	F.	6											1		2	1	1	1										
164	Suicide by poisonous gas	M.	7								1	2	1	1		1	1												
	,,	F.	5									2		1				1		1									
165	Suicide by hanging or strangulation	M.	19							1			2		2		2	5	3	3			1						
	,,	F.	5												1	1		2			1								
166	Suicide by drowning	M.	10										1	2	1			2	3				1						
	,,	F.	3									1			2														
167	Suicide by firearms	M.	35									1	2	3	3	3	5	5	2	4	4	2	1						
	,,	F.	3										1		1	1													
168	Suicide by cutting or piercing instruments	M.	6												2	2	1		1										
	,,	F.	2													1		1											
169	Suicide by jumping from high places	M.	3														1			1	1								
	,,	F.	1													1													
170	Suicide by crushing	M.	1										1																
171	Suicide by other means	M.	2													1													1
173–175	Homicides	M.	8								1	1	1	1		1	1			1									
	,,	F.	12	1	1		1		1	1	1	1	1	3	1														
173	Homicide by firearms	M.	4								1	1		1	1														
	,,	F.	6				1		1	1	1			2															
174	Homicide by cutting or piercing instruments	M.	1										1																
175	Homicide by other means	M.	3														1	1		1									
	,,	F.	6	1	1							1	1	1	1														
176–198	Other violent deaths	M.	436	5	2	4	5		10	8	23	35	33	32	34	31	42	40	39	24	19	17	11	7	7		2		6
	,,	F.	113	5		2	2		3	7	6	3	10	1	2	3	4	2	7	8	5	10	14	12	6		1		
177	Food poisoning	M.	4	1								1	1	1															
178	Accidental absorption of toxic gases	M.	12								2	1	1	1	1			3	1	1			1						
	,,	F.	1																	1									
179	Other acute accidental poisonings (except by gas)	M.	2													1		1											
	,,	F.	4	1													2							1					
180	Conflagration	M.	10						1	1			1					1	1		1	1		1	1				1
	,,	F.	1										1																
181	Accidental burns (conflagration excepted)	M.	6		1		1												1	1		1		1					
	,,	F.	8			1			1	2			1										1	1	1				

182	Accidental mechanical suffocation	M.	5	1						1				1					2												
	,,	F.	4	3							1																				
183	Accidental drowning	M.	96		1	2	3		5	4	5	11	7	7	10	8	10	4	3	6	2	4	1								3
	,,	F.	7				1						2	1		1			1	1											
184	Accidental injury by firearms	M.	7								3	1						2						1							
185	Accidental injury by cutting or piercing instruments	M.	2														1			1											
186	Accidental injury by fall, crushing, or landslide	M.	249	1		1	1		4	2	12	18	22	18	21	20	26	25	27	11	14	10	6	3	4		1				2
	,,	F.	77	1		1	1		2	5	5	3	2		1	2	2	2	6	6	5	7	11	10	4		1				
188	Injuries by animals	M.	4													1			1		1		1								
190	Excessive cold	M.	4	1															1	1				1							
	,,	F.	1												1																
191	Excessive heat	M.	5									1					1		1	1			1								
192	Lightning	M.	1								1																				
193	Accidents due to electric currents	M.	4									1					1	1		1											
194	Other accidents	M.	20	1		1						1		3	1	1	1	3	1	1	1	1	1		2		1				
	,,	F.	8										2									3	2	1							
	(a.) Foreign body	M.	2			1														1											
	,,	F.	1										1																		
	(b.) Others under this title	M.	18	1								1		3	1	1	1	3	1		1	1	1		2		1				
	,,	F.	7										1									3	2	1							
195	Violent deaths of which the nature (accident, suicide, homicide) is unknown	M.	1														1														
	,,	F.	2										2																		
198	Capital punishment	M.	4										1	1	1		1														
	Class XVIII. Ill-defined causes of death	Total	52	13	2	1	2	1	2							1	1	1	4	6	5	5	2	3							3
	,,	M.	34	5	2				1							1	1	1	4	5	3	4	2	2							3
	,,	F.	18	8		1	2	1	1											1	2	1		1							
199	Sudden death	M.	11	1														1	1	2	1	3	1	1							
	,,	F.	4	2																		1		1							
200	Cause of death not specified or ill-defined	M.	23	4	2				1							1	1		3	3	2	1	1	1							3
	,,	F.	14	6		1	2	1	1											1	2										

SPECIAL CLASSES OF ACCIDENTAL DEATHS, BRITISH COLUMBIA, 1936.

(Included also under the numbers of the International List above.)

A	Accidents in mines and quarries	M.	24			1					1	4	2	3	4	2	1	2	3		1										
B	Accidents caused by machines	M.	14								3	2	1	1			3	2		2											
C	Railway accidents	M.	36						1		1	1	3	3	4	4	8	2	5	1	1		1								1
D	Street-car accidents	M.	3											1		1			1												
	,,	F.	2				1																1								
E	Automobile and motor-cycle accidents	M.	72				1		3	2	4	11	2	5	5	6	4	9	7	2	3	5	1		2						
	,,	F.	29						2	1	5	2	2		1	2	1	2	1	4	1	3	1	1							
F	Other land transportation	M.	8											1	1	1	1	1	1	1		1									
	,,	F.	3							2											1										
G	Water transportation	M.	41								3	5	3	3	5	4	5	5	2	1	2	2									1
	,,	F.	2													1				1											
H	Air transportation	M.	1									1																			

TABLE 25.—CAUSES OF DEATH FOR EACH SEX BY CONJUGAL CONDITION, NATIVITY, AND MONTH OF DEATH, BRITISH COLUMBIA, 1936.

Int. List No.	CAUSES OF DEATH.	TOTAL.	CONJUGAL CONDITION.													NATIVITY.					MONTHS.											
			Under 15 Yrs.	Single.					Married.					Widowed.	Not stated.	Canada.	British.	Foreign		Not stated.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
				15–24 Yrs.	25–44 Yrs.	45–64 Yrs.	65 Yrs. and over.	Age not stated.	15–24 Yrs.	25–44 Yrs.	45–64 Yrs.	65 Yrs. and over.	Age not stated.					United States.	Other.														
	Deaths, all causes—Total	7222	840	291	281	428	493	11	60	528	1518	1311	5	1456	....	3212	2621	399	928	62	580	608	710	644	636	559	557	540	573	617	589	609
	,, M.	4433	441	179	220	370	399	11	9	233	964	934	4	669	....	1831	1598	242	710	52	339	355	444	392	410	348	330	347	350	394	347	377
	,, F.	2789	399	112	61	58	94	....	51	295	554	377	1	787	....	1381	1023	157	218	10	241	253	266	252	226	211	227	193	223	223	242	232
	Class I. Infectious and parasitic diseases—Total	905	188	114	75	64	23	1	21	131	141	66	1	80	....	543	191	38	130	3	60	76	128	91	87	81	61	58	51	79	69	64
	Ditto M.	536	94	63	52	56	19	1	3	59	103	43	....	43	....	273	131	21	108	3	41	46	73	50	55	49	34	35	30	43	42	38
	,, F.	369	94	51	23	8	4	....	18	72	38	23	1	37	....	270	60	17	22	....	19	30	55	41	32	32	27	23	21	36	27	26
1	Typhoid fever M.	6	1	....	1	1	....	....	....	2	1	....	....	....	....	2	1	....	3	....	....	....	1	1	1	1	....	....	2	....	....	....
6	Smallpox M.	1	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
7	Measles M.	11	10	1	....	....	....	....	....	....	....	....	....	....	....	11	....	....	....	....	....	....	....	2	....	1	1	....	....	1	....	6
	,, F.	8	7	1	....	....	....	....	....	....	....	....	....	....	....	7	....	1	....	....	1	....	....	1	....	1	1	....	....	....	1	3
8	Scarlet fever M.	3	1	1	....	....	....	....	....	1	....	....	....	....	....	3	....	....	....	....	....	....	2	1	....	....	....	....	....	....	....	....	....
	,, F.	2	1	....	....	....	....	....	....	....	....	....	....	1	....	1	1	....	....	....	....	....	1	....	....	....	....	....	....	1	....	....
9	Whooping-cough M.	6	6	....	....	....	....	....	....	....	....	....	....	....	....	6	....	....	....	....	....	....	....	1	1	....	1	3	....	....	....	....	....
	,, F.	11	11	....	....	....	....	....	....	....	....	....	....	....	....	11	....	....	....	....	....	1	1	2	2	1	1	....	....	3	....	....
10	Diphtheria M.	2	1	....	....	1	....	....	....	....	....	....	....	....	....	2	....	....	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....
	,, F.	3	2	....	....	....	....	....	....	1	....	....	....	....	....	3	....	....	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....
11	Influenza M.	92	17	3	6	3	4	....	....	4	18	21	....	16	....	39	34	6	13	....	6	18	19	16	8	5	....	....	2	6	7	5
	,, F.	70	11	1	3	....	3	....	2	7	13	10	....	20	....	42	20	2	6	....	5	9	20	12	3	6	1	....	1	5	7	1
	(a.) ,, Sole cause M.	10	4	1	1	....	1	....	....	....	....	1	....	2	....	6	2	....	2	....	....	2	3	1	1	....	....	....	....	1	1	1
	,, F.	2	2	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....
	(b.) ,, With bronchitis M.	2	....	....	....	....	....	....	....	....	....	1	....	1	....	1	1	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....
	,, F.	2	....	....	....	....	....	....	....	....	....	1	....	1	....	1	1	....	....	....	....	....	1	....	....	....	....	....	....	....	1	....
	(c.) ,, With pneumonia M.	49	8	....	5	1	2	....	....	3	10	12	....	8	....	20	20	3	6	....	3	9	7	12	3	4	....	....	2	4	3	2
	,, F.	37	5	....	1	....	2	....	1	4	8	6	....	10	....	20	13	1	3	....	4	5	14	5	2	1	....	....	....	2	4	....
	(d.) ,, With other diseases of the respiratory system M.	4	1	....	....	....	....	....	....	....	1	1	....	1	....	2	1	....	1	....	....	1	....	....	1	....	....	....	....	....	2	....
	,, F.	2	....	....	1	....	....	....	1	....	....	....	....	....	....	2	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....
	(e.) ,, With intestinal complications M.	3	2	....	....	....	....	....	....	....	1	....	....	....	....	2	....	1	....	....	....	....	1	....	1	....	....	....	....	1	....	....
	,, F.	3	2	....	....	....	....	....	....	....	....	....	....	1	....	2	1	....	....	....	1	....	....	1	....	....	1	....	....	....	....	....
	(f.) ,, With other causes M.	24	2	2	....	2	1	....	....	1	6	6	....	4	....	8	10	2	4	....	3	5	7	3	2	1	....	....	....	....	1	2
	,, F.	24	2	1	1	....	1	....	....	3	5	3	....	8	....	15	5	1	3	....	....	4	4	5	1	4	....	....	1	2	2	1
13	Dysentery M.	2	2	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....
	,, F.	2	....	....	....	....	....	....	....	....	....	1	....	1	....	....	2	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....
15	Erysipelas M.	12	3	....	1	1	2	....	....	....	3	....	....	2	....	5	3	1	3	....	1	....	2	....	1	3	1	....	....	....	1	3
	,, F.	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....
16	Poliomyelitis and polioencephalitis (acute) M.	6	1	1	1	1	....	....	....	1	1	....	....	....	....	3	1	1	1	....	....	1	....	....	....	....	....	....	....	2	2	1
	Ditto F.	1	....	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....
17	Lethargic or epidemic encephalitis M.	2	....	1	1	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....
	,, F.	2	....	1	1	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....
18	Epidemic cerebrospinal meningitis M.	6	2	1	1	2	....	....	....	....	....	....	....	....	....	5	1	....	....	....	1	....	1	2	....	2	....	....	....	....	....	....
	,, F.	3	2	....	....	....	....	....	....	....	1	....	....	....	....	3	....	....	....	....	....	....	....	....	1	1	....	....	....	1	....	....

22	Tetanus	F.	1	1												1									1							
23–	Tuberculosis	M.	325	42	50	41	38	13	1	3	42	66	13		16		170	69	9	74	3	27	19	38	20	40	33	27	27	22	28	24	20
32	,,	F.	237	52	44	17	7	1		15	58	19	10	1	13		184	30	9	14		13	19	30	23	22	22	16	19	18	22	17	16
23	Tuberculosis of the respiratory system	M.	284	22	45	41	35	10	1	2	40	62	10		16		139	65	9	68	3	25	15	34	17	39	28	23	22	18	25	20	18
	Ditto	F.	195	30	39	16	7	1		15	51	17	6	1	12		152	23	9	11		11	15	23	20	19	18	14	16	14	16	15	14
24	Tuberculosis of the meninges and central nervous system	M.	16	13			1			1		1					15	1				1	2	2		1	3		4	1	1	1	
	Ditto	F.	18	15	2						1						17	1					2	4			2		1	3	5	1	
25	Tuberculosis of the intestines and peritoneum	M.	5	2	1							1	1				5							1				1		1		2	
	Ditto	F.	6	3	1						1		1				4	2					1	1		2	1		1				
26	Tuberculosis of the vertebral column	M.	3					1			1	1						1		2								1			1	1	
	,,	F.	6								3		2		1		3	2		1		1		1	1	1		1	1				
27	Tuberculosis of the bones and joints (vertebral column excepted)	M.	1		1												1															1	
	Ditto	F.	2	1								1					1			1				1								1	
	(b.) Of joints	M.	1		1												1															1	
	,,	F.	2	1								1					1			1				1								1	
28	Tuberculosis of the skin and subcutaneous cellular tissue	M.	1										1					1											1				
29	Tuberculosis of the lymphatic system (bronchial, mesenteric, and retro-peritoneal glands excepted)	M.	1		1												1										1						
30	Tuberculosis of the genito-urinary system	M.	3		1			1			1						1	1		1			1	1	1								
	Ditto	F	2								1		1				1	1												1	1		
32	Disseminated tuberculosis	M.	11	5	1		2	1				1	1				8			3		1	1		2		1	2	1	1	1		1
	,,	F.	8	3	2	1					1	1					6	1		1		1	1		2		1	1		1			1
	(a.) Acute	M.	8	5			1	1					1				7			1			1		2		1	2			1		1
	,,	F.	7	3	1	1					1	1					5	1		1		1	1		1		1	1		1			1
	(c.) Not specified	M.	3		1		1					1					1			2		1						1	1				
	,,	F.	1		1												1								1								
34	Syphilis	M.	47	7	1		7				7	12	5		8		17	15	3	12		2	6	8	3	4	3	3	4	4	6	3	1
	,,	F.	17	2	2	2					4	4	1		2		6	5	5	1			1			3		3	2		1	2	5
35	Gonococcus infection and other venereal diseases	M	1								1							1				1											
36	Purulent infection, septicæmia (non-puerperal)	M.	7		3							1	2		1		3	3		1				1	1			1	1			2	1
	Ditto	F.	6	2	1					1	1		1				6								1				1	2	1		1
38	Malaria	M.	2				2										2							1									1
42	Other diseases caused by helminths	F	1	1													1											1					
43	Mycoses	M.	2		1								1						1	1					2								
	,,	F.	1				1											1							1								
44	Other infectious or parasitic diseases	M.	3	1							1	1					1	2							2		1						
	,,	F.	3	2								1					2	1							1	1		1					
	(a.) Chicken-pox	M.	1	1													1										1						
	,,	F.	1	1													1									1							
	(b.) German measles	M.	2								1	1						2							2								
	,,	F.	2	1								1					1	1							1			1					
	Class II. Cancer and other tumours	Total	1008	10	5	18	68	74		3	72	332	219		207		322	484	56	139	7	81	78	82	89	86	80	80	89	74	97	84	88
	Ditto	M.	554	2	4	12	51	56			26	159	155		89		159	265	25	99	6	39	40	47	51	49	45	45	52	36	57	46	47
	,,	F.	454	8	1	6	17	18		3	46	173	64		118		163	219	31	40	1	42	38	35	38	37	35	35	37	38	40	38	41
45–	Cancer and other malignant tumours	M.	518		4	11	50	49			24	148	149		83		144	253	24	92	5	37	37	41	45	48	43	41	51	35	54	43	43
53	,,	F.	416	6	1	5	15	15		3	36	162	63		110		149	203	25	38	1	40	32	32	36	31	34	33	34	37	37	34	36

TABLE 25.—CAUSES OF DEATH FOR EACH SEX BY CONJUGAL CONDITION, NATIVITY, AND MONTH OF DEATH, BRITISH COLUMBIA, 1936—*Continued.*

Int. List No.	CAUSES OF DEATH.		TOTAL.	CONJUGAL CONDITION.													NATIVITY.					MONTHS.											
				Under 15 Yrs.	Single.					Married.						Widowed.	Not stated.	Canada.	British.	Foreign.		Not stated.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
					15–24 Yrs.	25–44 Yrs.	45–64 Yrs.	65 Yrs. and over.	Age not stated.	15–24 Yrs.	25–44 Yrs.	45–64 Yrs.	65 Yrs. and over.	Age not stated.						United States.	Other.														
	Cancer—*Continued.*																																
45	Cancer of the buccal cavity and pharynx	M.	31				6	1				7	6		11		10	14	1	4	2	3	2	2	3	1	5		4	4	3	4	
	Ditto	F.	7					1		1		4			1		4	2		1		1	1				1		1			1	2
46	Cancer of the digestive tract and peritoneum	M.	303		1	6	30	32			12	99	80		43		76	149	13	63	2	24	21	2(	24	30	20	25	30	17	32	25	29
	Ditto	F.	168			1	4	7			8	60	33		55		52	88	10	18		14	16	9	11	11	15	14	15	15	18	16	14
	(a.) Of the œsophagus	M.	10				1	2				3	4					6		4				2		3		1	1		2		1
	,,	F.	4									3			1		2	2				2	1		1							
	(b.) Of the stomach and duodenum	M.	134		1	3	14	13			6	42	32		23		35	65	6	27	1	8	8	5	10	14	8	12	15	11	16	12	12
	Ditto	F.	66				1	3			3	24	14		21		21	36	1	8		7	6	5	8	4	6	3	8	5	4	5	5
	(c.) Of the rectum	M.	40			1	6	6				12	11		4		11	23	3	3		5	5	5	4	4	3	2	3	1	1	2	5
	,,	F.	14					1			1	5	2		5		2	8	3	1			1	1	1	1	1	2				4	3
	(d.) Of the liver and biliary ducts	M.	29				1	4			2	10	5		7		8	12		9		2	3	2	1	3	3	2	5		3	3	2
	,,	F.	20			1		2				7	5		5		3	14		3		3	3			2	1	4	1		3	1	2
	(e.) Of the pancreas	M.	17				3	2			2	5	5				4	8		5		3	1	1	1	3			1	1	2		4
	,,	F.	10								1	4	1		4		3	6		1		1	2					1	1	2	1		2
	(f.) Of the peritoneum	M.	1								1							1													1		
	,,	F.	3									1			2		2			1			1	1							1		
	(g.) Of other organs	M.	72			2	5	5			1	27	23		9		18	34	4	15	1	6	4	8	8	3	6	8	5	4	7	8	5
	,,	F.	51				3	1			3	16	11		17		19	22	6	4		1	2	2	1	4	7	4	5	8	9	6	2
47	Cancer of the respiratory organs	M.	35			1	3				3	11	11		6		7	21		7		2	4	4	3	3	2	3	1	3	4	2	4
	,,	F.	5		1					1		2	1				2	3							1	2			1				1
	(a.) Of the larynx	M.	6				1						3		2		1	4		1							1			1	2		2
	(b.) Of the lung	M.	24			1	2				3	9	6		3		5	15		4		2	4	4	3	1	1	2	1	1	1	2	2
	,,	F.	3									2	1				1	2						1	1								1
	(c.) Of the mediastinum	M.	3									1	1		1			2		1								1		1	1		
	,,	F.	2		1					1							1	1							1				1				
	(d.) Of other organs of the respiratory system	M.	2									1	1				1			1						2							
48	Cancer of the uterus	F.	56			1	2	1		1	6	28	5		12		21	25	3	6	1	4	4	2	5	8	4	7	6	5	4	1	6
	(a.) Of the uterus	F.	36				2	1			2	18	5		8		12	16	2	5	1	3	2	1	2	4	3	3	4	4	4	1	5
	(b.) Of the cervix uteri	F.	20			1				1	4	10			4		9	9	1	1		1	2	1	3	4	1	4	2	1			1
49	Cancer of other female genital organs	F	28					2			3	12	2		9		8	14	4	2		4	2	1	5		5	3	2	2	1	3	
50	Cancer of the breast	M.	1									1					1										1						
	,,	F	94			2	7	3			10	39	13		20		38	45	3	8		10	3	7	8	9	5	5	5	13	9	8	10
51	Cancer of the male genito-urinary organs	M.	93			3	6	13			5	16	36		14		27	48	9	8	1	5	4	4	12	9	11	10	11	6	10	4	7
	(a.) Of the bladder	M.	23				2	3			1	3	9		5		4	12	3	3	1	1	1		6	1	4	1	2	1	2	1	3
	(b.) Of the kidney	M.	8				1					4	2		1		3	5				3					1	1	1				2
	(c.) Of the prostate gland	M	56			2	2	9			2	9	24		8		18	28	6	4		1	2	4	5	7	6	7	6	5	8	3	2
	(d.) Of the testicles and annexa	M.	3			1					2						1	2								1			2				
	(e.) Of other male genito-urinary organs	M.	3				1	1					1				1	1		1			1		1			1					

52	Cancer of the skin	M.	11								1	1	2		7		3	8				1		1	1	1		2		1		4				
	,,	F.	5								1		2		2		4		1			3		1							1					
53	Cancer of other or unspecified organs	M.	44		3	1	5	3			3	13	14		2		20	13	1	10		2	6	4	2	4	4	1	5	4	5	4	3			
	,,	F.	53	6		1	2	1			8	17	7		11		20	26	4	3		4	6	9	5	3	4	4	4	2	4	5	3			
	(a.) Of the eye and orbit	M.	1					1									1					1													
	(c.) Of the glandular system	M.	10		1		1	2			1	2	2		1		6	4				1	3			1		1	1	1		1	1			
	,,	F.	12	2								6	3		1		6	4	1	1		1		2	1	1			1			3	3			
	(d.) Of the female urinary organs	F.	19	2		1		1			2	5	3		5		7	10	2			3	2	4	4		1	1	1	1	2					
	(e.) Of the bones and joints	M.	11		2		1					2	5		1		7	2		2				2		2		1	1	3		2				
	,,	F.	6				1				1	2			2		2	4							2	1	1	1	1							
	(f.) Of the brain	M.	11			1	1				1	6	2				2	5		4			1	1	2		1		2		1	3				
	,,	F.	6	1							4				1		1	3	1	1			2				1	1	1			1				
	(g.) Of the spine and spinal cord	M.	2				1					1							1	1						1				1						
	,,	F.	2	1								1					1	1						1						1						
	(h.) Of the neck	M.	2									1	1					1		1			1			1										
	,,	F.	1									1								1										1						
	(i.) Of the abdomen	M.	1										1				1										1									
	,,	F.	4			1						1		2			2	2					1	1		1	1									
	(j.) Of other specified organs	M.	4								1		3				2	1		1			1	1		1			1							
	,,	F.	1								1						1														1					
	(k.) Multiple cancer	M.	1									1					1													1						
	,,	F.	2									2						2					1	1												
	(m.) Of unspecified or unknown location	M.	1			1														1						1									
54	Non-malignant tumours	M.	29	2		1	6			1	8	6		5			14	10		4	1		3	5	5	1	2	3	1		2	3	4			
	,,	F.	35	2		1	2	2		10	10	1		7			13	14	6	2		2	5	3	1	6	1	2	2	1	3	4	5			
	(a.) Of the ovary	F.	8			1				3	3			1				5	3			1		1		3		1				1	1			
	(b.) Of the uterus	F.	17				1	1		6	5	1		3			6	7	3	1		1	1	2	1	2	1		1	1	1	3	3			
	(d.) Of the brain	M.	5	2			1				2						3	2					1	1		1	1				1					
	,,	F.	1												1			1					1													
	(e.) Of the thyroid gland	M.	2									1	1				2							1									1			
	,,	F.	5			1	1				1			2			4		1			1			1		1			1		1			
	(f.) Of the prostate gland	M.	17				3				4	5		5			7	7		3			2	3	5		1			1	3	2			
	(g.) Of other or unspecified sites	M.	5				3			1	1						2	1		1	1					1	2	1				1			
	,,	F.	4	2						1	1						3	1					2						1		1					
55	Tumours, nature not specified	M.	7			1		1		1	3			1			1	2	1	3		2		1	1		1		1	1					
	,,	F.	3					1			1			1			1	2					1		1			1							
	(d.) Of the brain	M.	4			1				1	1			1			1	1	1	1		2			1					1					
	,,	F.	3					1			1			1			1	2					1		1			1							
	(g.) Of other or unspecified sites	M.	3					1			2							1		2				1			1		1						
	Class III. Rheumatic diseases, diseases of nutrition and of the endocrine glands and other general diseases	Total	212	42	12	8	7	11		3	16	41	37		35		113	59	12	28		24	26	19	19	19	20	19	10	16	20	14	6			
	Ditto	M.	103	22	7	3	3	8			4	16	24		16		55	25	3	20		9	11	7	9	13	12	11	2	8	12	7	2			
	,,	F.	109	20	5	5	4	3		3	12	25	13		19		58	34	9	8		15	15	12	10	6	8	8	8	8	8	7	4			
56	Acute rheumatic fever	M.	16		6	1		1			2	3	2		1		6	5	1	4		1	2		1	1	2	2	1	2	3		1			
	,,	F.	18	7	2	2				1	3	2			1		13	2	3			2			1	1	4	2	2	1	2	1	2			
57	Chronic rheumatism, osteoarthritis	M.	3				1	1							1		3								1	2										
	,,	F.	4				1					1	1		1		2	1	1				1	1						1		1				
59	Diabetes mellitus	M.	49	2			2	5			1	7	21		11		20	17	2	10		5	6	5	5	4	5	8		4	4	2	1			
	,,	F.	45	1	1	1	3	1		1	4	13	8		12		17	21	2	5		6	6	7	5	2	2	4	3	3	3	3	1			
63	Rickets	M.	1			1											1									1									
	,,	F.	1		1												1					1													
65	Diseases of the pituitary gland	F.	1									1							1			1													
66	Diseases of the thyroid and parathyroid glands	M.	11	3		1						5	1		1		6	3		2		2				1	2	1			4	1			
	Ditto	F.	20	1	1	1		2		1	2	6	3		3		10	7	1	2		3	3		3	1		1	3	3	2	1			

TABLE 25.—CAUSES OF DEATH FOR EACH SEX BY CONJUGAL CONDITION, NATIVITY, AND MONTH OF DEATH, BRITISH COLUMBIA, 1936—*Continued.*

Int. List No.	CAUSES OF DEATH.		TOTAL.	CONJUGAL CONDITION.													NATIVITY.					MONTHS.											
				Under 15 Yrs.	Single.					Married.						Widowed.	Not stated.	Canada.	British.	Foreign		Not stated.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
					15–24 Yrs.	25–44 Yrs.	45–64 Yrs.	65 Yrs. and over.	Age not stated.	15–24 Yrs.	25–44 Yrs.	45–64 Yrs.	65 Yrs. and over.	Age not stated.					United States.	Other.														
	Diseases of the thyroid glands—*Con.*																															
	(a.) Simple goitre	M.	1													1		1								1						
	,,	F.	2			1						1							1	1					1						1	
	(b.) Exophthalmic goitre	M.	7			1						5	1					2	3		2		1			2	1			3		
	,,	F.	16		1			2		1	2	5	3			2		8	6		2		3	2		2	1		1	3	3	1	
	(c.) Myxœdema, cretinism	M.	1	1														1					1									
	,,	F.	2	1												1		2						1							1	
	(d.) Tetany	M.	1	1														1														
	,,	F.	1	1																											1	
	(e.) Others under this title	M.	1	1														1													1	
67	Diseases of the thymus gland	M.	18	17	1													18					1	3	2	1	3	3			1		4
	,,	F.	12	11							1							11		1			2	3	2	1		2				1	1
68	Diseases of the adrenals (Addison's disease)	M.	2					1			1							1			1						1				1		
	Ditto	F.	1								1								1								1						
69	Other general diseases	M.	3									1				2					3					1			1		1	
	,,	F.	7			1					1	2	1			2		4	2		1			2	2		1		1			1	
	(a.) Fatty or amyloid degeneration	M.	3									1				2					3					1			1		1	
	,,	F.	6			1					1	2				2		3	2		1			2	2			1				1	
	(c.) Others under this title	F.	1										1					1									1						
	Class IV. Diseases of the blood and blood-forming organs	Total	62	8	2	1	5	2		3	4	10	12			15		25	26	4	7		7	3	2	3	11	7	3	3	7	7	5	4
	Ditto	M.	35	4	1	1	5	2			1	8	10			3		14	14	3	4		3		2	3	5	6	2	2	2	5	3	2
	,,	F.	27	4	1					3	3	2	2			12		11	12	1	3		4	3			6	1	1	1	5	2	2	2
70	Hæmorrhagic conditions	M.	4			1							3					2	2						1	1				1		1	
	,,	F.	1								1										1						1						
	(a.) Simple purpura	M.	3										3					1	2						1	1				1			
	,,	F.	1								1										1						1						
	(b.) Hæmophilia	M.	1			1												1													1		
71	Anæmia	M.	9					2				3	4					3	5	1			1			1	1		1		2	2	1
	,,	F.	13	1						1		2	1			8		4	8		1		2	2			1		1	1	2	2	2
	(a.) Pernicious anæmia	M.	9					2				3	4					3	5	1			1			1	1		1		2	2	1
	,,	F.	11	1						1		2	1			6		4	6		1		2	1			1		1	2	2	2	
	(b.) Others under this title	F.	2													2			2					1						1			
72	Leukæmia and aleukæmia	M.	19	4	1		3				1	4	3			3		8	5	2	4		2		1	1	2	5	1	1	2	2	1	1
	,,	F.	10	3						2	2		1			2		6	3		1		1	1			2	1			3			2
	(a.) Leukæmia	M.	11	4							1	2	1			3		6	3	2			1		1	1		4		1	1	1		
	,,	F.	9	3						2	2		1			1		6	3				1				2	1			3			2
	(b.) Aleukæmia (Hodgkin's disease)	M.	8		1		3					2	2					2	2		4		1				2	1	1		1	1		1
	Ditto	F.	1													1					1			1										
73	Diseases of the spleen	M.	3				2					1						1	2								2	1						
	,,	F.	3		1											2		1	1	1			1				2							

| | | |

TABLE 25.—CAUSES OF DEATH FOR EACH SEX BY CONJUGAL CONDITION, NATIVITY, AND MONTH OF DEATH, BRITISH COLUMBIA, 1936—*Continued.*

Int. List No.	CAUSES OF DEATH.		TOTAL.	CONJUGAL CONDITION.													NATIVITY.					MONTHS.											
				Single.						Married.									Foreign															
				Under 15 Yrs.	15–24 Yrs.	25–44 Yrs.	45–64 Yrs.	65 Yrs. and over.	Age not stated.	15–24 Yrs.	25–44 Yrs.	45–64 Yrs.	65 Yrs. and over.	Age not stated.	Widowed.	Not stated.	Canada.	British.	United States.	Other.	Not stated.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	Diseases of the nervous system—*Con.*																															
	(c.) Paralysis agitans	M.	14			1	1	2				2	8				3	6	2	3		2	1	2	1	1	3	1			2		1
	,,	F.	5										2		3		1	3	1			1				1				1	1	1
	(d.) Sclerosis (other than of the spinal cord)	M.	5									3			2		1	3		1			1				1			1		2
	Ditto	F.	5								2	1			2		2	3				2	2							1		
	(e.) Others under this title	M.	11	5	3			1				2					10	1				1		2		1			3	4		
	,,	F.	3			1							1		1			3								1	1				1	
88	Diseases of the organs of vision	M.	1										1					1										1				
89	Diseases of the ear and mastoid process	M.	11	4	2	1						3	1				8	1	1		1			1			2		2	2	1	3
	Ditto	F.	13	11	1							1					12	1					1	1	1		1		2	2		4
	(a.) Otitis	M.	3	1								1	1				1	1	1					1			1		1			
	,,	F.	5	5													5							1			1		1	1		2
	(b.) Diseases of the mastoid process	M.	8	3	2	1						2					7				1					1			1	2	1	3
	,,	F.	8	6	1							1					7	1					1		1		1	1	1			2
	Class VII. Diseases of the circulatory system	Total	1887	12	12	11	93	211	2		52	425	518	1	550		664	861	127	224	11	147	165	193	165	141	152	147	149	159	140	153	176
	Ditto	M.	1205	5	5	9	83	172	2		20	284	379	1	245		410	543	90	153	9	89	101	122	108	92	98	94	96	100	91	97	117
	,,	F.	682	7	7	2	10	39			32	141	139		305		254	318	37	71	2	58	64	71	57	49	54	53	53	59	49	56	59
90–95	Diseases of the heart	M.	823	3	5	8	67	107	2		16	222	241	1	151		266	365	67	117	8	63	73	75	72	66	66	61	67	69	70	72	69
	,,	F.	426	6	7	2	4	20			25	93	85		184		146	205	19	54	2	36	38	40	42	29	28	29	37	38	28	43	38
90	Pericarditis	M.	3	1			1	1									1			2					2			1					
	,,	F.	1								1									1					1								
91	Acute endocarditis	M.	8	1	2		1				1	3					5	2		1			1					1		3	2		1
	,,	F.	7	1	3	1					1	1					6	1				1					2			2			2
	(a.) Endocarditis, specified as acute	M.	7	1	2		1					3					5	2										1		3	2		1
	Ditto	F.	4	1	2							1					3	1				1								2			1
	(b.) Endocarditis, unspecified (under 45 years of age)	M.	1								1									1			1										
	Ditto	F.	3		1	1					1						3									2							1
92	Chronic endocarditis, valvular diseases	M.	135	1	3	3	14	20			3	30	36		25		43	57	15	20		14	9	12	12	15	8	11	4	14	12	7	17
	Ditto	F.	73	2	3		2	2			10	20	10		24		27	35	5	6		5	10	9	6	3	5	5	4	6	8	7	5
	(a.) Endocarditis specified as chronic and other valvular diseases	M.	121	1	3	3	12	17			3	27	32		23		40	50	14	17		13	8	12	11	12	6	9	4	13	12	7	14
	Ditto	F.	64	2	3		2	2			10	15	10		20		25	29	4	6		3	10	6	6	3	4	5	4	6	6	6	5
	(b.) Endocarditis, unspecified (45 years and over)	M.	14				2	3				3	4		2		3	7	1	3		1	1		1	3	2	2		1			3
	Ditto	F.	9									5			4		2	6	1			2		3			1				2	1	
93	Diseases of the myocardium	M.	273			3	20	36			1	45	100		68		81	118	25	48	1	19	25	30	25	15	17	20	33	23	20	32	14
	,,	F.	170		1		2	7			4	33	35		88		48	90	4	26	2	15	17	14	17	13	12	13	14	15	9	18	13

| | | |

TABLE 25.—CAUSES OF DEATH FOR EACH SEX BY CONJUGAL CONDITION, NATIVITY, AND MONTH OF DEATH, BRITISH COLUMBIA, 1936—*Continued.*

Int. List No.	CAUSES OF DEATH.		TOTAL.	CONJUGAL CONDITION.													NATIVITY.					MONTHS.											
				Under 15 Yrs.	Single.					Married.					Widowed.	Not stated.	Canada.	British.	Foreign		Not stated.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
					15–24 Yrs.	25–44 Yrs.	45–64 Yrs.	65 Yrs. and over.	Age not stated.	15–24 Yrs.	25–44 Yrs.	45–64 Yrs.	65 Yrs. and over.	Age not stated.					United States.	Other.														
105	Diseases of the larynx	F.	1	1													1								1							
	(b.) Other diseases of the larynx	F.	1	1													1								1							
106	Bronchitis	M.	14	7			1	1					4		1		10	3	1				1	2		1	1	1	2	4		1	1
	,,	F.	6	2				1				1	1		1		4	2					2		1					2		1	
	(a.) Acute	M.	6	5									1				6						1					1		2		1	1
	,,	F.	3	2				1									2	1					1		1					1			
	(b.) Chronic	M.	6	1			1	1					2		1		2	3	1					1		1			2	2			
	,,	F.	3									1	1		1		2	1					1							1		1	
	(c.) Unspecified	M.	2	1									1				2							1		1							
107	Bronchopneumonia	M.	125	33	1		3	22			5	16	19		26		67	39	4	14	1	8	7	19	20	15	5	4	6	8	12	13	8
	,,	F.	109	25	2	1	3	4		2	5	9	18		40		53	41	8	7		16	16	8	7	6	5	5	3	9	9	8	17
	(a.) Bronchopneumonia	M.	125	33	1		3	22			5	16	19		26		67	39	4	14	1	8	7	19	20	15	5	4	6	8	12	13	8
	,,	F.	109	25	2	1	3	4		2	5	9	18		40		53	41	8	7		16	16	8	7	6	5	5	3	9	9	8	17
108	Lobar pneumonia	M.	100	13	4	4	7	6			6	30	17		13		45	36	4	15		5	7	15	9	9	6	8	5	9	4	9	14
	,,	F.	60	11	7	1					4	10	11		16		42	13	3	2		3	9	8	6	3	5	1	3	5	5	6	6
109	Pneumonia, unspecified	M.	34	9	3	1	1	6				4	6		4		20	7		6	1	1	4	2	6	1	1	5			3	5	6
	,,	F.	24	9							2	1	3		9		13	7	1	3		2	2	2	3	5		3		1	2	2	2
110	Pleurisy	M.	6	1	1						1	2	1				3	1		2			2	1	1	1							1
	,,	F.	9	1	1					1	1	2	1		2		5	2	1	1			1	1	3	1				1		2	
111	Congestion and hæmorrhagic infarct of the lung, etc.	M.	6			1					1	1	1		2		5	1								1	1	1	1		2		
	Ditto	F.	2												2		1			1		1											1
	(a.) Pulmonary embolism and thrombosis	M.	3			1					1	1					3									1			1		1		
	(b.) Others under this title	M.	3										1		2		2	1									1	1			1		
	,,	F.	2												2		1			1		1											1
112	Asthma	M.	28	1		1	3	2			2	5	7		7		7	20		1		4	3		1	4	1	1	2	7	3		2
	,,	F.	11					1				5	2		3		3	6		2		2				1	1	1	1	2	1	1	1
114	Other diseases of the respiratory system (tuberculosis excepted)	M.	17	2			2	1				10			2		7	4		6		2	3		1	2		3	1		4	1	
	Ditto	F.	2	2													2										1	1					
	(a.) Chronic interstitial pneumonia, including occupational diseases of the respiratory system	M.	12	1			1					8			2		4	2		6		2	3			1		3	1		2		
	Ditto	F.	1	1													1										1						
	(c.) Others under this title	M.	5	1			1	1				2					3	2							1	1					2	1	
	,,	F.	1	1													1										1						
	Class IX. Diseases of the digestive system	Tota'	450	82	23	15	24	14		6	33	120	63		70		202	157	27	59	5	47	36	30	43	35	30	33	38	46	40	38	34
	Ditto	M.	269	40	15	13	20	12			18	74	38		39		104	96	15	49	5	27	28	17	24	23	22	15	23	26	17	22	25
	,,	F.	181	42	8	2	4	2		6	15	46	25		31		98	61	12	10		20	8	13	19	12	8	18	15	20	23	16	9
115	Diseases of the buccal cavity and annexa, and of the pharynx and tonsils (including adenoid vegetations)	M	19	6	3	1					2	4			3		13	3	1	2		3	1	1		1	4	2	2	1	2	1	1

| | | |

TABLE 25.—CAUSES OF DEATH FOR EACH SEX BY CONJUGAL CONDITION, NATIVITY, AND MONTH OF DEATH, BRITISH COLUMBIA, 1936—*Continued.*

Int. List No.	CAUSES OF DEATH.		TOTAL.	CONJUGAL CONDITION.													NATIVITY.					MONTHS.											
				Under 15 Yrs.	Single.					Married.						Widowed.	Not stated.	Canada.	British.	Foreign		Not stated.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
					15–24 Yrs.	25–44 Yrs.	45–64 Yrs.	65 Yrs. and over.	Age not stated.	15–24 Yrs.	25–44 Yrs.	45–64 Yrs.	65 Yrs. and over.	Age not stated.						United States.	Other.													
130	Acute nephritis (including unspecified, under 10 years of age)	M.	3	1	1	1												3							1			1		1			
	Ditto	F.	1							1								1														1	
131	Chronic nephritis	M.	162			6	15	14	1		8	40	51		27			50	67	10	31	4	14	10	12	18	19	10	15	11	15	13	14	11
	,,	F.	100		2	1	2	3			4	28	19		41			35	47	10	8		15	7	6	7	10	8	8	5	5	7	18	4
132	Nephritis, unspecified (10 years and over)	M.	45	1			3	2			1	11	11		16			18	19	1	7		1	3	3	7	5	4	5	5	4	1	4	3
	Ditto	F.	26	1				2				3	9		11			14	10	1	1		1		2	1	2	1	5	2	3	2	4	3
133	Other diseases of the kidneys and ureters	M.	14				2					5	2		5			4	6		4		1	2	1		4		2	1	1		2	
	Ditto	F.	15		1			1			2	4	4		3			6	8		1				1	1	2	1	3		1	1	3	2
134	Calculi of the urinary passages	M.	13			1	2	2			1	4	1		2			4	5	1	3				2	1	3		1			3	2	1
	,,	F.	5									3			2			1	3		1			1			1	1			1		1	
135	Diseases of the bladder (tumours excepted)	M.	9								1	2	3		3			2	6		1			1		1	1				2		3	1
	Ditto	F.	4			1						1	1		1			1	2	1				1		1							1	1
136	Diseases of the urethra, urinary abscess, etc.	M.	3									2	1					2		1							1						1	
	(a.) Stricture of the urethra	M.	2									2						2									1				1			
	(b.) Others under this title	M.	1										1							1														1
137	Diseases of the prostrate	M.	87				1	14				7	45		20			28	47	2	10		9	9	11	4	6	5	6	3	11	8	9	6
138	Diseases of the male genital organs (not specified as venereal)	M.	5									1	2		2			3	1	1						1	1		1			1	1
139	Diseases of the female genital organs (not specified as venereal)	F.	19		1	2					8	5	2		1			7	8	1	3			2	1	2	1	1	2	2	3	2	2	1
	(a.) Of the ovary, Fallopian tube, and parametrium	F.	6		1	1					4							3	2		1			1	1	1	1				1		1	
	(b.) Of the uterus	F.	11			1					4	5	1					3	5	1	2			1		1		1	2	2	2	1		1
	(c.) Of the breast	F.	1												1			1														1		
	(d.) Others under this title	F.	1										1						1														1	
	Class XI. Diseases of pregnancy, childbirth, and the puerperal state	Total	50		1					12	36				1			26	16	2	6		2	6	5	5	2	6	6	5	4	4	3	2
140	Abortion with septic conditions	F.	18							5	12				1			11	5	1	1		1	2	1	1	2	4	1	2	2	1	1	
	(a.) Abortion	F.	13							4	8				1			8	4		1			1	1	1	1	4		1	2	1	1	
	(b.) Self-induced abortion	F.	5							1	4							3	1	1			1	1			1		1	1				
141	Abortion without mention of septic conditions (hæmorrhage included)	F.	3								3							2	1							1		2						
	(a.) Abortion	F.	2								2							2								1		1						
	(b.) Self-induced abortion	F.	1								1								1									1						
144	Puerperal hæmorrhage	F.	5								5							2	1		2				1					1			2	1
	(a.) Placenta prævia	F.	2								2							1			1				1									1
	(b.) Other hæmorrhages	F.	3								3							1	1		1									1			2	

| | | |

TABLE 25.—CAUSES OF DEATH FOR EACH SEX BY CONJUGAL CONDITION, NATIVITY, AND MONTH OF DEATH, BRITISH COLUMBIA, 1936—*Continued.*

Int. List No.	CAUSES OF DEATH.	TOTAL.	CONJUGAL CONDITION.													NATIVITY.					MONTHS.											
			Under 15 Yrs.	Single.					Married.						Widowed.	Not stated.	Canada.	British.	Foreign		Not stated.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
				15–24 Yrs.	25–44 Yrs.	45–64 Yrs.	65 Yrs. and over.	Age not stated.	15–24 Yrs.	25–44 Yrs.	45–64 Yrs.	65 Yrs. and over.	Age not stated.						United States.	Other.													
157	Congenital malformations (still-births excluded)	M.	28	26	1						1						27	1				3	2	3		5	1	2	4	2	4	1	1
	Ditto	F.	32	30		1				1							32					1	1	4	5	3	3	4	2		1	5	3
	(a.) Congenital hydrocephalus	M.	4	4													4						1				1			2		
	"	F.	6	6													6						1	2	1			1				1
	(b.) Spina bifida and meningocele	M.	2	2													2							2								
	"	F.	4	4													4							1	1		1				1	
	(c.) Congenital malformations of the heart	M.	11	10							1						10	1				1		1		1		1	4	1	1	1	
	Ditto	F.	12	12													12					1			2	2	1	2				2	2
	(d.) Monstrosities	F.	1	1													1														1		
	(e.) Others under this title	M.	11	10	1												11					2	1			4	1			1	1		1
	"	F.	9	7		1				1							9							1	1	1	2	1		1	1		
	Class XV. Diseases of early infancy	Total	194	194													194					17	12	15	15	26	15	19	10	15	21	15	14
	Ditto	M.	114	114													114					8	9	7	7	16	10	8	6	10	14	10	9
	"	F.	80	80													80					9	3	8	8	10	5	11	4	5	7	5	5
158	Congenital debility	M.	16	16													16					1	3	1	1	3			2	2	2		1
	"	F.	8	8													8					1	1	2		1	1			1	1		
159	Premature birth	M.	64	64													64					4	3	6	1	9	7	2	2	6	10	8	6
	"	F.	50	50													50					4	1	4	3	8	4	10	3	2	4	2	5
160	Injury at birth	M.	18	18													18					1			3	3	3	2		2	2	1	1
	"	F.	12	12													12					3	1	1	1	1		1	1	1	1	1	
	(b.) Without mention of Caesarean operation	M.	18	18													18					1			3	3	3	2		2	2	1	1
	"	F.	12	12													12					3	1	1	1	1		1	1	1	1	1	
161	Other diseases peculiar to early infancy (under 3 months)	M.	16	16													16					2	3		2	1		4	2			1	1
	"	F.	10	10													10					1		1	4					1	1	2	
	(a.) Atelectasis	M.	3	3													3								2			1					
	"	F.	4	4													4					1			1						1	1	
	(b.) Icterus of the new-born	M.	3	3													3											2	1				
	(e.) Others, including lack of care	M.	7	7													7					1	3			1		1				1	
	"	F.	6	6													6							1	3					1		1	
	(f.) No cause given, no doctor in attendance	M.	3	3													3					1						1					1
	Class XVI. Senility	Total	109					16				1	33		59		60	34	7	5	3	15	12	12	6	8	8	8	12	4	11	7	6
	"	M.	57					14					27		16		31	15	5	4	2	10	3	7	3	2	1	5	10	2	7	4	3
	"	F.	52					2				1	6		43		29	19	2	1	1	5	9	5	3	6	7	3	2	2	4	3	3
162	Senility	M.	57					14					27		16		31	15	5	4	2	10	3	7	3	2	1	5	10	2	7	4	3
	"	F.	52					2				1	6		43		29	19	2	1	1	5	9	5	3	6	7	3	2	2	4	3	3

| | | |

TABLE 25.—CAUSES OF DEATH FOR EACH SEX BY CONJUGAL CONDITION, NATIVITY, AND MONTH OF DEATH, BRITISH COLUMBIA, 1936—*Continued.*

Int. List No.	CAUSES OF DEATH.	TOTAL.	CONJUGAL CONDITION.													NATIVITY.					MONTHS.											
			Under 15 Yrs.	Single.					Married.						Widowed.	Not stated.	Canada.	British.	Foreign		Not stated.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
				15–24 Yrs.	25–44 Yrs.	45–64 Yrs.	65 Yrs. and over.	Age not stated.	15–24 Yrs.	25–44 Yrs.	45–64 Yrs.	65 Yrs. and over.	Age not stated.						United States.	Other.													
	Other violent deaths—*Continued.*																															
183	Accidental drowning M.	96	15	16	17	12	2	3		14	10	5		2		51	19	6	15	5	7	6	5	6	10	9	10	10	12	8	7	6
	,, F.	7	1		2					2	2					6	1					1					1	1	1	2	1	
184	Accidental injury by firearms M.	7		4			1				2					5	2						1	1					1	3		1
185	Accidental injury by cutting or piercing instruments M.	2				1					1						1		1			1						1				
186	Accidental injury by fall, crushing, or landslide M.	249	9	25	44	24	6	1	5	34	61	20	1	19		93	76	17	59	4	16	19	35	12	20	19	17	24	17	28	15	27
	Ditto F.	77	10	7	1	2	5		1	4	11	10		26		33	33	4	7		6	4	5	6	7	4	7	10	10	3	8	7
188	Injuries by animals M.	4								1	1	1		1		1	1	1	1			1	2		1							
190	Excessive cold M.	4	1			2	1									1	2		1			1	1	1						1		
	,, F.	1								1						1																1
191	Excessive heat M.	5		1		1					2			1		1	3	1									2	3				
192	Lightning M.	1		1												1										1						
193	Accidents due to electric currents M.	4							1		3					1	1	1	1												1	2
194	Other accidents M.	20	2	1	4		1			1	6	1		4		9	4		7		2	1	1	3	1	1	2	1		5	3	
	,, F.	8			1					1		3		3		3	4	1			1			1	1		1	1			1	2
	(a.) Foreign body M.	2	1								1					1	1						1							1		
	,, F.	1			1											1					1											
	(b.) Others under this title M.	18	1	1	4		1			1	5	1		4		8	3		7		2	1		3	1	1	2	1		4	3	
	,, F.	7								1		3		3		2	4	1						1	1		1	1			1	2
195	Violent deaths of which the nature (accident, suicide, homicide) is unknown M.	1									1								1				1									
	Ditto F.	2								2						1			1						1						1	
198	Capital punishment M.	4			1					1	1			1		3		1													4	
	Class XVIII. Ill-defined causes of death Total	52	21			3	7	3		1	5	2		10		36	6	1	7	2	1	6	4	2	4	7	8	3	6	2	4	5
	Ditto M.	34	8			3	7	3		1	4	2		6		20	4	1	7	2		4	2	1	3	4	8	3	4	1	2	2
	,, F.	18	13								1			4		16	2				1	2	2	1	1	3			2	1	2	3
199	Sudden death M.	11	1			1	5				2			2		7	1		2	1		2		1		1	2	2	1	1		1
	,, F.	4	2											2		3	1				1	1				1					1	
200	Cause of death not specified or ill-defined M.	23	7			2	2	3		1	2	2		4		13	3	1	5	1		2	2		3	3	6	1	3		2	1
	Ditto F.	14	11								1			2		13	1					1	2	1	1	2			2	1	1	3

SPECIAL CLASSES OF ACCIDENTAL DEATHS, BRITISH COLUMBIA, 1936.

(Included also under the numbers of the International List above.)

| | | |

TABLE 26.—CAUSES OF DEATH BY SEX AND AGE, VANCOUVER, 1936.

Int. List No.	CAUSES OF DEATH.		TOTAL.	AGES. Under 1 Year.	1 Year.	2 Years.	3 Years.	4 Years.	5–9 Yrs.	10–14 Yrs.	15–19 Yrs.	20–24 Yrs.	25–29 Yrs.	30–34 Yrs.	35–39 Yrs.	40–44 Yrs.	45–49 Yrs.	50–54 Yrs.	55–59 Yrs.	60–64 Yrs.	65–69 Yrs.	70–74 Yrs.	75–79 Yrs.	80–84 Yrs.	85–89 Yrs.	90–94 Yrs.	95–99 Yrs.	100 Years and over.	Not stated.
	Deaths, all causes	Total	2707	113	22	7	11	9	29	25	51	46	69	64	85	106	159	235	261	271	258	311	275	165	93	30	9	2	1
	,,	M.	1631	57	10		3	4	16	12	25	22	32	30	47	61	98	159	178	186	157	200	167	101	49	12	3	1	1
	,,	F.	1076	56	12	7	8	5	13	13	26	24	37	34	38	45	61	76	83	85	101	111	108	64	44	18	6	1	
	Class I. Infectious and parasitic diseases	Total	292	3	12	3	1	3	8	4	17	13	26	17	16	17	19	30	24	16	19	17	13	8	4	2			
	,,	M.	188	1	5			1	4	2	8	4	13	9	9	13	16	24	21	15	14	10	9	6	2	2			
	,,	F.	104	2	7	3	1	2	4	2	9	9	13	8	7	4	3	6	3	1	5	7	4	2	2				
1	Typhoid fever	M.	2											1				1											
6	Smallpox	M.	1																		1								
7	Measles	M.	7		3			1	2	1																			
	,,	F.	3						3																				
8	Scarlet fever	M.	1									1																	
9	Whooping-cough	F.	2		1	1																							
10	Diphtheria	M.	1						1																				
	,,	F.	3				1	1							1														
11	Influenza	M.	31	1	1				1	1	2		2			1		1	1	1	4	2	6	4	2	2			
	,,	F.	29	1					1			2		2	1	3	2	3		1	3	5	2	2	2				
	(a.) ,, Sole cause	M.	3	1																					1	1			
	(b.) With bronchitis	M.	1																				1						
	,,	F.	1																						1				
	(c.) ,, With pneumonia	M.	17		1					1			2						1	1	4	2	2	2	1				
	,,	F.	17									1		2	1	1	1	2		1	3	2	1	2	1				
	(d.) ,, With other diseases of the respiratory system	M.	2																				1			1			
	(e.) With intestinal complications	M.	1						1																				
	,,	F.	1																			1							
	(f.) ,, With other causes	M.	7								2							1					2	2					
	,,	F.	10	1					1			1				2	1	1				2	1						
13	Dysentery	F.	1																		1								
15	Erysipelas	M.	5										1					2	1		1								
16	Poliomyelitis and polioencephalitis (acute)	M.	2										1				1												
	,,	F.	1								1																		
17	Lethargic or epidemic encephalitis	F.	1										1																
23–	Tuberculosis	M.	117		1						5	3	8	7	7	11	12	19	17	12	6	4	3	2					
32	,,	F.	55	1	5	2				2	8	7	10	6	5			2	3		1	1	2						
23	Tuberculosis of the respiratory system	M.	103								5	3	8	7	7	10	11	17	14	11	5	4		1					
	,,	F.	41		1	1				1	7	6	9	6	3			2	3		1		1						
24	Tuberculosis of the meninges and central nervous system	M.	3		1												1		1										
	,,	F.	6	1	3	1						1																	
25	Tuberculosis of the intestines and peritoneum	M.	2																1				1						
	,,	F.	1								1																		
26	Tuberculosis of the vertebral column	M.	2													1			1										
	,,	F.	4										1		1							1	1						
28	Tuberculosis of the skin and subcutaneous cellular tissue	M.	1																		1								
30	Tuberculosis of the genito-urinary system	M.	1																				1						
32	Disseminated tuberculosis	M.	5															2		1			1	1					
	,,	F.	3		1					1					1														
	(a.) Acute	M.	3																	1			1	1					
	,,	F.	3		1					1					1														
	(c.) Not specified	M.	2															2											

34	Syphilis	M.	16											2	2	2	1	2	2	2	3									
	,,	F.	6									2			1	1	1				1									
35	Gonococcus infection and other venereal diseases	M.	1									1																		
36	Purulent infection, septicæmia (non-puerperal)	M.	1																		1									
	,,	F.	1		1																									
43	Mycoses	M.	1						1																					
	,,	F.	1																1											
44	Other infectious or parasitic diseases	M.	2										1			1														
	,,	F.	1				1																							
	(b.) German measles	M.	2										1			1														
	,,	F.	1				1																							
	Class II. Cancer and other tumours	Total	502		1	1	1		2	1	3	2	7	7	10	27	44	55	65	65	63	69	45	18	9	6		1		
	,,	M.	285								2	1	5	3	5	14	14	25	33	41	41	49	34	9	5	3		1		
	,,	F.	217		1	1	1		2	1	1	1	2	4	5	13	30	30	32	24	22	20	11	9	4	3				
45–53	Cancer and other malignant tumours	M.	264								2	1	5	3	5	12	13	24	33	39	40	42	30	7	4	3		1		
	,,	F.	201		1	1			2		1	1	2	4	5	12	28	27	31	22	22	17	9	9	4	3				
45	Cancer of the buccal cavity and pharynx	M.	14															2	2	5	3		1			1				
	,,	F.	2									1							1											
46	Cancer of the digestive tract and peritoneum	M.	148									1	2	1	3	6	11	15	19	21	22	23	20	3	1					
	,,	F.	68												1	1	8	6	9	8	14	8	6	5	1	1				
	(a.) Of the œsophagus	M.	5														1	1			1	1	1							
	,,	F.	1															1												
	(b.) Of the stomach and duodenum	M.	66									1	1		1	3	2	7	9	10	9	11	9	3						
	,,	F.	25														1	4	2	2	3	4	5	4						
	(c.) Of the rectum	M.	20										1				3	1	3	3	4	3	1		1					
	,,	F.	7														2			3	1		1							
	(d.) Of the liver and biliary ducts	M.	11													1	2	2		2	1	1	2							
	,,	F.	5														1				3	1								
	(e.) Of the pancreas	M.	11													2	1	1	1	1	2	2	1							
	,,	F.	3														1		1					1						
	(f.) Of the peritoneum	M.	1											1																
	,,	F.	1																		1									
	(g.) Of other organs	M.	34												2		2	3	6	5	5	5	6							
	,,	F.	26												1	1	3	1	6	3	6	3			1	1				
47	Cancer of the respiratory organs	M.	19										1			3		1	5	2	2	3	1		1					
	,,	F.	4								1							1	1			1								
	(a.) Of the larynx	M.	4																1		1	1			1					
	(b.) Of the lung	M.	12										1			3		1	2	2	1	1	1							
	,,	F.	3															1	1			1								
	(c.) Of the mediastinum	M.	1																1											
	,,	F.	1								1																			
	(d.) Of other organs of the respiratory system	M.	2																1			1								
48	Cancer of the uterus	F.	26										1			4	7	2	7	2		2		1						
	(a.) Of the uterus	F.	18													2	3	1	7	2		2		1						
	(b.) Of the cervix uteri	F.	8										1			2	4	1												
49	Cancer of other female genital organs	F.	19												1	2	1	4	3	4	2	2								
50	Cancer of the breast	M.	1														1													
	,,	F.	51										1	1	2	3	10	10	7	5	1	1	3	3	2	2				
51	Cancer of the male genito-urinary organs	M.	52										1	1	1	2		2	4	6	8	12	7	4	2	2				
	(a.) Of the bladder	M.	13													1				1	2	6	3							
	(b.) Of the kidney	M.	5															1	2		1					1				
	(c.) Of the prostrate gland	M.	30													1			2	5	5	6	4	4	2	1				
	(d.) Of the testicles and annexa	M.	3										1	1	1															
	(e.) Of other male genito-urinary organs	M	1															1												
52	Cancer of the skin	M.	6													1			1		1	2							1	
	,,	F.	2												1						1									
53	Cancer of other or unspecified organs	M.	24								2		1	1	1		1	4	2	5	4	2	1							
	,,	F.	29		1	1			2					3		2	2	4	3	3	4	3			1					

TABLE 26.—CAUSES OF DEATH BY SEX AND AGE, VANCOUVER, 1936—*Continued.*

Int. List No.	CAUSES OF DEATH.		TOTAL.	AGES.																										
				Under 1 Year.	1 Year.	2 Years.	3 Years.	4 Years.	5–9 Yrs.	10–14 Yrs.	15–19 Yrs.	20–24 Yrs.	25–29 Yrs.	30–34 Yrs.	35–39 Yrs.	40–44 Yrs.	45–49 Yrs.	50–54 Yrs.	55–59 Yrs.	60–64 Yrs.	65–69 Yrs.	70–74 Yrs.	75–79 Yrs.	80–84 Yrs.	85–89 Yrs.	90–94 Yrs.	95–99 Yrs.	100 Years and over.	Not stated.
	Cancer and other malignant tumours—*Continued.*																													
	(a.) Of the eye and orbit	M.	1																			1								
	(c.) Of the glandular system	M.	7								1		1					1		2	1	1								
	,,	F.	6		1				1										1		2	1								
	(d.) Of the female urinary organs	F.	11			1								1		2		1	1	1	2	1			1					
	(e.) Of the bones and joints	M.	4								1								1	2										
	,,	F.	2														1					1								
	(f.) Of the brain	M.	7											1	1		1	3	1											
	,,	F.	4						1					2				1												
	(g.) Of the spine and spinal cord	F.	1																1											
	(h.) Of the neck	M.	1																		1									
	(i.) Of the abdomen	F.	3															2		1										
	(j.) Of other specified organs	M.	3																		2	1								
	(k.) Multiple cancer	M.	1																	1										
	,,	F.	2														1			1										
54	Non-malignant tumours	M.	19													1	1			2	1	7	4	2	1					
	,,	F.	16				1			1						1	2	3	1	2		3	2							
	(a.) Of the ovary	F.	2															1		1										
	(b.) Of the uterus	F.	7													1	1	2	1			1	1							
	(d.) Of the brain	F.	1																			1								
	(e.) Of the thyroid gland	M.	1																	1										
	,,	F.	3														1					1	1							
	(f.) Of the prostate gland	M.	15														1			1	1	6	3	2	1					
	(g.) Of other or unspecified sites	M.	3													1						1	1							
	,,	F.	3				1			1										1										
55	Tumours, nature not specified	M.	2													1		1												
	(d.) Of the brain	M.	1													1														
	(g.) Of other or unspecified sites	M.	1															1												
	Class III. Rheumatic diseases, diseases of nutrition and of the endocrine glands and other general diseases	Total	85	13			1		1	4	2	2	3	1	1	4	2	6	6	11	11	8	4	3	2					
	Ditto	M.	46	9			1			1	1	2	2			2			4	7	7	5	2	3						
	,,	F.	39	4					1	3	1		1	1	1	2	2	6	2	4	4	3	2		2					
56	Acute rheumatic fever	M.	5								1	2	1			1														
	,,	F.	5						1	3			1																	
57	Chronic rheumatism, osteoarthritis	M.	1																1											
	,,	F.	1															1												
59	Diabetes mellitus	M.	22							1										5	7	4	2	3						
	,,	F.	14														1	3	1	3	3	2			1					
63	Rickets	M.	1										1																	
	,,	F.	1								1																			
66	Diseases of the thyroid and parathyroid glands	M.	7	2															2	2		1								
	,,	F.	8													2		1	1	1	1	1	1							
	(a.) Simple goitre	M.	1																			1								
	,,	F.	1													1														
	(b.) Exophthalmic goitre	M.	4																2	2										
	,,	F.	7													1		1	1	1	1	1	1							
	(d.) Tetany	M.	1	1																										
	(e.) Others under this title	M.	1	1																										

67	Diseases of the thymus gland	M.	8	7			1																								
	"	F.	5	4										1																	
68	Diseases of the adrenals (Addison's disease)	M.	1													1															
69	Other general diseases	M.	1																1												
	"	F.	5											1		1	1						1		1						
	(a.) Fatty or amyloid degeneration	M.	1																1												
	"	F.	5											1		1	1						1		1						
	Class IV. Diseases of the blood and blood-forming organs	Total	32	1	1		1			2	2	1			1	2	2	3	5	1	2	5	2	1							
	"	M.	17		1					2	1				1		2	2	5		1	1		1							
	"	F.	15	1			1				1	1				2		1		1	1	4	2								
70	Hæmorrhage conditions	M.	1																					1							
	(a.) Simple purpura	M.	1																					1							
71	Anæmia	M.	2															1				1									
	"	F.	7	1														1				3	2								
	(a.) Pernicious anæmia	M.	2															1				1									
	"	F.	6	1														1				2	2								
	(b.) Others under this title	F.	1																			1									
72	Leukæmia and aleukæmia	M.	12		1					2	1				1		1	1	4		1										
	"	F.	7				1					1				2				1	1	1									
	(a.) Leukæmia	M.	8		1					2					1		1		2		1										
	"	F.	6				1					1				2					1	1									
	(b.) Aleukæmia (Hodgkin's disease)	M.	4								1							1	2												
	"	F.	1																	1											
73	Diseases of the spleen	M.	2														1		1												
	"	F.	1								1																				
	Class V. Chronic poisonings and intoxications	Total	11												1	3		3	2	2											
	"	M.	10												1	2		3	2	2											
	"	F.	1													1															
75	Alcoholism	M.	6												1	1		1	1	2											
	"	F.	1													1															
	(b.) Other alcoholic intoxications	M.	6												1	1		1	1	2											
	"	F.	1													1															
76	Chronic poisoning by other organic substances	M.	2													1			1												
	(d.) Other organic poisoning	M.	2													1			1												
77	Chronic poisoning by mineral substances	M.	2															2													
	(a.) Lead (including occupational)	M.	1															1													
	(c.) Others under this title	M.	1															1													
	Class VI. Diseases of the nervous system and of the organs of special sense	Total	100	4	1		1		2	7	2		4	1	3	3	6	8	8	12	10	9	14	2	1	1	1				
	Ditto	M.	56	1	1				1	3	2		2				5	5	4	8	5	7	10	1	1						
	"	F.	44	3			1		1	4			2	1	3	3	1	3	4	4	5	2	4	1		1	1				
78	Encephalitis (non-epidemic)	M.	2										1						1												
	"	F.	1															1													
79	Simple meningitis	M.	3	1					1	1																					
	"	F.	5	3						1					1																
80	Progressive locomotor ataxia (tabes dorsalis)	M.	2																	1	1										
81	Other diseases of the spinal cord	M.	5		1															1		2	1								
	"	F.	5										1	1		1						1							1		
82	Cerebral hæmorrhage, cerebral embolism, and thrombosis	M.	23										1				3	1	1	2	1	5	7	1	1						
	"	F.	21													2	1	2	3	4	5		2	1		1					
	(a.) Cerebral hæmorrhage	M.	21										1				3	1	1	2	1	4	6	1	1						
	"	F.	19													2	1	2	3	4	3		2	1		1					
	(b.) Cerebral embolism and thrombosis	M.	2																			1	1								
	"	F.	2																		2										

TABLE 26.—CAUSES OF DEATH BY SEX AND AGE, VANCOUVER, 1936—*Continued.*

Int. List No.	CAUSES OF DEATH.		TOTAL.	AGES. Under 1 Year.	1 Year.	2 Years.	3 Years.	4 Years.	5–9 Yrs.	10–14 Yrs.	15–19 Yrs.	20–24 Yrs.	25–29 Yrs.	30–34 Yrs.	35–39 Yrs.	40–44 Yrs.	45–49 Yrs.	50–54 Yrs.	55–59 Yrs.	60–64 Yrs.	65–69 Yrs.	70–74 Yrs.	75–79 Yrs.	80–84 Yrs.	85–89 Yrs.	90–94 Yrs.	95–99 Yrs.	100 Years and over.	Not stated.
83	General paralysis of the insane	M.	3														1	1		1								
85	Epilepsy	F.	1										1															
87	Other diseases of the nervous system	M.	10															3	1	2	3		1					
	"	F.	6												2				1			1	2					
	(a.) " Chorea	M.	1															1										
	(b.) Neuralgia and neuritis	M.	1																				1					
	(c.) Paralysis agitans	M.	4																	1	3							
	"	F.	2																			1	1					
	(d.) " Sclerosis (other than of the spinal cord)	M.	4															2	1	1								
	"	F.	3												2				1									
	(e.) " Others under this title	F.	1																				1					
88	Diseases of the organs of vision	M.	1																				1					
89	Diseases of the ear and mastoid process	M.	7							2	2						1		1	1								
	"	F.	5				1		1	3																		
	(a.) " Otitis	M.	1														1											
	(b.) Diseases of the mastoid process	M.	6							2	2								1	1								
	"	F.	5				1		1	3																		
	Class VII. Diseases of the circulatory system	Total	762		1					1	3	6	4	6	11	11	36	62	73	87	86	129	125	63	41	12	4	1
	"	M.	464									4	3		3	4	25	48	52	63	52	81	69	35	19	4	2	
	"	F.	298		1					1	3	2	1	6	8	7	11	14	21	24	34	48	56	28	22	8	2	1
90–95	Diseases of the heart	M.	326									4	3		2	3	24	37	42	50	34	53	46	17	7	2	2	
	"	F.	185							1	3	2	1	6	7	5	9	9	13	14	19	36	30	16	11	3		
90	Pericarditis	M.	1															1										
91	Acute endocarditis	M.	4									1						1	2									
	"	F.	4								2					1		1										
	(a.) Endocarditis, specified as acute	M.	4									1						1	2									
	"	F.	2								1							1										
	(b.) Endocarditis, unspecified (under 45 years of age)	F.	2								1					1												
92	Chronic endocarditis, valvular diseases	M.	47									3	2		1		5	9	2	4	6	7	6	1			1	
	"	F.	32							1	1	2		4	2	2	1	2	6	4	3		3	1				
	(a.) Endocarditis specified as chronic and other valvular diseases	M.	45									3	2		1		5	8	1	4	6	7	6	1			1	
	Ditto	F.	28							1	1	2		4	2	2		1	5	3	3		3	1				
	(b.) Endocarditis, unspecified (45 years and over)	M.	2															1	1									
	"	F.	4														1	1	1	1								
93	Diseases of the myocardium	M.	74													1	2	3	7	11	5	15	17	9	2	1	1	
	"	F.	62											2	1	1	2	4	5		5	14	14	6	6	2		
	(c.) Chronic myocarditis and myocardial degeneration	M.	50													1		2	4	8	4	8	11	9	1	1	1	
	Ditto	F.	41											2	1	1	2	4	3		5	7	7	4	4	1		
	(d.) Myocarditis, unspecified (45 years and over)	M.	24														2	1	3	3	1	7	6		1			
	"	F.	21																2			7	7	2	2	1		
94	Diseases of the coronary arteries and angina pectoris	M.	193												1	2	16	20	31	35	23	30	23	7	4	1		
	"	F.	81										1		4	1	6	1	2	10	9	22	12	8	5			

	(a.) Diseases of the coronary arteries	M.	22														1	2	2	6	3	3	3	1		1			
	,,	F.	12														1	1			2	3	3	1	1				
	(b.) Embolism and thrombosis of the coronary arteries	M.	146											1	2	13	14	24	25	18	23	18	5	3					
	Ditto	F.	58								1			3	1	3		1	9	5	17	8	6	4					
	(c.) Angina pectoris	M.	25													2	4	5	4	2	4	2	1	1					
	,,	F.	11											1		2		1	1	2	2	1	1						
95	Other diseases of the heart	M.	7								1					1	3				1		1						
	,,	F.	6														1			2		1	1		1				
	(a.) Functional diseases of the heart	M.	2														1				1								
	(b.) Other and unspecified	M.	5								1					1	2						1						
	,,	F.	6														1			2		1	1		1				
96	Aneurism (except of the heart)	M.	9													1	3			2	3								
	,,	F.	4													1	1	1				1							
97	Arteriosclerosis (of coronary arteries excepted)	M.	104														6	9	10	10	23	17	16	11	2				
	,,	F.	95											1	1	1	3	7	9	10	11	24	11	9	5	2	1		
98	Gangrene	M.	3														1					1	1						
	,,	F.	1																	1									
99	Other diseases of the arteries	M.	3															1	1			1							
	,,	F.	2																	1				1					
100	*Diseases of the veins (varices, hæmorrhoids, phlebitis, etc.)*	M.	1														1												
	Ditto	F.	1																	1									
101	Diseases of the lymphatic system (lymphangitis, etc.)	F.	1														1												
102	Idiopathic abnormalities of blood-pressure	M.	18											1	1				2	6	2	4	1	1					
	,,	F.	7												1					2	1	1	1	1					
103	Other diseases of the circulatory system	F.	2		1														1										
	Class VIII. Diseases of the respiratory system	Total	216	15	3		2	5	6	2	3	3	2	4	8	6	9	15	17	12	11	22	24	28	15	2	2		
	,,	M.	129	7	1		1	3	4	2	2	1	1	2	4	5	5	13	13	8	8	12	10	19	8				
	,,	F.	87	8	2		1	2	2		1	2	1	2	4	1	4	2	4	4	3	10	14	9	7	2	2		
104	Diseases of the nasal fossæ and annexa	M.	2							1	1																		
	,,	F.	1																		1								
105	Diseases of the larynx	F.	1					1																					
	(b.) Other diseases of the larynx	F.	1					1																					
106	Bronchitis	M.	4							1									1				2						
	,,	F.	1																			1							
	(a.) Acute	M.	1																				1						
	(b.) Chronic	M.	3							1									1				1						
	,,	F.	1																			1							
107	Bronchopneumonia	M.	58	6			1	2	1				1			3	1	4	3	3	4	6	5	12	6				
	,,	F.	48	6	1		1		2			1			3	1	1		2	2	2	6	5	5	6	2	2		
	(a.) Bronchopneumonia	M.	58	6			1	2	1				1			3	1	4	3	3	4	6	5	12	6				
	,,	F.	48	6	1		1		2			1			3	1	1		2	2	2	6	5	5	6	2	2		
108	Lobar pneumonia	M.	30		1			1						1	3		3	5	5	1	2	3	2	3					
	,,	F.	19	1	1			1				1	1	1			1	1	1	1	1	2	5	1					
109	Pneumonia, unspecified	M.	8	1					1			1						1	2				1	1					
	,,	F.	5												1								2	1	1				
110	Pleurisy	M.	4						1		1						1			1									
	,,	F.	6	1							1			1			1		1	1									
111	Congestion and hæmorrhagic infarct of the lung, etc.	M.	4											1		1				1					1				
	(a.) Pulmonary embolism and thrombosis	M.	3											1		1				1									
	(b.) Others under this title	M.	1																						1				
112	Asthma	M.	14						1						1	1		2	1	1	2	3		1	1				
	,,	F.	6														1	1				1	1	2					
114	Other diseases of the respiratory system (tuberculosis excepted)	M.	5															1	1	1			2						
	(a.) Chronic interstitial pneumonia, including occupational diseases of the respiratory system	M.	3															1	1				1						

TABLE 26.—CAUSES OF DEATH BY SEX AND AGE, VANCOUVER, 1936—*Continued.*

Int. List No.	CAUSES OF DEATH.		TOTAL.	AGES.																										
				Under 1 Year.	1 Year.	2 Years.	3 Years.	4 Years.	5–9 Yrs.	10–14 Yrs.	15–19 Yrs.	20–24 Yrs.	25–29 Yrs.	30–34 Yrs.	35–39 Yrs.	40–44 Yrs.	45–49 Yrs.	50–54 Yrs.	55–59 Yrs.	60–64 Yrs.	65–69 Yrs.	70–74 Yrs.	75–79 Yrs.	80–84 Yrs.	85–89 Yrs.	90–94 Yrs.	95–99 Yrs.	100 Years and over.	Not stated.
	Other diseases of the respiratory system—*Continued.*																													
	(c.) Others under this title	M.	2																	1			1							
	Class IX. Diseases of the digestive system	Total	173	5	3		3	1	3	2	5	3	1	1	7	9	17	23	16	23	21	10	6	10	4					
	,,	M.	102	1	2		1		3	1	2	1			5	4	12	17	10	14	9	7	4	6	3					
	,,	F.	71	4	1		2	1		1	3	2	1	1	2	5	5	6	6	9	12	3	2	4	1					
115	Diseases of the buccal cavity and annexa, and of the pharynx and tonsils (including adenoid vegetations)	M.	9		1		1								2		1	1	1	1		1								
	Ditto	F.	4							1		1				1	1													
	(a.) Diseases of the buccal cavity and annexa	M.	3												1			1		1										
	,,	F.	1														1													
	(b.) Diseases of the tonsils	M.	2				1															1								
	,,	F.	3							1		1				1														
	(c.) Others under this title	M.	4		1										1		1		1											
117	Ulcer of the stomach or duodenum	M.	30												2	1	4	7	5	5	3		1	2						
	,,	F.	8				1											1	1	1	1	1	1	1						
	(a.) Ulcer of the stomach	M.	15												1		2	2	2	3	3		1	1						
	,,	F.	3															1		1	1									
	(b.) Ulcer of the duodneum	M.	15												1	1	2	5	3	2			1							
	,,	F.	5				1												1			1	1	1						
118	Other diseases of the stomach	M.	1														1													
119	Diarrhœa and enteritis (under 2 years of age)	F.	3	3																										
120	Diarrhœa and enteritis (2 years and over)	M.	4		1												1					1		1						
	,,	F.	6											1	1		2		1	1										
	(a.) Diarrhœa and enteritis	M.	1																					1						
	,,	F.	1																	1										
	(b.) Ulceration of the intestines	M.	3		1												1					1								
	,,	F.	5											1	1		2		1											
121	Appendicitis	M.	8							1						2	1	3		1										
	,,	F.	12								1	1	1		1	1		3	1	2	1									
122	Hernia, intestinal obstruction	M.	20	1					2		2						1	3		3	2	1	3	1	1					
	,,	F.	8		1													1	1		2	1	1	1						
	(a.) Hernia	M.	9	1														1		1	1		3	1	1					
	,,	F.	5															1			2	1		1						
	(b.) Intestinal obstruction	M.	11						2		2						1	2		2	1	1								
	,,	F.	3		1														1				1							
123	Other diseases of the intestines	M.	6														1	1	2		1			1						
	,,	F.	4													1					2			1						
124	Cirrhosis of the liver	M.	10												1	1	1	2	1	2		2								
	,,	F.	3								1					1				1										
	(b.) Not specified as alcoholic	M.	10												1	1	1	2	1	2		2								
	,,	F.	3								1					1				1										
125	Other diseases of the liver	M.	1																	1										
	,,	F.	1																1											
	(b.) Others under this title	M.	1																	1										
	,,	F.	1																1											
126	Biliary calculi	M.	6														1		1		1	1		1	1					
	,,	F.	13														2	1	1	4	4			1						

127	Other diseases of the gall-bladder and biliary passages	M.	5						1			1										1	1			1					
	„	F.	6								1					1						2	1			1					
128	Diseases of the pancreas	M.	1																			1									
129	Peritonitis, cause not specified	M.	1																		1										
	„	F.	3	1			1	1																							
	Class X. Diseases of the genito-urinary system	Total	213	1							3	2	3	6	6	5	10	11	23	24	26	26	32	20	10	5					
	„	M.	143	1							1			5	5	3	8	6	16	16	14	18	24	14	9	3					
	„	F.	70								2	2	3	1	1	2	2	5	7	8	12	8	8	6	1	2					
130	Acute nephritis (including unspecified, under 10 years of age)	M.	2	1							1																				
	Ditto	F.	1									1																			
131	Chronic nephritis	M.	70											4	2	3	6	4	10	8	11	6	9	5	2						
	„	F.	43								1	1				1	1	5	5	4	7	7	6	4	1						
132	Nephritis, unspecified (10 years and over)	M.	15												1		1		3	1		1	1	2	3	2					
	„	F.	6																		1	1	2	1		1					
133	Other diseases of the kidneys and ureters	F.	6																2	2	1			1							
134	Calculi of the urinary passages	M.	8											1	1		1		1	2		1	1								
	„	F.	2														1			1											
135	Diseases of the bladder (tumours excepted)	M.	6												1			1		1			1	1	1						
	„	F.	3										1								1					1					
136	Diseases of the urethra, urinary abscess, etc.	M.	2															1	1												
	(a.) Stricture of the urethra	M.	2															1	1												
137	Diseases of the prostate	M.	36																1	4	1	9	12	5	3	1					
138	Diseases of the male genital organs (not specified as venereal)	M.	4																		2	1		1							
139	Diseases of the female genital organs (not specified as venereal)	F.	9								1		2	1	1	1				1	2										
	(a.) Of the ovary, Fallopian tube, and parametrium	F.	3								1		1			1															
	(b.) Of the uterus	F.	4										1	1	1					1											
	(c.) Of the breast	F.	1																		1										
	(d.) Others under this title	F.	1																		1										
	Class XI. Diseases of pregnancy, childbirth, and the puerperal state	Total	19									1	8	8	2																
140	Abortion with septic conditions	F.	10									1	7	2																	
	(a.) Abortion	F.	7									1	4	2																	
	(b.) Self-induced abortion	F.	3										3																		
141	Abortion without mention of septic conditions (hæmorrhage included)	F.	2											1	1																
	(a.) Abortion	F.	1												1																
	(b.) Self-induced abortion	F.	1											1																	
144	Puerperal hæmorrhage	F.	2											2																	
	(b.) Other hæmorrhages	F.	2											2																	
145	Puerperal septicæmia (not specified as due to abortion)	F.	1										1																		
	(a.) Puerperal septicæmia and pyæmia	F.	1										1																		
146	Puerperal albuminuria and eclampsia	F.	1												1																
148	Puerperal phlegmasia alba dolens, embolism, or sudden death (not specified as septic)	F.	1											1																	
	(c.) Sudden death	F.	1											1																	
149	Other accidents of childbirth	F.	2											2																	
	(a.) Caesarean operation	F.	1											1																	
	(b.) Dystocia	F.	1											1																	
	Class XII. Diseases of the skin and cellular tissue	Total	8	1							1	1			1			1	1	1				1							
	„	M.	5												1			1	1	1				1							
	„	F.	3	1							1	1																			

TABLE 26.—CAUSES OF DEATH BY SEX AND AGE, VANCOUVER, 1936—*Continued.*

Int. List No.	CAUSES OF DEATH.	TOTAL.	AGES.																											
			Under 1 Year.	1 Year.	2 Years.	3 Years.	4 Years.	5–9 Yrs.	10–14 Yrs.	15–19 Yrs.	20–24 Yrs.	25–29 Yrs.	30–34 Yrs.	35–39 Yrs.	40–44 Yrs.	45–49 Yrs.	50–54 Yrs.	55–59 Yrs.	60–64 Yrs.	65–69 Yrs.	70–74 Yrs.	75–79 Yrs.	80–84 Yrs.	85–89 Yrs.	90–94 Yrs.	95–99 Yrs.	100 Years and over.	Not stated.
151	Carbuncle M.	1															1													
152	Cellulitis, acute abscess M.	3												1				1	1											
	" F.	3	1							1	1																			
153	Other diseases of the skin and annexa and of the cellular tissue M.	1																				1								
	Class XIII. Diseases of the bones and organs of locomotion Total	12							1	1		1		1	1			1	2	1	1		2							
	Ditto M.	8							1	1		1		1				1	1	1	1		1							
	" F.	4							1						1				1				1							
154	Osteomyelitis M.	4								1				1					1				1							
	" F.	2							1						1															
155	Other diseases of the bones (tuberculosis excepted) M.	1										1																		
	" F.	2																	1				1							
156	Diseases of the joints and other organs of locomotion M.	3																1		1	1									
	(a.) Of the joints (tuberculosis and rheumatism excepted) M.	1																		1										
	(b.) Of other organs of locomotion M.	2																1			1									
	Class XIV. Congenital malformations Total	20	14		2			2		1					1															
	" M.	8	6					1		1																				
	" F.	12	8		2			1							1															
157	Congenital malformations (still-births excluded) M.	8	6					1		1																				
	" F.	12	8		2			1							1															
	(a.) Congenital hydrocephalus F.	2	2																											
	(b.) Spina bifida and meningocele M.	1	1																											
	" F.	2	2																											
	(c.) Congenital malformations of the heart M.	1	1																											
	" F.	4	3					1																						
	(e.) Others under this title M.	6	4					1		1																				
	" F.	4	1		2										1															
	Class XV. Diseases of early infancy Total	54	54																											
	" M.	31	31																											
	" F.	23	23																											
158	Congenital debility M.	1	1																											
159	Premature birth M.	19	19																											
	" F.	16	16																											
160	Injury at birth M.	5	5																											
	" F.	6	6																											
	(b.) Without mention of Caesarean operation M.	5	5																											
	" F.	6	6																											
161	Other diseases peculiar to early infancy (under 3 months) M.	6	6																											
	Ditto F.	1	1																											

	(a.) Atelectasis	M.	2	2																							
	(b.) Icterus of the new-born	M.	2	2																							
	(c.) Others, including lack of care	M.	2	2																							
	,,	F.	1	1																							
	Class XVI. Senility	Total	9																	1	1	2	2	2	1		
	,,	M.	3																			2	1				
	,,	F.	6																	1	1		1	2	1		
162	Senility	M.	3																			2	1				
	,,	F.	6																	1	1		1	2	1		
	(a.) With senile dementia (70 years and over)	F.	3																	1	1			1			
	(b.) Without senile dementia (70 years and over)	M.	3																			2	1				
	,,	F.	3																				1	1	1		
	Class XVII. Violent or accidental deaths	Total	198	2		1	1		5	1	8	12	10	13	17	17	14	18	20	15	8	13	9	7	5		1		1
	,,	M.	136						3	1	4	9	5	11	12	14	11	15	16	10	5	9	5	3	1		1		1
	,,	F.	62	2		1	1		2		4	3	5	2	5	3	3	3	4	5	3	4	4	4	4				
163–171	Suicides	M.	27							1	1	2		3	3	1	4	5	1	3	2		1						
	,,	F.	13									3		1	4	1	1	3											
163	Suicide by solid or liquid poisons or by absorption of corrosive substances	M.	2														1	1											
	Ditto	F.	2											1			1												
164	Suicide by poisonous gas	M.	4								1	1				1	1												
	,,	F.	3									2						1											
165	Suicide by hanging or strangulation	M.	7							1								3	1	2									
	,,	F.	3												1			2											
166	Suicide by drowning	M.	1											1															
	,,	F.	3									1			2														
167	Suicide by firearms	M.	7									1		2	1			1			1		1						
	,,	F.	1												1														
168	Suicide by cutting or piercing instruments	M.	3												2		1												
169	Suicide by jumping from high places	M.	3														1			1	1								
	,,	F.	1													1													
173–175	Homicides	M.	3									1			1			1											
	,,	F.	5	1						1			1	1	1														
173	Homicide by firearms	M.	2									1			1														
	,,	F.	2							1				1															
175	Homicide by other means	M.	1															1											
	,,	F.	3	1									1		1														
176–198	Other violent deaths	M.	106						3		3	6	5	8	8	13	7	9	15	7	3	9	4	3	1		1		1
	,,	F.	44	1		1	1		2		3		4			2	2		4	5	3	4	4	4	4				
178	Accidental absorption of toxic gases	M.	7								1		1	1				2	1				1						
	,,	F.	1																	1									
179	Other acute accidental poisonings (except by gas)	M.	1													1													
	,,	F.	1																					1					
180	Conflagration	M.	1						1																				
	,,	F.	1										1																
181	Accidental burns (conflagration excepted)	M.	1																				1						
	,,	F.	4						1				1											1					
183	Accidental drowning	M.	22									2	1	1	3	5	2	2	2	2		1							1
	,,	F.	3										1			1			1										
186	Accidental injury by fall, crushing, or landslide	M.	69						2		2	4	3	6	5	6	4	4	12	4	3	7	3	2	1		1		
	,,	F.	34	1		1	1		1		3		1			1	2		3	4	3	4	3	4	2				
193	Accidents due to electric currents	M.	1														1												
194	Other accidents	M.	4													1		1		1		1							
	(a.) Foreign body	M.	1																	1									
	(b.) Others under this title	M.	3													1		1				1							

TABLE 26.—CAUSES OF DEATH BY SEX AND AGE, VANCOUVER, 1936—*Continued.*

Int. List No.	CAUSES OF DEATH.		TOTAL.	AGES. Under 1 Year.	1 Year.	2 Years.	3 Years.	4 Years.	5–9 Yrs.	10–14 Yrs.	15–19 Yrs.	20–24 Yrs.	25–29 Yrs.	30–34 Yrs.	35–39 Yrs.	40–44 Yrs.	45–49 Yrs.	50–54 Yrs.	55–59 Yrs.	60–64 Yrs.	65–69 Yrs.	70–74 Yrs.	75–79 Yrs.	80–84 Yrs.	85–89 Yrs.	90–94 Yrs.	95–99 Yrs.	100 Years and over.	Not stated.
	Class XVIII. Ill-defined causes of death	Total	1																		1							
	,,	F.	1																		1							
199	Sudden death	F.	1																		1							

SPECIAL CLASSES OF ACCIDENTAL DEATHS, VANCOUVER, 1936.

(Included also under the numbers of the International List above.)

B	Accidents caused by machines	M.	3								1					1	1											
C	Railway accidents	M.	6										2			1	1		1			1							
D	Street-car accidents	M.	1																1										
	,,	F.	2				1															1							
E	Automobile and motor-cycle accidents	M.	25						2		1	4		2	2	2	1	3	3		1	3	1						
	,,	F.	11						1		2		1			1	1			3		2							
F	Other land transportation	M.	2												1	1													
	,,	F.	1																		1								
G	Water transportation	M.	11								1		1	1	3	2	1	1	1										
	,,	F.	1													1													

TABLE 27.—CAUSES OF DEATH FOR EACH SEX BY CONJUGAL CONDITION, NATIVITY, AND MONTH OF DEATH, VANCOUVER, 1936.

Int. List No.	CAUSES OF DEATH.		TOTAL.	CONJUGAL CONDITION.												NATIVITY.					MONTHS.											
				Single.						Married.					Widowed.	Not stated.			Foreign			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
				Under 15 Yrs.	15–24 Yrs.	25–44 Yrs.	45–64 Yrs.	65 Yrs. and over.	Age not stated.	15–24 Yrs.	25–44 Yrs.	45–64 Yrs.	65 Yrs. and over.	Age not stated.			Canada.	British.	United States.	Other.	Not stated.												
	Deaths, all causes	Total	2707	216	88	86	158	176	1	9	228	666	486	.....	593	.....	1096	1122	139	331	19	225	231	276	225	235	212	195	192	227	223	217	249
	,,	M.	1631	102	46	67	143	138	1	1	100	430	343	.....	260	.....	604	677	74	258	18	131	135	160	134	153	132	109	124	134	136	121	162
	,,	F.	1076	114	42	19	15	38	.....	8	128	236	143	.....	333	.....	492	445	65	73	1	94	96	116	91	82	80	86	68	93	87	96	87
	Class I. Infectious and parasitic diseases	Total	292	34	29	25	27	12	.....	1	51	55	23	.....	35	.....	138	78	14	59	3	22	23	52	21	25	25	20	16	17	28	16	27
	Ditto	M.	188	13	12	19	26	9	.....	.....	25	45	18	.....	21	.....	68	57	9	51	3	13	15	30	11	20	21	12	12	11	15	12	16
	,,	F.	104	21	17	6	1	3	.....	1	26	10	5	.....	14	.....	70	21	5	8	.....	9	8	22	10	5	4	8	4	6	13	4	11
1	Typhoid fever	M.	2	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....
6	Smallpox	M.	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Measles	M.	7	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	7	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	5
	,,	F.	3	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3
8	Scarlet fever	M.	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Whooping-cough	F.	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
10	Diphtheria	M.	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
	,,	F.	3	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	3	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Influenza	M.	31	4	2	1	.....	3	.....	.....	1	3	8	.....	9	.....	16	13	.....	2	.....	.....	8	8	3	2	2	.....	.....	2	2	2	2
	,,	F.	29	2	1	.....	.....	3	.....	1	6	5	.....	.....	11	.....	16	11	1	1	.....	2	4	11	4	.....	2	1	.....	1	3	1	.....
	(a.) Sole cause	M.	3	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	2	1	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	1
	(b.) With bronchitis	M.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	,,	F.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(c.) With pneumonia	M.	17	2	.....	1	.....	2	.....	.....	1	2	4	.....	5	.....	8	7	.....	2	.....	.....	4	4	1	2	2	.....	.....	2	1	1	.....
	,,	F.	17	.....	.....	.....	.....	2	.....	1	4	3	.....	.....	7	.....	8	7	1	1	.....	2	3	7	2	.....	.....	.....	.....	.....	2	1	.....
	(d.) With other diseases of the respiratory system	M.	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	1	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
	(e.) With intestinal complications	M	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
		F.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
	(f.) With other causes	M.	7	.....	2	.....	.....	.....	.....	.....	.....	1	3	.....	1	.....	4	3	.....	.....	.....	.....	2	3	1	.....	.....	.....	.....	.....	.....	.....	1
	,,	F.	10	2	1	.....	.....	1	.....	.....	2	2	.....	.....	2	.....	7	3	.....	.....	.....	.....	1	3	2	.....	2	.....	.....	1	1	.....	.....
13	Dysentery	F.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
15	Erysipelas	M.	5	.....	.....	1	1	.....	.....	.....	.....	2	.....	.....	1	.....	2	2	.....	1	.....	.....	.....	1	.....	1	3	.....	.....	.....	.....	.....	.....
16	Poliomyelitis and polioencephalitis (acute)	M	2	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....
	Ditto	F.	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
17	Lethargic or epidemic encephalitis	F.	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
23–32	Tuberculosis	M	117	1	8	16	21	6	.....	.....	17	35	4	.....	9	.....	37	32	5	40	3	10	6	17	3	14	15	10	10	7	9	7	9
	,,	F.	55	10	15	5	.....	.....	.....	.....	16	4	4	.....	1	.....	41	7	1	6	.....	7	4	7	5	4	2	4	4	5	5	2	6
23	Tuberculosis of the respiratory system	M.	103	.....	8	16	18	4	.....	.....	16	31	1	.....	9	.....	31	29	5	35	3	10	6	17	2	14	12	7	9	5	8	5	8
	,,	F.	41	3	13	5	.....	.....	.....	.....	13	4	2	.....	1	.....	30	5	1	5	.....	5	2	5	3	4	2	3	4	3	2	2	6
24	Tuberculosis of the meninges and central nervous system	M	3	1	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	1	.....
	Ditto	F.	6	5	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	6	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	1	3	.....	.....
25	Tuberculosis of the intestines and peritoneum	M.	2	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....
	Ditto	F.	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 27.—CAUSES OF DEATH FOR EACH SEX BY CONJUGAL CONDITION, NATIVITY, AND MONTH OF DEATH, VANCOUVER, 1936—*Continued.*

Int. List No.	CAUSES OF DEATH.	TOTAL.	CONJUGAL CONDITION.													NATIVITY.					MONTHS.											
			Single.						Married.						Widowed.	Not stated.	Canada.	British.	Foreign		Not stated.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
			Under 15 Yrs.	15–24 Yrs.	25–44 Yrs.	45–64 Yrs.	65 Yrs. and over.	Age not stated.	15–24 Yrs.	25–44 Yrs.	45–64 Yrs.	65 Yrs. and over.	Age not stated.						United States.	Other.													
	Tuberculosis—*Continued.*																															
26	Tuberculosis of the vertebral column M.	2								1	1							1		1							1			1		
	" F.	4								2		2					2	2				1		1	1			1				
28	Tuberculosis of the skin and subcutaneous cellular tissue M.	1										1						1											1			
30	Tuberculosis of the genito-urinary system M.	1					1													1				1								
32	Disseminated tuberculosis M.	5				2	1				1	1					2			3						1	1	1	1			1
	" F.	3	2							1							2			1		1			1				1			
	(a.) Acute M.	3				1	1					1					2			1						1	1					1
	" F.	3	2							1							2			1		1			1				1			
	(c.) Not specified M.	2				1					1									2								1	1			
34	Syphilis M.	16				3				4	3	4			2		3	5	2	6		1		4	1	2	1	2	1	2	1		
	" F.	6								3	1	1			1		1	1	3	1						1		1			1	1	2
35	Gonococcus infection and other venereal diseases M.	1								1								1				1										
36	Purulent infection, septicæmia (non-puerperal) M.	1										1						1											1			
	Ditto F.	1	1														1													1		
43	Mycoses M.	1		1															1						1							
	" F.	1				1												1							1							
44	Other infectious or parasitic diseases M.	2								1	1							2							2							
	Ditto F.	1	1														1										1					
	(b.) German measles M.	2								1	1							2							2							
	" F.	1	1														1										1					
	Class II. Cancer and other tumours Total	502	6	4	10	33	36		1	40	172	106		94			151	258	23	66	4	40	43	41	45	45	49	34	47	35	45	40	38
	Ditto M.	285		3	8	27	30			19	80	76		42			79	143	9	50	4	19	24	20	26	25	27	18	29	15	30	24	22
	" F.	217	6	1	2	6	6		1	21	92	30		52			72	115	14	16		21	19	15	19	20	22	16	18	20	15	16	16
45–53	Cancer and other malignant tumours M.	264		3	7	27	25			18	76	71		37			71	134	9	47	3	19	22	21	22	25	26	17	28	15	28	21	20
	" F.	201	4	1	2	5	5		1	20	85	30		48			66	108	12	15		20	16	13	19	15	22	15	17	20	14	15	15
45	Cancer of the buccal cavity and pharynx M.	14				4	1				4	2		3			5	6		1	2		2	2			3		2	1	2	2	
	Ditto F.	2							1		1						2										1						1
46	Cancer of the digestive tract and peritoneum M.	148		1	4	13	15			8	51	41		15			34	76	4	33	1	13	9	12	12	18	10	10	17	9	13	13	12
	Ditto F.	68				2	2			1	24	17		22			21	36	3	8		2	5	2	4	5	7	5	9	9	7	6	7
	(a.) Of the œsophagus M.	5				1	1				1	2						3		2				1		3			1				
	" F.	1									1						1								1								
	(b.) Of the stomach and duodenum M.	66		1	1	6	8			4	20	17		9			17	33	2	13	1	6	3	4	4	7	4	5	8	8	5	7	5

| | | |

TABLE 27.—CAUSES OF DEATH FOR EACH SEX BY CONJUGAL CONDITION, NATIVITY, AND MONTH OF DEATH, VANCOUVER, 1936—*Continued.*

Int. List No.	CAUSES OF DEATH.		TOTAL.	CONJUGAL CONDITION.													NATIVITY.					MONTHS.											
				Under 15 Yrs.	Single.					Married.					Widowed.	Not stated.	Canada.	British.	Foreign		Not stated.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
					15–24 Yrs.	25–44 Yrs.	45–64 Yrs.	65 Yrs. and over.	Age not stated.	15–24 Yrs.	25–44 Yrs.	45–64 Yrs.	65 Yrs. and over.	Age not stated.					United States.	Other.														
	Non-malignant tumours—*Continued.*																															
	(a.) Of the ovary	F.	2									2						1	1						2							
	(b.) Of the uterus	F.	7				1				1	3			2		2	4	1			1		2		2					1	1
	(d.) Of the brain	F.	1												1			1					1									
	(e.) Of the thyroid gland	M.	1									1					1															
	,,	F.	3					1				1			1		2			1			1		1		1					
	(f.) Of the prostate gland	M.	15					3				2	5		5		6	6		3			2	3	4		1			1	3	1
	(g.) Of other or unspecified sites	M.	3					2			1						1	1			1					1		1				1
	,,	F.	3	2								1					2	1					1					1		1		
55	Tumours, nature not specified	M.	2			1						1						2						1						1		
	(d.) Of the brain	M.	1			1												1												1		
	(g.) Of other or unspecified sites	M.	1									1						1						1								
	Class III. Rheumatic diseases, diseases of nutrition and of the endocrine glands and other general diseases	Total	85	19	4	3	4	3			6	17	15		14		47	25	3	10		9	10	11	7	4	7	10	3	7	10	6	1
	Ditto	M.	46	11	3	1	1	2			3	7	10		8		27	10	2	7		2	5	4	4	2	4	8	1	5	7	3	1
	,,	F.	39	8	1	2	3	1			3	10	5		6		20	15	1	3		7	5	7	3	2	3	2	2	2	3	3	
56	Acute rheumatic fever	M.	5		3						2						2	1	1	1			1				2		1	1		
	,,	F.	5	4		1											5					1				2			1	1		
57	Chronic rheumatism, osteoarthritis	M.	1												1		1								1							
	,,	F.	1				1											1		1				1								
59	Diabetes mellitus	M.	22	1			1	2				2	10		6		10	7	1	4		1	1	3	2		2	5		3	3	1	1
	,,	F.	14				2	1				5	2		4		6	7		1		1		3	3	1	1	1	1		2	1	
63	Rickets	M.	1			1											1									1						
	,,	F.	1		1												1					1										
66	Diseases of the thyroid and parathyroid glands	M.	7	2								4			1		4	2		1						1	1	1			3	1	
	Ditto	F.	8			1					1	3	3				2	5		1		2	2			1			1	1		1	
	(a.) Simple goitre	M.	1												1		1									1							
	,,	F.	1			1												1														1	
	(b.) Exophthalmic goitre	M.	4									4					1	2		1							1	1			2		
	,,	F.	7								1	3	3				2	4		1		2	2			1			1	1			
	(d.) Tetany	M.	1	1													1														1	
	(e.) Others under this title	M.	1	1													1														1		
67	Diseases of the thymus gland	M.	8	8													8					1	3	1	1		1				1	
	,,	F.	5	4							1						4		1			2	1	2								
68	Diseases of the adrenals (Addison's disease)	M.	1								1						1													1		
69	Other general diseases	M.	1									1								1								1				
	,,	F.	5								1	2			2		2	2		1			2	1			1				1	
	(a.) Fatty or amyloid degeneration	M.	1									1								1								1				
	,,	F.	5								1	2			2		2	2		1			2	1			1				1	

| | | |

TABLE 27.—CAUSES OF DEATH FOR EACH SEX BY CONJUGAL CONDITION, NATIVITY, AND MONTH OF DEATH, VANCOUVER, 1936—*Continued.*

Int. List No.	CAUSES OF DEATH.		TOTAL.	CONJUGAL CONDITION.													NATIVITY.					MONTHS.											
				Single.						Married.									Foreign															
				Under 15 Yrs.	15–24 Yrs.	25–44 Yrs.	45–64 Yrs.	65 Yrs. and over.	Age not stated.	15–24 Yrs.	25–44 Yrs.	45–64 Yrs.	65 Yrs. and over.	Age not stated.	Widowed.	Not stated.	Canada.	British.	United States.	Other.	Not stated.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
83	General paralysis of the insane	M.	3				1					2					1		1	1				1							1		1
85	Epilepsy	F.	1			1													1						1								
87	Other diseases of the nervous system	M.	10				1	1				4	2		2		2	5		3		1		2		1	2	1					3
	,,	F.	6								2	1	1		2		2	3	1			1	1	2			1					1	
	(a.) Chorea	M.	1				1													1				1									
	(b.) Neuralgia and neuritis	M.	1												1			1								1							
	(c.) Paralysis agitans	M.	4					1				1	2				1	2		1		1				1	1						1
	,,	F.	2										1		1			1	1				1									1	
	(d.) ,, Sclerosis (other than of the spinal cord)	M.	4									3			1		1	2		1				1			1						2
	Ditto	F.	3								2	1					2	1				1		2									
	(e.) Others under this title	F.	1												1			1								1							
88	Diseases of the organs of vision	M.	1										1					1										1					
89	Diseases of the ear and mastoid process	M.	7	2	2							3					6		1							1			1	2	1	2
	Ditto	F.	5	5													5						1					1		1		2
	(a.) Otitis	M.	1									1							1							1							
	(b.) Diseases of the mastoid process	M.	6	2	2							2					6												1	2	1	2
	Ditto	F.	5	5													5						1					1		1		2
	Class VII. Diseases of the circulatory system	Total	762	2	9	6	45	73			23	188	184		232		288	359	37	76	2	63	67	79	57	60	61	55	64	72	51	58	75
	Ditto	M.	464		4	4	42	56			6	131	127		94		165	224	21	53	1	41	39	40	39	39	38	37	43	40	27	30	51
	,,	F.	298	2	5	2	3	17			17	57	57		138		123	135	16	23	1	22	28	39	18	21	23	18	21	32	24	28	24
90–95	Diseases of the heart	M.	326		4	4	35	40			4	106	77		56		104	163	15	43	1	32	28	27	27	29	27	20	32	31	23	22	28
	,,	F.	185	1	5	2	1	8			15	39	35		79		64	91	11	18	1	11	17	21	14	13	12	10	15	20	12	24	16
90	Pericarditis	M.	1				1													1					1								
91	Acute endocarditis	M.	4		1		1					2					2	2											1	2		1
	,,	F.	4		2	1						1					3	1								1				1		2
	(a.) Endocarditis, specified as acute	M.	4		1		1					2					2	2											1	2		1
	Ditto	F.	2		1							1					1	1											1			1
	(b.) Endocarditis, unspecified (under 45 years of age)	F.	2		1	1											2									1						1
92	Chronic endocarditis, valvular diseases	M.	47		3	3	8	4				11	13		5		11	27	3	6		7	5	1	2	5	1	3	1	6	5	2	9
	Ditto	F.	32	1	3		1	1			8	9	1		8		14	12	4	2		1	6	5			2	3	1	3	5	5	1
	(a.) Endocarditis specified as chronic and other valvular diseases	M.	45		3	3	6	4				11	13		5		11	25	3	6		7	4	1	2	5	1	3	1	6	5	2	8
	Ditto	F.	28	1	3		1	1			8	6	1		7		12	11	3	2		1	6	4			2	3	1	3	3	4	1
	(b.) Endocarditis, unspecified (45 years and over)	M.	2				2											2					1										1
	Ditto	F.	4									3			1		2	1	1					1							2	1	

| | | |

TABLE 27.—CAUSES OF DEATH FOR EACH SEX BY CONJUGAL CONDITION, NATIVITY, AND MONTH OF DEATH, VANCOUVER, 1936—*Continued.*

Int. List No.	CAUSES OF DEATH.		TOTAL.	CONJUGAL CONDITION.												NATIVITY.					MONTHS.											
				Under 15 Yrs.	Single.					Married.					Widowed.	Not stated.	Canada.	British.	Foreign		Not stated.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
					15–24 Yrs.	25–44 Yrs.	45–64 Yrs.	65 Yrs. and over.	Age not stated.	15–24 Yrs.	25–44 Yrs.	45–64 Yrs.	65 Yrs. and over.	Age not stated.					United States.	Other.													
107	Bronchopneumonia	M.	58	10			1	11			4	10	10		12		28	23	1	6		3	6	10	10	7	2		2	4	3	7	4
	"	F.	48	10			1	2		1	3	2	9		20		24	17	4	3		7	8	3	5	1	4		2	2	5	3	8
	(a.) Bronchopneumonia	M.	58	10			1	11			4	10	10		12		28	23	1	6		3	6	10	10	7	2		2	4	3	7	4
	"	F.	48	10			1	2		1	3	2	9		20		24	17	4	3		7	8	3	5	1	4		2	2	5	3	8
108	Lobar pneumonia	M.	30	2		2	3	1			2	10	5		5		9	11	2	8		1	2	6	2	3	1	1	4	2	2	3	3
	"	F.	19	3	1						2	3	2		8		13	5	1				4	3		1	1	1	1	1	3	1	3
109	Pneumonia, unspecified	M.	8	2	1		1	2				2					5	2			1		2	1	1			1			2	1
	"	F.	5								1				4		3	1		1		1		2				1		1		
110	Pleurisy	M.	4	1	1							2					2			2			1	1		1						1
	"	F.	6	1						1	1	2			1		2	2	1	1					3	1					2	
111	Congestion and hæmorrhagic infarct of the lung, etc.	M.	4			1					1	1			1		3	1								1		1	1		1	
	(a.) Pulmonary embolism and thrombosis	M.	3			1					1	1					3									1			1		1	
	(b.) Others under this title	M.	1												1			1										1				
112	Asthma	M.	14	1		1	1				1	2	4		4		4	9		1		2	1			2	1		1	5	1		1
	"	F.	6					1				2			3		3	2		1		1				1	1	1		1	1		
114	Other diseases of the respiratory system (tuberculosis excepted)	M.	5					1				3			1		3	1		1			1			2					2		
	(a.) Chronic interstitial pneumonia, including occupational diseases of the respiratory system	M.	3									2			1		2			1			1			1					1		
	(c.) Others under this title	M.	2					1				1					1	1								1					1		
	Class IX. Diseases of the digestive system	Total	173	17	7	3	6	6		1	15	61	25		32		64	78	12	18	1	20	7	14	15	17	14	13	8	17	14	17	17
	Ditto	M.	102	8	3	2	5	4			7	42	15		16		33	45	7	16	1	11	5	9	9	12	9	7	5	8	5	9	13
	"	F.	71	9	4	1	1	2		1	8	19	10		16		31	33	5	2		9	2	5	6	5	5	6	3	9	9	8	4
115	Diseases of the buccal cavity and annexa, and of the pharynx and tonsils (including adenoid vegetations)	M.	9	2							2	4			1		5	2	1	1				1		1	3	1			1	1	1
	Ditto	F.	4	1	1						1	1					3	1							1						2		1
	(a.) Diseases of the buccal cavity and annexa	M.	3								1	2					2		1					1			2						
		F.	1									1					1								1								
	(b.) Diseases of the tonsils	M.	2	1											1		1	1									1				1		
		F.	3	1	1						1						2	1													2		1
	(c.) Others under this title	M.	4	1							1	2					2	1		1						1		1				1	1
117	Ulcer of the stomach or duodenum	M.	30			1	2				2	17	3		5		6	17	2	5		7	2	2	1	6	2	2	1	2	1	1	3
		F.	8	1				1				3	2		1		2	4	2				1				1	2	1	2	1		
	(a.) Ulcer of the stomach	M.	15				1				1	7	3		3		2	9	2	2		6		1	1	3			1	1	1		1
		F.	3									2	1					2	1								1		1	1			
	(b.) Ulcer of the duodenum	M.	15			1	1				1	10			2		4	8		3		1	2	1		3	2	2		1		1	2
	"	F.	5	1				1				1	1		1		2	2	1				1					2		1	1		

118	Other diseases of the stomach	M.	1									1						1				1											
119	Diarrhœa and enteritis (under 2 years of age)	F.	3	3													3								2							1	
120	Diarrhœa and enteritis (2 years and over)	M.	4	1							1	2						3	1					1			1		1		1		
	Ditto	F.	6							2	3			1		1		5					1		1	2		2					
	(a.) Diarrhœa and enteritis	M.	1									1						1											1				
	,,	F.	1											1				1									1						
	(b.) Ulceration of the intestines	M.	3	1							1	1						2	1					1			1				1		
	,,	F.	5							2	3						1	4					1		1	2		1					
121	Appendicitis	M.	8	1						2	4			1			4	4						2	1	2		1	1	1			
	,,	F.	12		1	1	1		1	2	5	1					6	6				2		1	2	1		1		1	2	1	1
122	Hernia, intestinal obstruction	M.	20	3	2			1			6	7		1			7	11	1	1			1	4	3	3		1		1	4	2	
	,,	F.	8	1							1	2		4			4	3		1		1		2				1			2	2	
	(a.) Hernia	M.	9	1							2	6					2	5	1	1			1	1	1	3					2	1	
	,,	F.	5									2		3			3	1		1				1				1			2	1	
	(b.) Intestinal obstruction	M.	11	2	2			1			4	1		1			5	6						3	2			1		1	1	2	1
	,,	F.	3	1							1			1			1	2				1		1								1	
123	Other diseases of the intestines	M.	6				1				2			3			1	1	2	2								1	1	1			3
	,,	F.	4							1		2		1			1	3				1								1		2	
124	Cirrhosis of the liver	M.	10			1	2	2		1	4						2	4		3	1	2		1	1			1	1	1		1	2
	,,	F.	3		1					1				1			2	1						1			1		1				
	(b.) Not specified as alcoholic	M.	10			1	2	2		1	4						2	4		3	1	2		1	1			1	1	1		1	2
	,,	F.	3		1					1				1			2	1						1			1		1				
125	Other diseases of the liver	M.	1								1							1									1						
	,,	F.	1								1							1				1											
	(b.) Others under this title	M.	1								1							1									1						
	,,	F.	1								1							1				1											
126	Biliary calculi	M.	6				1				2	2		1			3	1		2			1	1					2		1	1	
	,,	F.	13								5	2		6			5	5	2	1		2	1		3	1		1	1	2	1		1
127	Other diseases of the gall-bladder and biliary passages	M.	5	1	1									3			3			2		1	1		1	1						1	
	Ditto	F.	6		1			1		1		1		2			1	4	1			1					1	1			1	2	
128	Diseases of the pancreas	M.	1									1					1										1						
129	Peritonitis, cause not specified	M.	1											1			1											1					
	,,	F.	3	3													3					1							1		1		
	Class X. Diseases of the genito-urinary system	Total	213	1	4	5	6	12		1	14	54	60		56		73	101	12	25	2	18	17	15	20	21	13	21	12	21	15	26	14	
	Ditto	M.	143	1	1	3	6	9			9	38	46		30		49	66	4	22	2	11	14	11	13	16	6	9	8	19	10	14	12	
	,,	F.	70		3	2		3		1	5	16	14		26		24	35	8	3		7	3	4	7	5	7	12	4	2	5	12	2	
130	Acute nephritis (including unspecified, under 10 years of age)	M.	2	1	1												2										1			1			
	Ditto	F.	1						1								1														1		
131	Chronic nephritis	M.	70			2	5	6			7	23	17		10		16	33	2	17	2	8	6	5	7	6	3	6	7	7	1	7	7
	,,	F.	43		2			2			1	10	8		20		14	20	6	3		7	2	2	4	3	5	7	3	1	2	6	1
132	Nephritis, unspecified (10 years and over)	M.	15								4	6		5			7	6		2			1		2	4	1	1		3		1	2
	Ditto	F.	6					1				3		2			2	4						1		1		2		1		1	
133	Other diseases of the kidneys and ureters	F.	6								4	1		1			2	4							1		1	2			1	1	
134	Calculi of the urinary passages	M.	8			1	1			1	3	1		1			4	3		1				2		2		1			2		1
	,,	F.	2								1			1				2									1					1	
135	Diseases of the bladder (tumours excepted)	M.	6							1	2	2		1			2	3		1			1		1	1				1		2	
	Ditto	F.	3			1						1		1			1	1	1				1									1	1
136	Diseases of the urethra, urinary abscess, etc.	M.	2								2						2									1				1			
	(a.) Stricture of the urethra	M.	2								2						2									1				1			

TABLE 27.—CAUSES OF DEATH FOR EACH SEX BY CONJUGAL CONDITION, NATIVITY, AND MONTH OF DEATH, VANCOUVER, 1936—*Continued.*

Int. List No.	CAUSES OF DEATH.	TOTAL.	CONJUGAL CONDITION.												NATIVITY.					MONTHS.											
			Under 15 Yrs.	Single.					Married.					Widowed.	Not stated.	Canada.	British.	Foreign		Not stated.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
				15–24 Yrs.	25–44 Yrs.	45–64 Yrs.	65 Yrs. and over.	Age not stated.	15–24 Yrs.	25–44 Yrs.	45–64 Yrs.	65 Yrs. and over.	Age not stated.					United States.	Other.													
137	Diseases of the prostrate ..... M.	36					3				4	18		11		13	21	1	1		3	6	4	2	1	1	1	1	7	6	3	1
138	Diseases of the male genital organs (not specified as venereal) ..... M.	4										2		2		3		1						1	1					1	1
139	Diseases of the female genital organs (not specified as venereal) ..... F.	9		1	1					4	1	1		1		4	4	1					1	2	1		1	1		2	1	
	(a.) Of the ovary, Fallopian tube, and parametrium ..... F.	3		1	1					1						2	1						1	1	1							
	(b.) Of the uterus ..... F.	4								3	1					1	2	1						1			1	1		1		
	(c.) Of the breast ..... F.	1												1		1														1		
	(d.) Others under this title ..... F.	1										1					1														1	
	Class XI. Diseases of pregnancy, childbirth, and the puerperal state ..... Total	19							1	17				1		5	9	1	4			2	1	1		1	4	3	3	1	2	1
140	Abortion with septic conditions ..... F.	10							1	8				1		4	4	1	1			1	1	1		1	1	1	2	1	1	
	(a.) Abortion ..... F.	7							1	5				1		3	3		1			1	1	1		1			2	1	1	
	(b.) Self-induced abortion ..... F.	3								3						1	1	1				1					1	1				
141	Abortion without mention of septic conditions (hæmorrhage included) ..... F.	2								2						1	1										2					
	(a.) Abortion ..... F.	1								1						1											1					
	(b.) Self-induced abortion ..... F.	1								1							1										1					
144	Puerperal hæmorrhage ..... F.	2								2							1		1									1			1	
	(b.) Other hæmorrhages ..... F.	2								2							1		1									1			1	
145	Puerperal septicæmia (not specified as due to abortion) ..... F.	1								1									1								1					
	(a.) Puerperal septicæmia and pyæmia ..... F.	1								1									1								1					
146	Puerperal albuminuria and eclampsia F.	1								1							1											1				
148	Puerperal phlegmasia alba dolens, embolism, or sudden death (not specified as septic) ..... F.	1								1									1												1	
	(c.) Sudden death ..... F.	1								1									1												1	
149	Other accidents of childbirth ..... F.	2								2							2					1							1			
	(a.) Caesarean operation ..... F.	1								1							1					1										
	(b.) Dystocia ..... F.	1								1							1												1			
	Class XII. Diseases of the skin and cellular tissue ..... Total	8	1	2	1	2						1		1		6	2					1			1		2	1	1			2
	Ditto ..... M.	5			1	2						1		1		3	2					1					1		1			2
	„ ..... F.	3	1	2												3									1		1	1				
151	Carbuncle ..... M.	1				1										1													1			
152	Cellulitis, acute abscess ..... M.	3			1	1								1		1	2					1				1						1
	„ ..... F.	3	1	2												3									1		1	1				

| | | |

TABLE 27.—CAUSES OF DEATH FOR EACH SEX BY CONJUGAL CONDITION, NATIVITY, AND MONTH OF DEATH, VANCOUVER, 1936—*Continued.*

Int. List No.	CAUSES OF DEATH.		TOTAL.	CONJUGAL CONDITION.													NATIVITY.					MONTHS.											
				Under 15 Yrs.	Single.					Married.					Widowed.	Not stated.	Canada.	British.	Foreign		Not stated.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
					15–24 Yrs.	25–44 Yrs.	45–64 Yrs.	65 Yrs. and over.	Age not stated.	15–24 Yrs.	25–44 Yrs.	45–64 Yrs.	65 Yrs. and over.	Age not stated.					United States.	Other.														
162	Senility	M.	3					1					1		1		2		1			1						1		1		
	"	F.	6												6		3	3					2		1	2					1	
	(a.) With senile dementia (70 years and over)	F.	3												3		1	2					2			1						
	(b.) Without senile dementia (70 years and over)	M.	3					1					1		1		2		1			1						1		1		
	Ditto	F.	3												3		2	1							1	1					1	
	Class XVII. Violent or accidental deaths	Total	198	10	19	23	15	8	1	1	32	47	15		27		71	77	11	35	4	16	15	13	19	8	11	15	14	17	23	19	28
	Ditto	M.	136	4	12	20	15	6	1	1	21	34	10		12		43	52	8	29	4	15	11	9	12	6	7	7	9	11	19	10	20
	"	F.	62	6	7	3		2			11	13	5		15		28	25	3	6		1	4	4	7	2	4	8	5	6	4	9	8
163–171	Suicides	M.	27	1	3	3	3	1			4	9	1		2		7	10	2	6	2	4		1	4	2	2	1	1	3	4	2	3
	"	F.	13		3	1					4	4			1		5	5	1	2		1	1		1		2	2	1			2	3
163	Suicide by solid or liquid poisons or by absorption of corrosive substances	M.	2									2						2											1	1			
	Ditto	F.	2								1	1					2					1					1						
164	Suicide by poisonous gas	M.	4		2	1						1			1		1	2	1						2	1				1		
	"	F.	3		2							1					2	1							1		1				1	
165	Suicide by hanging or strangulation	M.	7	1			2					4					1			5	1	1						1	2	1		2
	"	F.	3			1						2						2	1										1		1	1
166	Suicide by drowning	M.	1								1							1										1					
	"	F.	3		1						2						1	1		1						1	1					1
167	Suicide by firearms	M.	7		1	1		1			2	1	1				2	4			1	2			1		1			1	2	
	"	F.	1								1									1												1
168	Suicide by cutting or piercing instruments	M.	3			1					1	1					2			1						1	1					1
169	Suicide by jumping from high places	M.	3				1					1			1		1	1	1			1		1	1							
	Ditto	F.	1												1			1					1									
173–175	Homicides	M.	3		1	1						1						1		2		1						1		1		
	"	F.	5	1	1	1					2						4	1							1		1			1	2	
173	Homicide by firearms	M.	2		1	1												1		1		1								1		
	"	F.	2		1						1						1	1							1						1	
175	Homicide by other means	M.	1									1								1								1				
	"	F.	3	1		1					1						3									1				1	1	
176–198	Other violent deaths	M.	106	3	8	16	12	5	1	1	17	24	9		10		36	41	6	21	2	10	11	8	8	4	5	6	7	8	14	8	17
	"	F.	44	5	3	1		2			5	9	5		14		19	19	2	4			3	4	5	2	1	6	4	6	3	5	5
178	Accidental absorption of toxic gases	M.	7		1	1		1			1	2			1		2	1	1	2	1	3	1							2	1		
	"	F.	1									1						1					1										
179	Other acute accidental poisonings (except by gas)	M.	1			1												1						1									

| | | |

TABLE 28.—CAUSES OF DEATH BY SEX IN CENSUS DIVISIONS, BRITISH COLUMBIA, 1936.

Int. List No.	CAUSES OF DEATH.		TOTAL.	Div. No. 1.	Div. No. 2.	Div. No. 3.	Div. No. 4.	Div. No. 5a.	Div. No. 5b.	Div. No. 6a.	Div. No. 6b.	Div. No. 7.	Div. No. 8a.	Div. No. 8b.	Div. No. 9a.	Div. No. 9b.	Div. No. 9c.	Div. No. 9d.	Div. No. 10a.	Div. No. 10b.	Div. No. 10c.
	Deaths, all causes	Total	7222	155	315	395	4067	1293	76	333	33	105	123	110	3	6	146	22	....	4	36
	,,	M.	4433	109	207	235	2468	761	41	221	26	66	78	74	3	4	99	15	....	3	23
	,,	F.	2789	46	108	160	1599	532	35	112	7	39	45	36	....	2	47	7	....	1	13
	Class I. Infectious and parasitic diseases	Total	905	10	26	53	433	130	35	94	7	19	16	29	....	3	39	8	....	....	3
	Ditto	M.	536	6	18	32	269	68	13	60	6	12	8	16	....	3	18	5	....	....	2
	,,	F.	369	4	8	21	164	62	22	34	1	7	8	13	....	....	21	3	....	....	1
1	Typhoid fever	M.	6	....	....	1	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6	Smallpox	M.	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7	Measles	M.	11	1	....	....	8	....	....	....	....	1	....	....	....	....	....	1	....	....	....
	,,	F.	8	....	....	1	4	2	1	....	....	....	....	....	....	....	....	....	....	....	....
8	Scarlet fever	M.	3	....	....	1	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	,,	F.	2	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....
9	Whooping-cough	M.	6	....	....	1	4	....	....	....	....	1	....	....	....	....	....	....	....	....	....
	,,	F.	11	....	1	....	8	....	....	2	....	....	....	....	....	....	....	....	....	....	....
10	Diphtheria	M.	2	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	,,	F.	3	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11	Influenza	M.	92	3	5	8	51	10	2	2	1	2	1	5	....	....	1	....	....	....	1
	,,	F.	70	1	....	8	42	10	2	3	....	1	....	3	....	....	....	....	....	....	....
	(a.) Sole cause	M.	10	....	2	....	6	....	....	1	....	....	....	1	....	....	....	....	....	....	....
	,,	F.	2	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....
	(b.) With bronchitis	M.	2	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	,,	F.	2	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	(c.) With pneumonia	M.	49	2	....	5	27	8	1	1	....	2	1	....	....	....	1	....	....	....	1
	,,	F.	37	....	....	6	20	8	2	....	....	....	....	1	....	....	....	....	....	....	....
	(d.) With other diseases of the respiratory system	M.	4	....	....	....	3	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	Ditto	F.	2	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	(e.) With intestinal complications	M.	3	....	1	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....
	,,	F.	3	....	....	....	1	....	....	....	....	....	....	2	....	....	....	....	....	....	....
	(f.) With other causes	M.	24	1	2	3	13	1	1	....	....	....	....	3	....	....	....	....	....	....	....
	,,	F.	24	....	....	2	18	2	....	2	....	....	....	....	....	....	....	....	....	....	....
13	Dysentery	M.	2	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	,,	F.	2	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....
15	Erysipelas	M.	12	....	....	1	6	1	....	3	....	1	....	....	....	....	....	....	....	....	....
	,,	F.	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
16	Poliomyelitis and polioencephalitis (acute)	M.	6	....	....	....	4	2	....	....	....	....	....	....	....	....	....	....	....	....	....
	Ditto	F.	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
17	Lethargic or epidemic encephalitis	M.	2	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....
	,,	F.	2	....	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....
18	Epidemic cerebrospinal meningitis	M.	6	....	....	....	1	5	....	....	....	....	....	....	....	....	....	....	....	....	....
	,,	F.	3	....	1	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....
22	Tetanus	F.	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
23–	Tuberculosis	M.	325	2	8	15	155	39	8	48	5	6	5	11	....	3	15	4	....	....	1
32	,,	F.	237	3	5	10	85	43	17	28	1	6	7	10	....	....	18	3	....	....	1
23	Tuberculosis of the respiratory system	M.	284	1	8	13	138	32	7	47	5	5	2	10	....	2	12	1	....	....	1
	,,	F.	195	3	5	10	67	28	15	27	1	5	5	10	....	....	15	3	....	....	1
24	Tuberculosis of the meninges and central nervous system	M.	16	....	....	1	5	2	1	....	....	....	2	....	....	1	2	2	....	....	....
	Ditto	F.	18	....	....	....	8	6	2	1	....	....	....	....	....	....	1	....	....	....	....
25	Tuberculosis of the intestines and peritoneum	M.	5	....	....	....	3	....	....	....	....	....	....	1	....	....	....	1	....	....	....
	Ditto	F.	6	....	....	....	1	3	....	....	....	1	1	....	....	....	....	....	....	....	....
26	Tuberculosis of the vertebral column	M.	3	....	....	....	2	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	,,	F.	6	....	....	....	4	2	....	....	....	....	....	....	....	....	....	....	....	....	....
27	Tuberculosis of the bones and joints (vertebral column excepted)	M.	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
	Ditto	F.	2	....	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....
	(b.) Of joints	M.	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
	,,	F.	2	....	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....
28	Tuberculosis of the skin and sub-cutaneous cellular tissue	M.	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
29	Tuberculosis of the lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted)	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....
30	Tuberculosis of the genito-urinary system	M.	3	1	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	Ditto	F.	2	....	....	....	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....
32	Disseminated tuberculosis	M.	11	....	....	....	5	5	....	1	....	....	....	....	....	....	....	....	....	....	....
	,,	F.	8	....	....	....	4	3	....	....	....	....	1	....	....	....	....	....	....	....	....
	(a.) Acute	M.	8	....	....	....	3	5	....	....	....	....	....	....	....	....	....	....	....	....	....
	,,	F.	7	....	....	....	4	2	....	....	....	....	1	....	....	....	....	....	....	....	....
	(c.) Not specified	M.	3	....	....	....	2	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	,,	F.	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
34	Syphilis	M.	47	....	2	1	23	8	2	7	....	....	2	....	....	....	2	....	....	....	....
	,,	F.	17	....	1	1	10	2	1	1	....	....	....	....	....	....	1	....	....	....	....
35	Gonococcus infection and other venereal diseases	M.	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE 28.—CAUSES OF DEATH BY SEX IN CENSUS DIVISIONS, BRITISH COLUMBIA, 1936—*Continued.*

Int. List No.	CAUSES OF DEATH.		TOTAL.	Div. No. 1.	Div. No. 2.	Div. No. 3.	Div. No. 4.	Div. No. 5a.	Div. No. 5b.	Div. No. 6a.	Div. No. 6b.	Div. No. 7.	Div. No. 8a.	Div. No. 8b.	Div. No. 9a.	Div. No. 9b.	Div. No. 9c.	Div. No. 9d.	Div. No. 10a.	Div. No. 10b.	Div. No. 10c.
36	Purulent infection, septicæmia (non-puerperal)	M.	7		2	2	2	1													
	Ditto	F.	6			1	3	1					1								
38	Malaria	M.	2		1		1														
42	Other diseases caused by helminths	F.	1														1				
43	Mycoses	M.	2			1	1														
	,,	F.	1				1														
44	Other infectious or parasitic diseases	M.	3				2		1												
	,,	F.	3				2		1												
	(a.) Chicken-pox	M.	1						1												
	,,	F.	1						1												
	(b.) German measles	M.	2				2														
	,,	F.	2				2														
	Class II. Cancer and other tumours	Total	1008	10	36	45	653	190	1	25	1	10	9	7			16				5
	,,	M.	554	5	17	25	369	100	1	12	1	4	5	3			10				2
	,,	F.	454	5	19	20	284	90		13		6	4	4			6				3
45–53	Cancer and other malignant tumours	M.	518	4	16	25	344	94	1	11	1	4	5	3			8				2
	,,	F.	416	5	18	17	260	85		11		6	3	4			5				2
45	Cancer of the buccal cavity and pharynx	M.	31		2	2	22	3				1					1				
	Ditto	F.	7				4	2				1									
46	Cancer of the digestive tract and peritoneum	M.	303	4	10	16	195	57		8	1	2	2	3			4				1
	Ditto	F.	168	4	6	3	96	42		7		3	1	2			2				2
	(a.) Of the œsophagus	M.	10				6	4													
	,,	F.	4				2	2													
	(b.) Of the stomach and duodenum	M.	134	4	4	8	83	27		2	1		1	1			3				
	,,	F.	66	2	2		42	11		3		1	1	1			1				2
	(c.) Of the rectum	M.	40			2	28	6		2		1					1				
	,,	F.	14			1	7	5		1											
	(d.) Of the liver and biliary ducts	M.	29		2	2	18	5						2							
	,,	F.	20		2	1	8	6		1				1			1				
	(e.) Of the pancreas	M.	17				12	5													
	,,	F.	10				5	4				1									
	(f.) Of the peritoneum	M.	1				1														
	,,	F.	3				1	2													
	(g.) Of other organs	M.	72		4	4	47	10		4		1	1								1
	,,	F.	51	2	2	1	31	12		2		1									
47	Cancer of the respiratory organs	M.	35		1	1	25	7									1				
	,,	F.	5				5														
	(a.) Of the larynx	M.	6				5	1													
	(b.) Of the lung	M.	24			1	16	6									1				
	,,	F.	3				3														
	(c.) Of the mediastinum	M.	3		1		2														
	,,	F.	2				2														
	(d.) Of other organs of the respiratory system	M.	2				2														
48	Cancer of the uterus	F.	56		3	6	32	10		1		1	1				2				
	(a.) Of the uterus	F.	36			5	24	5				1	1								
	(b.) Of the cervix uteri	F.	20		3	1	8	5		1							2				
49	Cancer of other female genital organs	F.	28	1		1	23	3													
50	Cancer of the breast	M.	1				1														
	,,	F.	94		5	4	64	17		2		1					1				
51	Cancer of the male genito-urinary organs	M.	93		1	3	64	17		2			3				2				1
	(a.) Of the bladder	M.	23				16	6		1											
	(b.) Of the kidney	M.	8				5	2					1								
	(c.) Of the prostate gland	M.	56		1	2	39	9					2				2				1
	(d.) Of the testicles and annexa	M.	3				3														
	(e.) Of other male genito-urinary organs	M.	3			1	1			1											
52	Cancer of the skin	M.	11			1	8	2													
	,,	F.	5			1	3	1													
53	Cancer of other or unspecified organs	M.	44		2	2	29	8	1	1		1									
	,,	F.	53		4	2	33	10		1			1	2							
	(a.) Of the eye and orbit	M.	1				1														
	(c.) Of the glandular system	M.	10		2		8														
	,,	F.	12		2	1	6	2						1							
	(d.) Of the female urinary organs	F.	19				13	5					1								
	(e.) Of the bones and joints	M.	11			1	6	3		1											
	,,	F.	6		2		4														
	(f.) Of the brain	M.	11				8	2				1									
	,,	F.	6				4	2													
	(g.) Of the spine and spinal cord	M.	2					1	1												
	,,	F.	2			1	1														
	(h.) Of the neck	M.	2				1	1													
	,,	F.	1											1							
	(i.) Of the abdomen	M.	1					1													
	,,	F.	4				3			1											

TABLE 28.—CAUSES OF DEATH BY SEX IN CENSUS DIVISIONS, BRITISH COLUMBIA, 1936—*Continued.*

Int. List No.	CAUSES OF DEATH.		TOTAL.	Div. No. 1.	Div. No. 2.	Div. No. 3.	Div. No. 4.	Div. No. 5a.	Div. No. 5b.	Div. No. 6a.	Div. No. 6b.	Div. No. 7.	Div. No. 8a.	Div. No. 8b.	Div. No. 9a.	Div. No. 9b.	Div. No. 9c.	Div. No. 9d.	Div. No. 10a.	Div. No. 10b.	Div. No. 10c.
	Cancer—*Continued.*																				
	(j.) Of other specified organs	M.	4				4														
	"	F.	1					1													
	(k.) Multiple cancer	M.	1				1														
	"	F.	2				2														
	(m.) Of unspecified or unknown location	M.	1			1															
54	Non-malignant tumours	M.	29	1			21	5		1							1				
	"	F.	35		1	3	23	4		1			1				1				1
	(a.) Of the ovary	F.	8		1		5			1							1				
	(b.) Of the uterus	F.	17			3	9	3					1								1
	(d.) Of the brain	M.	5	1			1	3													
	"	F.	1				1														
	(e.) Of the thyroid gland	M.	2				2														
	"	F.	5				4	1													
	(f.) Of the prostate gland	M.	17				15	1									1				
	(g.) Of other or unspecified sites	M.	5				3	1		1											
	"	F.	4				4														
55	Tumours, nature not specified	M.	7		1		4	1									1				
	"	F.	3				1	1		1											
	(d.) Of the brain	M.	4		1		2	1													
	"	F.	3				1	1		1											
	(g.) Of other or unspecified sites	M.	3				2										1				
	Class III. Rheumatic diseases, diseases of nutrition and of the endocrine glands and other general diseases	Total	212	3	13	12	118	42	2	9	1		4	3			3				2
	Ditto	M.	103	2	7	5	58	17	1	5	1		3	2			1				1
	"	F.	109	1	6	7	60	25	1	4			1	1			2				1
56	Acute rheumatic fever	M.	16	1	2	2	7	3		1											
	"	F.	18	1	3	1	11	1													1
57	Chronic rheumatism, osteoarthritis	M.	3				3														
	"	F.	4				1	2						1							
59	Diabetes mellitus	M.	49		4		28	10		2	1		2	1							1
	"	F.	45		1	4	21	15		2			1				1				
63	Rickets	M.	1				1														
	"	F.	1				1														
65	Diseases of the pituitary gland	F.	1				1														
66	Diseases of the thyroid and parathyroid glands	M.	11				8	2					1								
	Ditto	F.	20		1	1	10	6	1	1											
	(a.) Simple goitre	M.	1				1														
	"	F.	2			1	1														
	(b.) Exophthalmic goitre	M.	7				5	2													
	"	F.	16		1		9	5		1											
	(c.) Myxœdema, cretinism	M.	1										1								
	"	F.	2					1	1												
	(d.) Tetany	M.	1				1														
	(e.) Others under this title	M.	1				1														
67	Diseases of the thymus gland	M.	18		1	2	9	2		2				1			1				
	"	F.	12		1	1	7	1		1							1				
68	Diseases of the adrenals (Addison's disease)	M.	2			1	1														
	Ditto	F.	1				1														
69	Other general diseases	M.	3	1			1		1												
	"	F.	7				7														
	(a.) Fatty or amyloid degeneration	M.	3	1			1		1												
	"	F.	6				6														
	(c.) Others under this title	F.	1				1														
	Class IV. Diseases of the blood and blood-forming organs	Total	62	1	3	2	42	11		2		1									
	Ditto	M.	35		2	1	23	8		1											
	"	F.	27	1	1	1	19	3		1		1									
70	Hæmorrhagic conditions	M.	4				2	2													
	"	F.	1	1																	
	(a.) Simple purpura	M.	3				2	1													
	"	F.	1	1																	
	(b.) Hæmophilia	M.	1					1													
71	Anæmia	M.	9				6	3													
	"	F.	13			1	10	1				1									
	(a.) Pernicious anæmia	M.	9				6	3													
	"	F.	11				9	1				1									
	(b.) Others under this title	F.	2			1	1														
72	Leukæmia and aleukæmia	M.	19		2		13	3		1											
	"	F.	10		1		8	1													
	(a.) Leukæmia	M.	11				8	3													
	"	F.	9		1		7	1													

TABLE 28.—CAUSES OF DEATH BY SEX IN CENSUS DIVISIONS, BRITISH COLUMBIA, 1936—*Continued.*

Int. List No.	CAUSES OF DEATH.		TOTAL.	Div. No. 1.	Div. No. 2.	Div. No. 3.	Div. No. 4.	Div. No. 5a.	Div. No. 5b.	Div. No. 6a.	Div. No. 6b.	Div. No. 7.	Div. No. 8a.	Div. No. 8b.	Div. No. 9a.	Div. No. 9b.	Div. No. 9c.	Div. No. 9d.	Div. No. 10a.	Div. No. 10b.	Div. No. 10c.
	Leukæmia and aleukæmia—*Continued.*																				
	(b.) Aleukæmia (Hodgkin's disease)	M.	8		2		5			1											
	,,	F.	1				1														
73	Diseases of the spleen	M.	3			1	2														
	,,	F.	3				1	1		1											
	Class V. Chronic poisonings and intoxications	Total	23	3		3	13	1		1			2								
	Ditto	M.	21	2		3	12	1		1			2								
	,,	F.	2	1			1														
75	Alcoholism	M.	16	2		3	7	1		1			2								
	,,	F.	2	1			1														
	(a.) Delirium tremens	M.	3	1		1	1														
	(b.) Other alcoholic intoxications	M.	13	1		2	6	1		1			2								
	,,	F.	2	1			1														
76	Chronic poisoning by other organic substances	M.	3				3														
	(d.) Other organic poisoning	M.	3				3														
77	Chronic poisoning by mineral substances	M.	2				2														
	(a.) Lead (including occupational)	M.	1				1														
	(c.) Others under this title	M.	1				1														
	Class VI. Diseases of the nervous system and of the organs of special sense	Total	417	5	12	20	289	52	4	14	1	2	6	3			7	1			1
	Ditto	M.	246	3	9	11	171	27	1	8	1	2	2	3			7	1			
	,,	F.	171	2	3	9	118	25	3	6			4								1
78	Encephalitis (non-epidemic)	M.	3	1			2														
	,,	F.	2				1	1													
79	Simple meningitis	M.	6				3	2									1				
	,,	F.	8	1			7														
80	Progressive locomotor ataxia (tabes dorsalis)	M.	5			1	3			1											
81	Other diseases of the spinal cord	M.	12		2		8			1							1				
	,,	F.	9			1	8														
82	Cerebral hæmorrhage, cerebral embolism, and thrombosis	M.	82	2	5	6	41	14		5	1	2		2			3	1			
	Ditto	F.	71		2	3	38	21	1	5			1								
	(a.) Cerebral hæmorrhage	M.	73	1	4	4	39	12		5	1	2		2			2	1			
	,,	F.	65		2	3	35	18	1	5			1								
	(b.) Cerebral embolism and thrombosis	M.	4	1		1	2														
	,,	F.	5				3	2													
	(c.) Softening of the brain	M.	2					1									1				
	,,	F.	1					1													
	(d.) Hemiplegia and other paralysis, cause not specified	M.	3		1	1		1													
83	General paralysis of the insane	M.	20				18		1				1								
	,,	F.	4				3						1								
84	Dementia præcox and other psychoses	M.	56			1	53	2													
	,,	F.	39				39														
	(a.) Dementia præcox	M.	41				39	2													
	,,	F.	28				28														
	(b.) Other psychoses	M.	15			1	14														
	,,	F.	11				11														
85	Epilepsy	M.	15				10	2		1			1	1							
	,,	F.	7			1	5														1
86	Convulsions (under 5 years of age)	M.	2		1												1				
	,,	F.	4			1			2				1								
87	Other diseases of the nervous system	M.	33			2	24	6									1				
	,,	F.	14			2	10	1		1											
	(a.) Chorea	M.	1				1														
	(b.) Neuralgia and neuritis	M.	2			1	1														
	,,	F.	1			1															
	(c.) Paralysis agitans	M.	14			1	8	5													
	,,	F.	5			1	3			1											
	(d.) Sclerosis (other than of the spinal cord)	M.	5				4	1													
	Ditto	F.	5				5														
	(e.) Others under this title	M.	11				10										1				
	,,	F.	3				2	1													
88	Diseases of the organs of vision	M.	1				1														
89	Diseases of the ear and mastoid process	M.	11		1	1	8	1													
	,,	F.	13	1	1	1	7	2					1								
	(a.) Otitis	M.	3		1	1	1														
	,,	F.	5	1	1	1		1					1								
	(b.) Diseases of the mastoid process	M.	8				7	1													
	,,	F.	8				7	1													

TABLE 28.—CAUSES OF DEATH BY SEX IN CENSUS DIVISIONS, BRITISH COLUMBIA, 1936—*Continued.*

Int. List No.	CAUSES OF DEATH.	TOTAL.	Div. No. 1.	Div. No. 2.	Div. No. 3.	Div. No. 4.	Div. No. 5a.	Div. No. 5b.	Div. No. 6a.	Div. No. 6b.	Div. No. 7.	Div. No. 8a.	Div. No. 8b.	Div. No. 9a.	Div. No. 9b.	Div. No. 9c.	Div. No. 9d.	Div. No. 10a.	Div. No. 10b.	Div. No. 10c.
	Class VII. Diseases of the circulatory system—Total	1887	41	79	106	1096	399	7	61	6	18	23	21	1		22			1	6
	Ditto M.	1205	32	56	66	676	245	4	48	4	12	19	17	1		19			1	5
	" F.	682	9	23	40	420	154	3	13	2	6	4	4			3				1
90–95	Diseases of the heart M.	823	16	34	47	462	181	4	23	2	11	16	9	1		12			1	4
	" F.	426	6	12	25	254	105	2	9	1	3	3	3			2				1
90	Pericarditis M.	3		1		1	1													
	" F.	1														1				
91	Acute endocarditis M.	8			1	6	1													
	" F.	7				4	2													1
	(a.) Endocarditis, specified as acute M.	7				6	1													
	" F.	4				2	1													1
	(b.) Endocarditis, unspecified (under 45 years of age) M.	1			1															
	Ditto F.	3				2	1													
92	Chronic endocarditis, valvular diseases M.	135	6	8	12	72	14	1	7		3	5	3	1		2				1
	" F.	73	1	4	7	41	16		1			1	1			1				
	(a.) Endocarditis specified as chronic and other valvular diseases M.	121	4	7	11	66	11	1	7		3	4	3	1		2				1
	Ditto F.	64	1	4	7	34	14		1			1	1			1				
	(b.) Endocarditis, unspecified (45 years and over) M.	14	2	1	1	6	3					1								
	Ditto F.	9				7	2													
93	Diseases of the myocardium M.	273	4	14	20	126	83		7	1	4	5	4			3			1	1
	" F.	170	4	6	10	95	45	1	4	1	1	1	2							
	(a.) Acute myocarditis M.	7	1	2		3	1													
	" F.	2				2														
	(b.) Myocarditis, unspecified (under 45 years of age) M.	2					1						1							
	Ditto F.	1					1													
	(c.) Chronic myocarditis and myocardial degeneration M.	143		9	11	82	25		3	1	2	4	3			2			1	
	Ditto F.	92	1	3	4	63	14	1	2		1	1	2							
	(d.) Myocarditis, unspecified (45 years and over) M.	121	3	3	9	41	56		4		2	1				1				1
	Ditto F.	75	3	3	6	30	30		2	1										
94	Diseases of the coronary arteries and angina pectoris M.	379	6	9	12	247	78	3	7	1	3	4				7				2
	Ditto F.	150	1	2	8	104	30		3		2									
	(a.) Diseases of the coronary arteries M.	51	1	3		36	10					1								
	Ditto F.	20		1		15	3		1											
	(b.) Embolism and thrombosis of the coronary arteries M.	276	5	6	9	180	55	2	5		3	2				7				2
	Ditto F.	107		1	5	72	26		1		2									
	(c.) Angina pectoris M.	52			3	31	13	1	2	1		1								
	" F.	23	1		3	17	1		1											
95	Other diseases of the heart M.	25		2	2	10	4		2		1	2	2							
	" F.	25				10	12	1	1			1								
	(a.) Functional diseases of the heart M.	5		1		2	1		1											
	" F.	2				1	1													
	(b.) Other and unspecified M.	20		1	2	8	3		1		1	2	2							
	" F.	23				9	11	1	1			1								
96	Aneurism (except of the heart) M.	20	1	1	2	11	3									2				
	" F.	5				4	1													
97	Arteriosclerosis (of coronary arteries excepted) M.	284	13	15	11	163	49		20	2	1		4			5				1
	Ditto F.	192	1	6	7	133	38	1	2		2	1				1				
98	Gangrene M.	5				3			2											
	" F.	2	1			1														
99	Other diseases of the arteries M.	8	1			4	3													
	" F.	3				2			1											
100	Diseases of the veins (varices, hæmorrhoids, phlebitis, etc.) M.	5	1			3	1													
	Ditto F.	6		1		4	1													
101	Diseases of the lymphatic system (lymphangitis, etc.) F.	1				1														
102	Idiopathic abnormalities of blood-pressure M.	58		6	6	30	8		3			2	3							
	Ditto F.	45	1	4	8	19	9		1	1	1		1							
103	Other diseases of the circulatory system M.	2										1	1							
	" F.	2				2														
	Class VIII. Diseases of the respiratory system—Total	562	20	20	26	315	94	7	30	2	12	13	6			7	3			7
	Ditto M.	335	15	13	16	185	51	4	23	2	8	6	4			3	2			3
	" F.	227	5	7	10	130	43	3	7		4	7	2			4	1			4
104	Diseases of the nasal fossæ and annexa M.	5				2	1		2											
	" F.	3				1	1									1				

TABLE 28.—CAUSES OF DEATH BY SEX IN CENSUS DIVISIONS, BRITISH COLUMBIA, 1936—*Continued.*

Int. List No.	CAUSES OF DEATH.		TOTAL.	Div. No. 1.	Div. No. 2.	Div. No. 3.	Div. No. 4.	Div. No. 5a.	Div. No. 5b.	Div. No. 6a.	Div. No. 6b.	Div. No. 7.	Div. No. 8a.	Div. No. 8b.	Div. No. 9a.	Div. No. 9b.	Div. No. 9c.	Div. No. 9d.	Div. No. 10a.	Div. No. 10b.	Div. No. 10c.
105	Diseases of the larynx	F.	1				1														
	(b.) Other diseases of the larynx	F.	1				1														
106	Bronchitis	M.	14			2	6	1		1		1					2	1			
	"	F.	6				1	2									1	1			1
	(a.) " Acute	M.	6			1	1			1							2	1			
	"	F.	3					1									1	1			
	(b.) " Chronic	M.	6				5					1									
	"	F.	3				1	1													1
	(c.) " Unspecified	M.	2			1		1													
107	Bronchopneumonia	M.	125	2	7	6	76	21	1	6		1	2	1			1				1
	"	F.	109	1	3	6	68	22		3		2	2				1				1
	(a.) " Bronchopneumonia	M.	125	2	7	6	76	21	1	6		1	2	1			1				1
	"	F.	109	1	3	6	68	22		3		2	2				1				1
108	Lobar pneumonia	M.	100	5	6	3	53	18	1	6		4	2	1							1
	"	F.	60	3	2	4	33	8	1	2		2	3								2
109	Pneumonia, unspecified	M.	34	5		1	14	4	2	5			1	1				1			
	"	F.	24	1	1		8	8	2	2			2								
110	Pleurisy	M.	6	1			5														
	"	F.	9				8							1							
111	Congestion and hæmorrhagic infarct of the lung, etc.	M.	6			1	5														
	Ditto	F.	2				2														
	(a.) Pulmonary embolism and thrombosis	M.	3				3														
	(b.) Others under this title	M.	3			1	2														
	"	F.	2				2														
112	Asthma	M.	28			3	17	3		1	1	2	1								
	"	F.	11		1		8	2													
114	Other diseases of the respiratory system (tuberculosis excepted)	M.	17	2			7	3		2	1			1							1
	Ditto	F.	2											1			1				
	(a.) Chronic interstitial pneumonia, including occupational diseases of the respiratory system	M.	12	2			5	2		1	1										1
	Ditto	F.	1											1							
	(c.) Others under this title	M.	5				2	1		1				1							
	"	F.	1														1				
	Class IX. Diseases of the digestive system	Total	450	17	24	32	236	78	2	15	3	7	12	8			10	1		1	4
	Ditto	M.	269	11	14	12	140	47	2	9	2	5	9	7			7	1			3
	"	F.	181	6	10	20	96	31		6	1	2	3	1			3			1	1
115	Diseases of the buccal cavity and annexa, and of the pharynx and tonsils (including adenoid vegetations)	M.	19				12	5					1	1							
	Ditto	F.	12	1	1	4	5	1													
	(a.) Diseases of the buccal cavity and annexa	M.	5				4	1													
	Ditto	F.	5		1	3	1														
	(b.) Diseases of the tonsils	M.	5				3	2													
	"	F.	5	1			3	1													
	(c.) Others under this title	M.	9				5	2					1	1							
	"	F.	2			1	1														
117	Ulcer of the stomach or duodenum	M.	66	2	4	3	39	11		1		1	1	1			3				
	"	F.	15			1	10	3			1										
	(a.) Ulcer of the stomach	M.	39		4	2	20	7				1	1	1			3				
	"	F.	8				4	3			1										
	(b.) Ulcer of the duodenum	M.	27	2		1	19	4		1											
	"	F.	7			1	6														
118	Other diseases of the stomach	M.	5				1		1					2				1			
	"	F.	3														2			1	
119	Diarrhœa and enteritis (under 2 years of age)	M.	11	2	1	1	5				1			1							
	Ditto	F.	17			5	7	2					2	1							
120	Diarrhœa and enteritis (2 years and over)	M.	13	1	1	1	6	2		1		1									
	"	F.	21	1	2	2	11	2		1			1				1				
	(a.) " Diarrhœa and enteritis	M.	8	1	1		2	2		1		1									
	"	F.	12	1	1		6	1		1			1				1				
	(b.) " Ulceration of the intestines	M.	5			1	4														
	"	F.	9		1	2	5	1													
121	Appendicitis	M.	51	2	3	6	17	8	1	2	1	2	6				2				1
	"	F.	24	1	1	4	15	1		1		1									
122	Hernia, intestinal obstruction	M.	43	1	2	1	24	7		2		1	1	2							2
	"	F.	25	2		1	12	8		1		1									
	(a.) " Hernia	M.	20		1		11	4		1				2							1
	"	F.	6				5	1													
	(b.) " Intestinal obstruction	M.	23	1	1	1	13	3		1		1	1								1
	"	F.	19	2		1	7	7		1		1									

TABLE 28.—CAUSES OF DEATH BY SEX IN CENSUS DIVISIONS, BRITISH COLUMBIA, 1936—*Continued.*

Int. List No.	CAUSES OF DEATH.		TOTAL.	Div. No. 1.	Div. No. 2.	Div. No. 3.	Div. No. 4.	Div. No. 5a.	Div. No. 5b.	Div. No. 6a.	Div. No. 6b.	Div. No. 7.	Div. No. 8a.	Div. No. 8b.	Div. No. 9a.	Div. No. 9b.	Div. No. 9c.	Div. No. 9d.	Div. No. 10a.	Div. No. 10b.	Div. No. 10c.
123	Other diseases of the intestines	M.	7				6	1													
	"	F.	5				4	1													
124	Cirrhosis of the liver	M.	21	2	1		12	6													
		F.	9		1		5	3													
	(b.) Not specified as alcoholic	M.	21	2	1		12	6													
	"	F.	9		1		5	3													
125	Other diseases of the liver	M.	4		1		1	2													
		F.	3				3														
	(a.) Yellow atrophy of the liver	M.	1		1																
		F.	2				2														
	(b.) Others under this title	M.	3				1	2													
	"	F.	1				1														
126	Biliary calculi	M.	11				8	3													
	"	F.	22	1	1	1	15	3		1											
127	Other diseases of the gall-bladder and biliary passages	M.	8		1		7														
	Ditto	F.	17		2	2	6	5		2											
128	Diseases of the pancreas	M.	6				1	2		2							1				
	"	F.	2		1			1													
129	Peritonitis, cause not specified	M.	4	1			1			1							1				
	"	F.	6		1		3	1													1
	Class X. Diseases of the genito-urinary system	Total	511	12	25	29	304	104		16		1	6	7			4				3
	Ditto	M.	341	8	11	23	202	68		12		1	4	5			4				3
	"	F.	170	4	14	6	102	36		4			2	2							
130	Acute nephritis (including unspecified, under 10 years of age)	M.	3			1	2														
	Ditto	F.	1				1														
131	Chronic nephritis	M.	162	4	8	11	102	23		3			3	3			3				2
	"	F.	100	4	7	2	65	19		1				2							
132	Nephritis, unspecified (10 years and over)	M.	45	3	1	3	25	9		1		1		1			1				
	"	F.	26		2		11	11		2											
133	Other diseases of the kidneys and ureters	M.	14	1		3	2	8													
	"	F.	15		2	3	7	3													
134	Calculi of the urinary passages	M.	13				9	2		2											
	"	F.	5				3	1					1								
135	Diseases of the bladder (tumours excepted)	M.	9				8	1													
	Ditto	F.	4				4														
136	Diseases of the urethra, urinary abscess, etc.	M.	3				2							1							
	(a.) Stricture of the urethra	M.	2				2														
	(b.) Others under this title	M.	1											1							
137	Diseases of the prostate	M.	87		1	5	48	25		6			1								1
138	Diseases of the male genital organs (not specified as venereal)	M.	5		1		4														
139	Diseases of the female genital organs (not specified as venereal)	F.	19		3	1	11	2		1			1								
	(a.) Of the ovary, Fallopian tube, and parametrium	F.	6		1		5														
	(b.) Of the uterus	F.	11		2	1	4	2		1			1								
	(c.) Of the breast	F.	1				1														
	(d.) Others under this title	F.	1				1														
	Class XI. Diseases of pregnancy, childbirth, and the puerperal state	Total	50		2	3	28	8	1	2		2	2			1	1				
140	Abortion with septic conditions	F.	18			1	10	3		1		1	1				1				
	(a.) Abortion	F.	13				7	3				1	1				1				
	(b.) Self-induced abortion	F.	5			1	3			1											
141	Abortion without mention of septic conditions (hæmorrhage included)	F.	3				2	1													
	(a.) Abortion	F.	2				1	1													
	(b.) Self-induced abortion	F.	1				1														
144	Puerperal hæmorrhage	F.	5			1	3						1								
	(a.) Placenta prævia	F.	2				1						1								
	(b.) Other hæmorrhages	F.	3			1	2														
145	Puerperal septicæmia (not specified as due to abortion)	F.	7		2		3	1		1											
	(a.) Puerperal septicæmia and pyæmia	F.	7		2		3	1		1											
146	Puerperal albuminuria and eclampsia	F.	4				2	2													
147	Other toxæmias of pregnancy	F.	3			1	2														
148	Puerperal phlegmasia alba dolens, embolism, or sudden death (not specified as septic)	F.	2				2														
	(a.) Phlegmasia alba dolens and thrombosis	F.	1				1														
	(c.) Sudden death	F.	1				1														
149	Other accidents of childbirth	F.	8				4	1	1			1				1					
	(a.) Caesarean operation	F.	1				1														

TABLE 28.—CAUSES OF DEATH BY SEX IN CENSUS DIVISIONS, BRITISH COLUMBIA, 1936—*Continued.*

Int. List No.	CAUSES OF DEATH.		TOTAL.	Div. No. 1.	Div. No. 2.	Div. No. 3.	Div. No. 4.	Div. No. 5a.	Div. No. 5b.	Div. No. 6a.	Div. No. 6b.	Div. No. 7.	Div. No. 8a.	Div. No. 8b.	Div. No. 9a.	Div. No. 9b.	Div. No. 9c.	Div. No. 9d.	Div. No. 10a.	Div. No. 10b.	Div. No. 10c.
	Other accidents of childbirth—*Continued.*																				
	(b.) Dystocia	F.	2				1	1													
	(c.) Other surgical operations and instrumental delivery	F.	1				1														
	(d.) Rupture of uterus in parturition	F.	1				1														
	(e.) Others under this title	F.	3						1			1				1					
	Class XII. Diseases of the skin and cellular tissue	Total	20	1	4	1	9	1				1	1				2				
	Ditto	M.	13		4	1	5	1				1					1				
	,,	F.	7	1			4						1				1				
151	Carbuncle	M.	6		4		1										1				
	,,	F.	3				1						1				1				
152	Cellulitis, acute abscess	M.	5			1	3	1													
	,,	F.	3				3														
153	Other diseases of the skin and annexa and of the cellular tissue	M.	2				1					1									
	Ditto	F.	1	1																	
	Class XIII. Diseases of the bones and organs of locomotion	Total	20				15	5													
	Ditto	M.	12				9	3													
	,,	F.	8				6	2													
154	Osteomyelitis	M.	6				4	2													
	,,	F.	2				2														
155	Other diseases of the bones (tuberculosis excepted)	M.	2				1	1													
	Ditto	F.	4				3	1													
156	Diseases of the joints and other organs of locomotion	M.	4				4														
	Ditto	F.	2				1	1													
	(a.) Of the joints (tuberculosis and rheumatism excepted)	M.	2				2														
	Ditto	F.	1				1														
	(b.) Of other organs of locomotion	M.	2				2														
	,,	F.	1					1													
	Class XIV. Congenital malformations	Total	60	2	2	1	35	10		2		2	1	1			4				
	,,	M.	28		2		18	6						1			1				
	,,	F.	32	2		1	17	4		2		2	1				3				
157	Congenital malformations (still-births excluded)	M.	28		2		18	6						1			1				
	Ditto	F.	32	2		1	17	4		2		2	1				3				
	(a.) Congenital hydrocephalus	M.	4				2	2													
		F.	6				3	1		1							1				
	(b.) Spina bifida and meningocele	M.	2		1		1														
	,,	F.	4				3										1				
	(c.) Congenital malformations of the heart	M.	11				8	2									1				
	Ditto	F.	12	1		1	6	1		1		1	1								
	(d.) Monstrosities	F.	1				1														
	(e.) Others under this title	M.	11		1		7	2						1							
	,,	F.	9	1			4	2				1					1				
	Class XV. Diseases of early infancy	Total	194	5	19	17	96	21		9	4	6	2	6			5	3			1
	,,	M.	114	3	14	10	56	12		4	3	3		3			4	2			
	,,	F.	80	2	5	7	40	9		5	1	3	2	3			1	1			1
158	Congenital debility	M.	16		3		5	1		1	1	1		2			1	1			
	,,	F.	8			1	1	1				1	1	2				1			
159	Premature birth	M.	64	1	10	5	35	7		2	2						1	1			
	,,	F.	50	1	4	4	27	7		4	1		1	1							
160	Injury at birth	M.	18	1		2	9	3				2					1				
	,,	F.	12	1		1	8					2									
	(b.) Without mention of Caesarean operation	M.	18	1		2	9	3				2					1				
	Ditto	F.	12	1		1	8					2									
161	Other diseases peculiar to early infancy (under 3 months)	M.	16	1	1	3	7	1		1				1			1				
	Ditto	F.	10		1	1	4	1		1							1				1
	(a.) Atelectasis	M.	3		1		2														
		F.	4		1	1	1			1											
	(b.) Icterus of the new-born	M.	3				3														
	(e.) Others, including lack of care	M.	7	1		3	2	1													
	,,	F.	6				3	1									1				1
	(f.) No cause given, no doctor in attendance	M.	3							1				1			1				

TABLE 28.—CAUSES OF DEATH BY SEX IN CENSUS DIVISIONS, BRITISH COLUMBIA, 1936—*Continued.*

Int. List No.	CAUSES OF DEATH.	TOTAL.	Div. No. 1.	Div. No. 2.	Div. No. 3.	Div. No. 4.	Div. No. 5a.	Div. No. 5b.	Div. No. 6a.	Div. No. 6b.	Div. No. 7.	Div. No. 8a.	Div. No. 8b.	Div. No. 9a.	Div. No. 9b.	Div. No. 9c.	Div. No. 9d.	Div. No. 10a.	Div. No. 10b.	Div. No. 10c.
	Class XVI. Senility—Total	109	3	2	3	58	14	6	6	2	2	3	4			3	3			
	" M.	57	3			35	4	5	4	1			2			2	1			
	" F.	52		2	3	23	10	1	2	1	2	3	2			1	2			
162	Senility—M.	57	3			35	4	5	4	1			2			2	1			
	F.	52		2	3	23	10	1	2	1	2	3	2			1	2			
	(a.) With senile dementia (70 years and over)—M.	28				28														
	Ditto F.	21				17	2		1		1									
	(b.) Without senile dementia (70 years and over)—M.	26	3			6	4	4	4	1			1			2	1			
	Ditto F.	29		2	3	6	7	1	1		1	3	2			1	2			
	(c.) Premature senility (55 years but under 70 years)—M.	3				1		1					1							
	Ditto F.	2					1			1										
	Class XVII. Violent or accidental deaths—Total	680	17	45	39	322	130	7	40	6	18	21	13	1	1	16	1		1	2
	Ditto M.	530	15	38	27	239	101	7	31	5	16	19	10	1	1	16	1		1	2
	" F.	150	2	7	12	83	29		9	1	2	2	3							
163–171	Suicides—M.	86	5	2	7	42	20		2	1		2	2		1	2				
	" F.	25		4	1	16	4													
163	Suicide by solid or liquid poisons or by absorption of corrosive substances—M.	3			1	2														
	Ditto F.	6		3	1	2														
164	Suicide by poisonous gas—M.	7			1	5	1													
	" F.	5				4	1													
165	Suicide by hanging or strangulation—M.	19	1			12	5		1											
	" F.	5				4	1													
166	Suicide by drowning—M.	10				6	3									1				
	" F.	3				3														
167	Suicide by firearms—M.	35	2	1	5	10	11			1		1	2		1	1				
	" F.	3				2	1													
168	Suicide by cutting or piercing instruments—M.	6	1	1		3			1											
	Ditto F.	2		1			1													
169	Suicide by jumping from high places—M.	3				3														
	" F.	1				1														
170	Suicide by crushing—M.	1				1														
171	Suicide by other means—M.	2	1									1								
173–175	Homicides—M.	8	1	1		6														
	" F.	12	1		4	5	1		1											
173	Homicide by firearms—M.	4	1			3														
	" F.	6			4	2														
174	Homicide by cutting or piercing instruments—M.	1				1														
175	Homicide by other means—M.	3		1		2														
	" F.	6	1			3	1		1											
176–198	Other violent deaths—M.	436	9	35	20	191	81	7	29	4	16	17	8	1		14	1		1	2
	" F.	113	1	3	7	62	24		8	1	2	2	3							
177	Food poisoning—M.	4			1							3								
178	Accidental absorption of toxic gases—M.	12			1	8	3													
	" F.	1				1														
179	Other acute accidental poisonings (except by gas)—M.	2				1	1													
	Ditto F.	4	1		1	1	1													
180	Conflagration—M.	10	1	2	1	2	1		1			1	1							
	" F.	1				1														
181	Accidental burns (conflagration excepted)—M.	6				1	1		1		2					1				
	Ditto F.	8				4			2				2							
182	Accidental mechanical suffocation—M.	5					1	2	1				1							
	" F.	4				2	2													
183	Accidental drowning—M.	96		2	3	42	16	2	6		5	7	2	1		8			1	1
	" F.	7				4	1				1	1								
184	Accidental injury by firearms—M.	7		1		1	3		2											
185	Accidental injury by cutting or piercing instruments—M.	2				1					1									
186	Accidental injury by fall, crushing, or landslide—M.	249	6	29	11	116	48	3	15	4	7	4	2			2	1			1
	Ditto F.	77		3	5	46	17		5		1									
188	Injuries by animals—M.	4				1			2			1								
190	Excessive cold—M.	4			2	1										1				
	" F.	1								1										
191	Excessive heat—M.	5		1		2						1				1				
192	Lightning—M.	1							1											
193	Accidents due to electric currents—M.	4			1	2	1													
194	Other accidents—M.	20	2			8	6				1		2			1				
	" F.	8			1	2	2		1			1	1							

TABLE 28.—CAUSES OF DEATH BY SEX IN CENSUS DIVISIONS, BRITISH COLUMBIA, 1936—*Continued.*

Int. List No.	CAUSES OF DEATH.		TOTAL.	Div. No. 1.	Div. No. 2.	Div. No. 3.	Div. No. 4.	Div. No. 5a.	Div. No. 5b.	Div. No. 6a.	Div. No. 6b.	Div. No. 7.	Div. No. 8a.	Div. No. 8b.	Div. No. 9a.	Div. No. 9b.	Div. No. 9c.	Div. No. 9d.	Div. No. 10a.	Div. No. 10b.	Div. No. 10c.
	Other violent deaths—*Continued.*																				
	(a.) Foreign body	M.	2				2														
	,,	F.	1										1								
	(b.) Others under this title	M.	18	2			6	6				1		2			1				
	,,	F.	7			1	2	2		1				1							
195	Violent deaths of which the nature (accident, suicide, homicide) is unknown	M.	1				1														
	Ditto	F.	2				1	1													
198	Capital punishment	M.	4				4														
	Class XVIII. Ill-defined causes of death	Total	52	5	3	3	5	3	4	7		4	2	2	1	1	7	2		1	2
	Ditto	M.	34	4	2	3	1	2	3	3		2	1	1	1		6	2		1	2
	,,	F.	18	1	1		4	1	1	4		2	1	1		1	1				
199	Sudden death	M.	11	1	1	1	1		1			1	1		1		1	1			1
	,,	F.	4		1		2					1									
200	Cause of death not specified or ill-defined	M.	23	3	1	2		2	2	3		1		1			5	1		1	1
	,,	F.	14	1			2	1	1	4		1	1	1		1	1				

SPECIAL CLASSES OF ACCIDENTAL DEATHS IN CENSUS DIVISIONS, BRITISH COLUMBIA, 1936.

(Included also under the numbers of the International List above.)

A	Accidents in mines and quarries	M.	24	2	3	4	4	6	1		2	1	1								
B	Accidents caused by machines	M.	14	1			7	3				2									1
C	Railway accidents	M.	36		16		12	3		4							1				
D	Street-car accidents	M.	3				3														
	,,	F.	2				2														
E	Automobile and motor-cycle accidents	M.	72	4	4	3	41	10		7	1		1	1							
	,,	F.	29		1	3	18	6		1											
F	Other land transportation	M.	8		1	1	2			3	1										
	,,	F.	3			1	1			1											
G	Water transportation	M.	41		1		13	13				4	3	1	1		5				
	,,	F.	2				1					1									
H	Air transportation	M.	1				1														

TABLE 29.—CAUSES OF DEATH BY SEX IN CITIES OF 1,000 POPULATION AND OVER, BRITISH COLUMBIA, 1936.

Int. List No.	CAUSES OF DEATH.		TOTAL.	Chilliwack.	Courtenay.	Cranbrook.	Cumberland.	Duncan.	Fernie.	Grand Forks.	Kamloops.	Kelowna.	Ladysmith.	Merritt.	Nanaimo.	Nelson.	New Westminster.	North Vancouver.	Port Alberni.	Port Coquitlam.	Port Moody.	Prince George.	Prince Rupert.	Revelstoke.	Rossland.	Trail.	Vancouver.	Vernon.	Victoria.
	Deaths, all causes	Total	4743	37	8	14	19	40	27	28	130	56	24	11	97	91	355	100	50	7	4	36	60	21	21	58	2707	64	678
	,,	M.	2856	23	4	11	12	26	18	18	88	35	13	9	57	65	215	58	36	4	4	24	45	10	13	31	1631	29	377
	,,	F.	1887	14	4	3	7	14	9	10	42	21	11	2	40	26	140	42	14	3	...	12	15	11	8	27	1076	35	301
	Class I. Infectious and parasitic diseases	Total	498	2	...	1	2	6	...	2	14	8	2	1	3	9	44	5	5	...	2	3	9	...	1	9	292	6	72
	,,	M.	312	1	...	1	...	3	...	...	10	6	1	...	2	7	26	4	2	...	2	3	6	...	1	6	188	3	40
	,,	F.	186	1	...	...	2	3	...	2	4	2	1	1	1	2	18	1	3	...	...	...	3	...	...	3	104	3	32
1	Typhoid fever	M.	6	...	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	...	...	...	...	...	...	...	2	1	...
6	Smallpox	M.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...
7	Measles	M.	7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	7	...	...
	,,	F.	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	3	...	1
8	Scarlet fever	M.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...
9	Whooping-cough	F.	4	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	2	...	...
10	Diphtheria	M.	2	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1	...	...
	,,	F.	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...
11	Influenza	M.	60	...	...	...	...	1	...	...	1	5	...	...	...	...	7	1	...	...	2	1	1	...	...	4	31	...	6
	,,	F.	46	...	...	...	...	2	...	1	...	2	...	1	...	...	3	1	...	...	...	...	...	...	...	...	29	1	6
	(a.) ,, Sole cause	M.	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	3	...	...
	(b.) With bronchitis	M.	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1
	,,	F.	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...	...
	(c.) ,, With pneumonia	M.	35	...	...	...	...	1	...	...	1	3	...	...	...	...	5	1	...	...	1	1	1	...	...	...	17	...	4
	,,	F.	26	...	...	...	...	2	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	17	1	4
	(d.) ,, With other diseases of the respiratory system	M.	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...
	(e.) With intestinal complications	M.	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...
	,,	F.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...
	(f.) ,, With other causes	M.	15	...	...	...	...	...	...	...	...	2	...	...	...	...	2	...	...	...	1	...	...	...	...	2	7	...	1
	,,	F.	17	...	...	...	...	...	...	...	...	1	...	1	...	...	3	...	...	...	...	...	...	...	...	...	10	...	2
13	Dysentery	F.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...
15	Erysipelas	M.	10	...	...	...	...	1	...	...	3	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	5	...	...
16	Poliomyelitis and polioencephalitis (acute)	M.	3	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	2	...	...
	,,	F.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...
17	Lethargic or epidemic encephalitis	M.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
	,,	F.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...
18	Epidemic cerebrospinal meningitis	M.	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	5
	,,	F.	3	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	1
22	Tetanus	F.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1
23–32	Tuberculosis	M.	172	1	...	1	...	1	...	...	4	1	1	...	1	4	7	3	1	...	...	...	5	...	...	1	117	1	23
	,,	F.	101	1	...	...	2	1	...	...	3	...	1	...	...	...	8	...	1	...	...	...	3	...	...	2	55	2	22
23	Tuberculosis of the respiratory system	M.	155	1	...	1	...	1	...	...	4	1	...	...	1	4	7	3	1	...	...	...	5	...	...	1	103	...	22
	,,	F.	72	...	...	...	...	...	...	...	2	...	...	...	...	...	7	...	1	...	...	...	2	...	...	2	41	2	15
24	Tuberculosis of the meninges and central nervous system	M.	5	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	3	1	...
	,,	F.	12	1	...	...	1	1	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	6	...	1
25	Tuberculosis of the intestines and peritoneum	M.	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...
	,,	F.	3	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1
26	Tuberculosis of the vertebral column	M.	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...
	,,	F.	6	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	4	...	2
28	Tuberculosis of the skin and subcutaneous cellular tissue	M.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...

30	Tuberculosis of the genito-urinary system	M.	1																						1						
	"	F.	2									1												1							
32	Disseminated tuberculosis	M.	6																						5						1
	"	F.	6																						3						3
	(a.) Acute	M.	4																						3						1
	"	F.	5																						3						2
	(c.) Not specified	M.	2																						2						
	"	F.	1																												1
34	Syphilis	M.	32						2				1	1	3						2			1		16					6
	"	F.	12						1				1	1	2		1									6					
35	Gonococcus infection and other venereal diseases	M.	1																						1						
36	Purulent infection, septicæmia (non-puerperal)	M.	6											1	1		1							1	1		1	1			
	"	F.	5					1							2										1						1
38	Malaria	M.	2											1	1																
43	Mycoses	M.	1																						1						
	"	F.	1																						1						
44	Other infectious or parasitic diseases	M.	2																						2						
	"	F.	2												1										1						
	(b.) German measles	M.	2																						2						
	"	F.	2												1										1						
	(c.) Others under this title	M.																													
	Class II. Cancer and other tumours	Total	797	4		1	1	6	4	4	12	8		1	8	8	51	14	7			2	13	2	3	9	502	10	127
	"	M.	446	2		1	2	1	3	6	6		1	7	5	33	8	3			1	9	2	2	1	285	3	65
	"	F.	351	2		1		4	3	1	6	2			1	3	18	6	4			1	4		1	8	217	7	62
45–53	Cancer and other malignant tumours	M.	413	2			1	2	1	3	5	6		1	7	5	31	8	3			1	7	1	2	1	264	3	59
	"	F.	321	2		1		4	3	1	4	2			1	2	14	5	3			1	3		1	8	201	6	59
45	Cancer of the buccal cavity and pharynx	M.	25													1	4						1		1		14	2	2
	"	F.	5														1										2		2
46	Cancer of the digestive tract and peritoneum	M.	242	1			1	1	1	3	3	6			6	2	19	7	2				4	1	1	1	148		35
	"	F.	126			1		2	2	1	3						6	3	2				2			4	68	1	31
	(a.) Of the oesophagus	M.	10												1		1										5		3
	"	F.	4														1										1		2
	(b.) Of the stomach and duodenum	M.	107	1			1	1	1	3		3			2	1	8	2	1				3		1		66		13
	"	F.	43			1		2			2						2	2					1			1	25		7
	(c.) Of the rectum	M.	35								2	1					4	1					1				20		6
	"	F.	14								1																7	1	5
	(d.) Of the liver and biliary ducts	M.	21									1			2		1	2						1			11		3
	"	F.	12														2						1			1	5		3
	(e.) Of the pancreas	M.	15												1				1								11		2
	"	F.	8														1	1	1								3		2
	(f.) Of the peritoneum	M.	1																								1				
	"	F.	3																								1		2		
	(g.) Of other organs	M.	53							1	1					1	5	2							1		34		8		
	"	F.	42						2	1									1						2		26		10		
47	Cancer of the respiratory organs	M.	27													1	1						1				19		5		
	"	F.	4																								4				
	(a.) Of the larynx	M.	5														1										4				
	(b.) Of the lung	M.	18																				1				12		5		
	"	F.	3																								3				
	(c.) Of the mediastinum	M.	2												1												1				
	"	F.	1																								1				
	(d.) Of other organs of the respiratory system	M.	2																								2				
48	Cancer of the uterus	F.	39	1											1						1			1			26	3	6		
	(a.) Of the uterus	F.	27	1																	1						18	3	4		
	(b.) Of the cervix uteri	F.	12											1										1			8		2		
49	Cancer of other female genital organs	F.	26						1			1			1		1	1	1								19		1		
50	Cancer of the breast	M.	1																								1				
	"	F.	74	1				1				1					4	1					1			2	51	1	11		

TABLE 29.—CAUSES OF DEATH BY SEX IN CITIES OF 1,000 POPULATION AND OVER, BRITISH COLUMBIA, 1936—*Continued.*

Int. List No.	CAUSES OF DEATH.		TOTAL.	Chilliwack.	Courtenay.	Cranbrook.	Cumberland.	Duncan.	Fernie.	Grand Forks.	Kamloops.	Kelowna.	Ladysmith.	Merritt.	Nanaimo.	Nelson.	New Westminster.	North Vancouver.	Port Alberni.	Port Coquitlam.	Port Moody.	Prince George.	Prince Rupert.	Revelstoke.	Rossland.	Trail.	Vancouver.	Vernon.	Victoria.
	Cancer—*Continued.*																												
51	Cancer of the male genito-urinary organs	M.	75					1			1			1	1	1	5		1			1	1				52	1	9
	(a.) Of the bladder	M.	21								1				1		2										13		4
	(b.) Of the kidney	M.	6																								5		1
	(c.) Of the prostate gland	M.	42					1								1	3		1			1	1				30		4
	(d.) Of the testicles and annexa	M.	3																								3		
	(e.) Of other male genito-urinary organs	M.	3											1													1	1	
52	Cancer of the skin	M.	8														1										6		1
	,,	F.	3																								2		1
53	Cancer of other or unspecified organs	M.	35	1							1						1	1									24		7
	,,	F.	44					1			1					1	2									2	29	1	7
	(a.) Of the eye and orbit	M.	1																								1		
	(c.) Of the glandular system	M.	7																								7		
	,,	F.	10													1											6	1	2
	(d.) Of the female urinary organs	F.	16					1									1										11		3
	(e.) Of the bones and joints	M.	9								1						1										4		3
	,,	F.	5														1									2	2		
	(f.) Of the brain	M.	10	1																							7		2
	,,	F.	6																								4		2
	(g.) Of the spine and spinal cord	F.	1																								1		
	(h.) Of the neck	M.	2																								1		1
	(i.) Of the abdomen	M.	1																										1
	,,	F.	4								1																3		
	(j.) Of other specified organs	M.	4															1									3		
	(k.) Multiple cancer	M.	1																								1		
	,,	F.	2																								2		
54	Non-malignant tumours	M.	27								1						1						1				19		5
	,,	F.	27								1					1	3	1	1				1				16	1	2
	(a.) Of the ovary	F.	6								1					1	1						1				2		
	(b.) Of the uterus	F.	11														1		1								7	1	1
	(d.) Of the brain	M.	4														1												3
	,,	F.	1																								1		
	(e.) Of the thyroid gland	M.	1																								1		
	,,	F.	5															1									3		1
	(f.) Of the prostate gland	M.	17																				1				15		1
	(g.) Of other or unspecified sites	M.	5								1																3		1
	,,	F.	4														1										3		
55	Tumours, *nature not specified*	M.	6														1						1	1			2		1
	,,	F.	3								1						1												1
	(d.) Of the brain	M.	4														1							1			1		1
	,,	F.	3								1						1												1
	(g.) Of other or unspecified sites	M.	2																				1				1		
	Class III. Rheumatic diseases, diseases of nutrition and of the endocrine glands and other general diseases	Total	149	2				2		2	5		1	1	9	2	8	3					2			4	85	1	22
	Ditto	M.	70					1		1	3				4		4						1			2	46		8
	,,	F.	79	2				1		1	2		1	1	5	2	4	3					1			2	39	1	14
56	Acute *rheumatic fever*	M.	10												1		1									2	5		1
	,,	F.	12												1		2	2								2	5		

| | | |

TABLE 29.—CAUSES OF DEATH BY SEX IN CITIES OF 1,000 POPULATION AND OVER, BRITISH COLUMBIA, 1936—*Continued.*

Int. List No.	CAUSES OF DEATH.	TOTAL.	Chilliwack.	Courtenay.	Cranbrook.	Cumberland.	Duncan.	Fernie.	Grand Forks.	Kamloops.	Kelowna.	Ladysmith.	Merritt.	Nanaimo.	Nelson.	New Westminster.	North Vancouver.	Port Alberni.	Port Coquitlam.	Port Moody.	Prince George.	Prince Rupert.	Revelstoke.	Rossland.	Trail.	Vancouver.	Vernon.	Victoria.
	Class VI. Diseases of the nervous system and of the organs of special sense—Total	201	2	2			2	1	5	8	1	1		7	6	27	2				2	2	1	2	1	100	2	27
	Ditto—M.	109		1			2		5	5				4	5	14	2					2		2		56	1	10
	" —F.	92	2	1				1		3	1	1		3	1	13					2		1		1	44	1	17
78	Encephalitis (non-epidemic)—M.	2																								2		
	" —F.	2												1												1		
79	Simple meningitis—M.	6																				1				3		2
	" —F.	7						1								1										5		
80	Progressive locomotor ataxia (tabes dorsalis)—M.	4							1	1																2		
81	Other diseases of the spinal cord—M.	9								1					1	1						1				5		
	" —F.	7														2										5		
82	Cerebral hæmorrhage, cerebral embolism, and thrombosis—M.	43		1			1		2	2				2	3	3	1							1		23		4
	" —F.	52	2	1						3		1		2	1	5					1		1			21		14
	(a.) Cerebral hæmorrhage—M.	37		1			1		1	2					2	3	1							1		21		4
	" —F.	47	2	1						3				1	1	5					1		1			19		13
	(b.) Cerebral embolism and thrombosis—M.	2																								2		
	" —F.	4										1														2		1
	(c.) Softening of the brain—M.	1												1														
	" —F.	1												1														
	(d.) Hemiplegia and other paralysis, cause not specified—M.	3							1					1	1													
83	General paralysis of the insane—M.	3																								3		
	" —F.	1																			1							
84	Dementia præcox and other psychoses—M.	3							1							1												1
	(a.) Dementia præcox—M.	2														1												1
	(b.) Other psychoses—M.	1							1																			
85	Epilepsy—M.	3								1							1											1
	" —F.	3														2										1		
86	Convulsions (under 5 years of age)—M.	1													1													
	" —F.	1																									1	
87	Other diseases of the nervous system—M.	23					1		1					1		8										10		2
	" —F.	9														2										6		1
	(a.) Chorea—M.	1																								1		
	(b.) Neuralgia and neuritis—M.	1																								1		
	(c.) Paralysis agitans—M.	9					1		1					1		1										4		1
	" —F.	3														1										2		
	(d.) Sclerosis (other than of the spinal cord)—M.	5																								4		1
	" —F.	3																								3		
	(e.) Others under this title—M.	7														7												
	" —F.	3														1										1		1
88	Diseases of the organs of vision—M.	1																								1		
89	Diseases of the ear and mastoid process—M.	11												1		1								1		7	1	
	" —F.	10									1					1									1	5		2
	(a.) Otitis—M.	3																						1		1	1	
	" —F.	3									1														1			1
	(b.) Diseases of the mastoid process—M.	8												1		1										6		
	" —F.	7														1										5		1

	Class VII. Diseases of the circulatory system	Total	1317	4	4	8	6	5	8	5	37	12	12	3	27	20	82	32	5	2	2	8	14	9	4	10	762	20	216
	,,	M.	824	3	2	6	4	3	5	4	29	7	7	3	13	16	53	22	4	2	2	8	11	5	3	5	464	7	136
	,,	F.	493	1	2	2	2	2	3	1	8	5	5		14	4	29	10	1				3	4	1	5	298	13	80
90–95	Diseases of the heart	M.	562	2	1	4	2	3	3	4	9	5	6	2	12	10	32	16	2	2	1	7	6	4	2	3	326	5	93
	,,	F.	309		1	2		1	3	1	5	1	3		12	3	17	2	1				2	2	1	4	185	10	53
90	Pericarditis	M.	3																					1			1		1
	,,	F.	1																				1						
91	Acute endocarditis	M.	8									1			1		1	1									4		
	,,	F.	6					1																			4		1
	(a.) Endocarditis, specified as acute	M.	7												1		1	1									4		
	,,	F.	3					1																			2		
	(b.) Endocarditis, unspecified (under 45 years of age)	M.	1									1																	
	Ditto	F.	3																								2		1
92	Chronic endocarditis, valvular diseases	M.	84	1		2			2	1	3				3	1	3	3	1	1		4	1	1			47	1	9
	,,	F.	51						1		1	1			1		1		1				1	1	1	1	32	1	8
	(a.) Endocarditis specified as chronic and other valvular diseases	M.	77	1		2				1	3				3	1	3	3	1	1		4	1	1			45	1	6
	Ditto	F.	44					1		1		1			1				1				1	1	1	1	28	1	6
	(b.) Endocarditis, unspecified (45 years and over)	M.	7					2																			2		3
	,,	F.	7														1										4		2
93	Diseases of the myocardium	M.	172	1						2	5	1	5		5	6	16	1				2	1	2		1	74	4	46
	,,	F.	120			1			2		1		3		5	2	12	1						1		2	62	8	20
	(a.) Acute myocarditis	M.	2	1																									1
	(b.) Myocarditis, unspecified (under 45 years of age)	M.	1												1														
	Ditto	F.	1																										1
	(c.) Chronic myocarditis and myocardial degeneration	M.	89								1	1	3		1	5	10	1				2		1		1	50	2	11
	Ditto	F.	64						1				1		1	2	10										41	2	6
	(d.) Myocarditis, unspecified (45 years and over)	M.	80							2	4		2		3	1	6						1	1			24	2	34
	,,	F.	55			1			1		1		2		4		2	1						1		2	21	6	13
94	Diseases of the coronary arteries and angina pectoris	M.	279		1	2	2	3	1		1	2	1	2	2	3	11	11	1	1		1	4		2	1	193		34
	,,	F.	115		1	1				1	3				5	1	4	1								1	81	1	15
	(a.) Diseases of the coronary arteries	M.	36				1	1							1	3	3	2									22		3
	,,	F.	15								1					1	1										12		
	(b.) Embolism and thrombosis of the coronary arteries	M.	205		1	2		2	1		1	2	1		1		8	8	1	1			4		2	1	146		23
	Ditto	F.	85		1					1	1				5		2	1								1	58		15
	(c.) Angina pectoris	M.	38				1							2				1				1					25		8
	,,	F.	15			1					1						1										11	1	
95	Other diseases of the heart	M.	16							1		1			1		1				1					1	7		3
	,,	F	16												1												6		9
	(a.) Functional diseases of the heart	M.	3																								2		1
	,,	F.	1												1														
	(b.) Other and unspecified	M.	13							1		1			1		1				1					1	5		2
	,,	F.	15																								6		9
96	Aneurism (except of the heart)	M.	13													1							1				9		2
	,,	F.	5																								4		1
97	Arteriosclerosis (of coronary arteries excepted)	M.	197	1	1	1	2		2		17	2		1		3	13	4	2		1		4	1	1		104	2	35
	,,	F.	146	1	1		2	1			1	1					9	7					1	2		1	95	1	23
98	Gangrene	M.	5								2																3		
	,,	F.	1																								1		
99	Other diseases of the arteries	M.	6														1										3		2
	,,	F.	3								1																2		
100	Diseases of the veins (varices, hæmorrhoids, phlebitis, etc.)	M.	3			1												1									1		
	Ditto	F.	1																								1		

TABLE 29.—CAUSES OF DEATH BY SEX IN CITIES OF 1,000 POPULATION AND OVER, BRITISH COLUMBIA, 1936—*Continued.*

Int. List No.	CAUSES OF DEATH.		TOTAL.	Chilliwack.	Courtenay.	Cranbrook.	Cumberland.	Duncan.	Fernie.	Grand Forks.	Kamloops.	Kelowna.	Ladysmith.	Merritt.	Nanaimo.	Nelson.	New Westminster.	North Vancouver.	Port Alberni.	Port Coquitlam.	Port Moody.	Prince George.	Prince Rupert.	Revelstoke.	Rossland.	Trail.	Vancouver.	Vernon.	Victoria.
101	Diseases of the lymphatic system (lymphangitis, *etc.*)	F.	1																							1		
102	Idiopathic abnormalities of blood-pressure	M.	38								1		1		1	2	7	1				1				2	18		4
	"	F.	25								1	3	2		2	1	3	1									7	2	3
103	Other diseases of the circulatory system	F.	2																								2		
	Class VIII. Diseases of the respiratory system	Total	378	2		1		7	2	1	12	3		3	8	10	23	11	6			5		2	3	3	216	7	53
	"	M.	225	1		1		7	2	1	8	1		3	4	8	14	7	6			1			2	2	129	4	24
	"	F.	153	1							4	2			4	2	9	4				4		2	1	1	87	3	29
104	Diseases of the nasal fossæ and annexa	M.	4								1																2		1
	"	F.	2																								1		1
105	Diseases of the larynx	F.	1																								1		
	(b.) Other diseases of the larynx	F.	1																								1		
106	Bronchitis	M.	8							1								2									4	1	
	"	F.	3																								1		2
	(a.) Acute	M.	2							1																	1		
	"	F.	1																										1
	(b.) Chronic	M.	5															2									3		
	"	F.	2																								1		1
	(c.) Unspecified	M.	1																									1	
107	Bronchopneumonia	M.	93	1				2			2			3	1	3	4		4						2	1	58	1	11
	"	F.	76	1							2	2				2	1					1			1		48	1	17
	(a.) Bronchopneumonia	M.	93	1				2			2			3	1	3	4		4						2	1	58	1	11
	"	F.	76	1							2	2				2	1					1			1		48	1	17
108	Lobar pneumonia	M.	60					4			2	1			1	5	7	1				1				1	30		7
	"	F.	39								1				2		4	3				3		1			19	2	4
109	Pneumonia, unspecified	M.	18			1		1	1		1						2	1	2								8		1
	"	F.	14								1				2		2							1			5		3
110	Pleurisy	M.	4																								4		
	"	F.	8														1	1									6		
111	Congestion and hæmorrhagic infarct of the lung, etc.	M.	6															1									4	1	
	"	F.	1														1												
	(a.) Pulmonary embolism and thrombosis	M.	3																								3		
	(b.) Others under this title	M.	3															1									1	1	
	"	F.	1														1												
112	Asthma	M.	22								1				1		1	2									14	1	2
	"	F.	9																							1	6		2
114	Other diseases of the respiratory system (tuberculosis excepted)	M.	10						1		1				1												5		2
	(a.) Chronic interstitial pneumonia including occupational diseases of the respiratory system	M.	6						1						1												3		1
	(c.) Others under this title	M.	4								1																2		1
	Class IX. Diseases of the digestive system	Total	340	5			4	4	5	4	12	9	3		10	6	27	8	6	1		5	5	4	2	7	173	5	35
	"	M.	203	3			3	4	5	1	7	5	3		5	4	16	5	4			5	4	2	1	4	102	1	19
	"	F.	137	2			1			3	5	4			5	2	11	3	2	1			1	2	1	3	71	4	16
115	Diseases of the buccal cavity and annexa, and of the pharynx and tonsils (including adenoid vegetations)	M.	14				1										2										9		2

| | | |

TABLE 29.—CAUSES OF DEATH BY SEX IN CITIES OF 1,000 POPULATION AND OVER, BRITISH COLUMBIA, 1936—*Continued.*

Int. List No.	CAUSES OF DEATH.		TOTAL.	Chilliwack.	Courtenay.	Cranbrook.	Cumberland.	Duncan.	Fernie.	Grand Forks.	Kamloops.	Kelowna.	Ladysmith.	Merritt.	Nanaimo.	Nelson.	New Westminster.	North Vancouver.	Port Alberni.	Port Coquitlam.	Port Moody.	Prince George.	Prince Rupert.	Revelstoke.	Rossland.	Trail.	Vancouver.	Vernon.	Victoria.
131	Chronic nephritis	M.	117	3						1		2			3	2	8	5				1	3			3	70	1	15
	,,	F.	72	1				2				1				1	4	6	2	1					1		43		10
132	Nephritis, unspecified (10 years and over)	M.	27				2			1	1	1					1										15	1	5
	,,	F.	17												2		1									1	6		7
133	Other diseases of the kidneys and ureters	M.	7												1													1	5
	,,	F.	11													1										1	6	1	2
134	Calculi of the urinary passages	M.	12								2				1												8		1
	,,	F.	4																			1					2		1
135	Diseases of the bladder (tumours excepted)	M.	9	1													1										6		1
	,,	F.	4															1									3		
136	Diseases of the urethra, urinary abscess, etc.	M.	2																								2		
	(a.) Stricture of the urethra	M.	2																								2		
137	Diseases of the prostate	M.	71	3							5				1		6	1	1								36		18
138	Diseases of the male genital organs (not specified as venereal)	M.	5													1											4		
139	Diseases of the female genital organs (not specified as venereal)	F.	17								1					1		1				1		1	1		9		2
	(a.) Of the ovary, Fallopian tube, and parametrium	F.	5															1						1			3		
	(b.) Of the uterus	F.	10								1					1						1			1		4		2
	(c.) Of the breast	F.	1																								1		
	(d.) Others under this title	F.	1																								1		
	Class XI. Diseases of pregnancy, childbirth, and the puerperal state	Total	35								1				1	1	6					1					19	1	5
140	Abortion with septic conditions	F.	15								1											1					10		3
	(a.) Abortion	F.	11																			1					7		3
	(b.) Self-induced abortion	F.	4								1																3		
141	Abortion without mention of septic conditions (hæmorrhage included)	F.	2																								2		
	(a.) Abortion	F.	1																								1		
	(b.) Self-induced abortion	F.	1																								1		
144	Puerperal hæmorrhage	F.	2																								2		
	(b.) Other hæmorrhages	F.	2																								2		
145	Puerperal septicæmia (not specified as due to abortion)	F.	5													1	2										1		1
	(a.) Puerperal septicæmia and pyæmia	F.	5													1	2										1		1
146	Puerperal albuminuria and eclampsia	F.	3														1										1		1
147	Other toxæmias of pregnancy	F.	3														2											1	
148	Puerperal phlegmasia alba dolens, embolism, or sudden death (not specified as septic)	F.	1																								1		
	(c.) Sudden death	F.	1																								1		
149	Other accidents of childbirth	F.	4												1		1										2		
	(a.) Caesarean operation	F.	1																								1		
	(b.) Dystocia	F.	2												1												1		
	(c.) Other surgical operations and instrumental delivery	F.	1														1												
	Class XII. Diseases of the skin and cellular tissue	Total	18				1		1							4	1						2				8	1	

	Ditto	M.	12				1									4							1				5	1		
	"	F.	6					1									1						1				3			
151	Carbuncle	M.	6													4							1				1			
	"	F.	2														1						1							
152	Cellulitis, acute abscess	M.	5				1																				3	1		
	"	F.	3																								3			
153	Other diseases of the skin and annexa and of the cellular tissue	M.	1																								1			
	Ditto	F.	1					1																						
	Class XIII. Diseases of the bones and organs of locomotion	Total	17														2		1								12		2	
	Ditto	M.	11														1		1								8		1	
	"	F.	6														1										4		1	
154	Osteomyelitis	M.	6																1								4		1	
	"	F.	2																								2			
155	Other diseases of the bones (tuberculosis excepted)	M.	1																								1			
	"	F.	3														1										2			
156	Diseases of the joints and other organs of locomotion	M.	4														1										3			
	"	F.	1																										1	
	(a.) Of the joints (tuberculosis and rheumatism excepted)	M.	2														1										1			
	(b.) Of other organs of locomotion	M.	2																								2			
	"	F.	1																										1	
	Class XIV. Congenital malformations	Total	42	1	1			1		1							6		3				3			1	20		5	
	"	M.	19					1									3		3				1			1	8		2	
	"	F.	23	1	1					1							3						2				12		3	
157	Congenital malformations (still-births excluded)	M.	19					1									3		3				1			1	8		2	
	"	F.	23	1	1					1							3						2				12		3	
	(a.) Congenital hydrocephalus	M.	2																2								2		1	
	"	F.	4	1																										
	(b.) Spina bifida and meningocele	M.	2																							1	1			
	"	F.	4														1						1				2			
	(c.) *Congenital malformations of the heart*	M.	6				1										2		1				1				1			
	"	F.	8					1									2										4		1	
	(e.) Others under this title	M.	9														1										6		2	
	"	F.	7		1																		1				4		1	
	Class XV. Diseases of early infancy	Total	115	1			1	1		1	7	1		1	8	16	3	1			1	2			3	54	4	10	
	"	M.	68					1		1	3	1		1	6	7	1	1				2			3	31	4	6	
	"	F.	47	1			1				4				2	9	2				1					23		4	
158	Congenital debility	M.	4											1	2												1			
159	Premature birth	M.	39							1	1				4	4	1	1					1			2	19	2	3	
	"	F.	36	1			1				3				2	7	1				1						16		4	
160	Injury at birth	M.	13								1	1				3							1				5		2	
	"	F.	7														1										6			
	(b.) Without mention of Caesarean operation	M.	13								1	1				3							1				5		2	
	"	F.	7														1										6			
161	Other diseases peculiar to early infancy (under 3 months)	M.	12					1			1															1	6	2	1	
	"	F.	4								1					2											1			
	(a.) Atelectasis	M.	3																							1	2			
	"	F.	2								1					1														
	(b.) Icterus of the new-born	M.	2																								2			
	(e.) Others, including lack of care	M.	7					1			1																2	2	1	
	"	F.	2													1											1			

TABLE 29.—CAUSES OF DEATH BY SEX IN CITIES OF 1,000 POPULATION AND OVER, BRITISH COLUMBIA, 1936—*Continued.*

Int. List No.	CAUSES OF DEATH.		TOTAL.	Chilliwack.	Courtenay.	Cranbrook.	Cumberland.	Duncan.	Fernie.	Grand Forks.	Kamloops.	Kelowna.	Ladysmith.	Merritt.	Nanaimo.	Nelson.	New Westminster.	North Vancouver.	Port Alberni.	Port Coquitlam.	Port Moody.	Prince George.	Prince Rupert.	Revelstoke.	Rossland.	Trail.	Vancouver.	Vernon.	Victoria.
	Class XVI. Senility	Total	35	1					1	1	3		1		4	1	4	3	1	1							9	1	4
	,,	M.	14	1					1		2				1		4	1									3		1
	,,	F.	21							1	1		1		3	1		2	1	1							6	1	3
162	Senility	M.	14	1					1		2				1		4	1									3		1
		F.	21							1	1		1		3	1		2	1	1							6	1	3
	(a.) With senile dementia (70 years and over)	M.	4	1													3												
		F.	7								1								1	1							3		1
	(b.) Without senile dementia (70 years and over)	M.	9						1		2				1			1									3		1
		F.	14							1			1		3	1		2									3	1	2
	(c.) Premature senility (55 years but under 70 years)	M.	1														1												
	Class XVII. Violent or accidental deaths	Total	347	5			2	4	3		14	4	3	2	11	8	30	4	11	2		5	5	2	3	6	198	1	24
	,,	M.	243	5				3	3		8	4	1	2	10	6	20	2	10	2		4	5	1	2	4	136	1	14
	,,	F.	104				2	1			6		2		1	2	10	2	1			1		1	1	2	62		10
163–171	Suicides	M.	44	2					2		1	1			2	1			2			1	1			1	27	1	2
	,,	F.	20													1	2		1						1	1	13		1
163	Suicide by solid or liquid poisons or by absorption of corrosive substances	M.	3																								2	1	
	Ditto	F.	4													1										1	2		
164	Suicide by poisonous gas	M.	5	1																							4		
	,,	F.	5														1										3		1
165	Suicide by hanging or strangulation	M.	9	1											1												7		
	,,	F.	4														1										3		
166	Suicide by drowning	M.	1																								1		
	,,	F.	3																								3		
167	Suicide by firearms	M.	17						1			1			1				2			1	1			1	7		2
	,,	F.	2																1								1		
168	Suicide by cutting or piercing instruments	M.	6						1		1					1											3		
	,,	F.	1																						1				
169	Suicide by jumping from high places	M.	3																								3		
	,,	F.	1																								1		
173–175	Homicides	M.	7														1	1		1						1	3		
	,,	F.	5																								5		
173	Homicide by firearms	M.	3														1										2		
	,,	F.	2																								2		
174	Homicide by cutting or piercing instruments	M.	1															1											
175	Homicide by other means	M.	3																	1						1	1		
	,,	F.	3																								3		
176–198	Other violent deaths	M.	192	3				3	1		7	3	1	2	8	5	19	1	8	1		3	4	1	2	2	106		12
	,,	F.	79				2	1			6		2		1	1	8	2				1		1		1	44		9
178	Accidental absorption of toxic gases	M.	8									1															7		
	,,	F.	1																								1		
179	Other acute accidental poisonings (except by gas)	M.	1																								1		
	,,	F.	2																								1		1
180	Conflagration	M.	3														1					1					1		
	,,	F.	1																								1		

181	Accidental burns (conflagration excepted)	M.	3										1											1				1				
	"	F.	6							2																		4				
183	Accidental drowning	M.	30							1				1		2	1	2					1					22				
	"	F.	3																									3				
184	Accidental injury by firearms	M.	2							1															1							
185	Accidental injury by cutting or piercing instruments	M.	1													1																
186	Accidental injury by fall, crushing, or landslide	M.	129	2				3	1		4	2		1	6	4	14		6	1			1	1	1	1	2	69			10	
	"	F.	60				2	1			3		2		1	1	6	2							1		1	34			6	
188	Injuries by animals	M.	2								1												1									
190	Excessive cold	M.	1																					1								
191	Excessive heat	M.	1													1																
192	Lightning	M.	1											1																		
193	Accidents due to electric currents	M.	3												1		1											1				
194	Other accidents	M.	7	1																								4			2	
	"	F.	5							1							1						1								2	
	(a.) Foreign body	M.	1																									1				
	"	F.	1																				1									
	(b.) Others under this title	M.	6	1																								3			2	
	"	F.	4							1						1															2	
195	Violent deaths of which the nature (accident, suicide, homicide) is unknown	F.	1													1																
	Class XVIII. Ill-defined causes of death	Total	8			3									2			1										1	1			
	"	M.	6			3									1			1											1			
	"	F.	2												1													1				
199	Sudden death	M.	2												1														1			
	"	F.	2												1													1				
200	Cause of death not specified or ill-defined	M.	4			3												1														

SPECIAL CLASSES OF ACCIDENTAL DEATHS IN CITIES OF 1,000 POPULATION AND OVER, BRITISH COLUMBIA, 1936.

(Included also under the numbers of the International List above.)

A	Accidents in mines and quarries	M.	7												6											1							
B	Accidents caused by machines	M.	6														3											3					
C	Railway accidents	M.	11											2			1							1			6			1		
D	Street-car accidents	M.	2														1										1					
	"	F.	2																								2					
E	Automobile and motor-cycle accidents	M.	41	1				1	1					1	2	6		1				1				1	25			1		
	"	F.	20				2	1				1			1	2	1										11			1		
F	Other land transportation	M.	4								1		1														2					
	"	F.	1																								1					
G	Water transportation	M.	17															1	1				2				11			2		
	"	F.	1																								1					

TABLE 30.—MARRIAGES BY MONTHS FOR BRITISH COLUMBIA, 1936.

PROVINCE.	TOTAL.	MONTHS.											
		Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
British Columbia	5451	297	298	261	425	435	657	455	488	567	573	483	512

TABLE 31.—MARRIAGES—CONJUGAL CONDITION OF CONTRACTING PARTIES, BRITISH COLUMBIA, 1936

PROVINCE.	TOTAL MARRIAGES.	MARRIAGES BETWEEN									PER CENT. OF BRIDEGROOMS WHO WERE			PER CENT. OF BRIDES WHO WERE		
		Bachelors and			Widowers and			Divorced Men and								
		Spinsters.	Widows.	Divorced Women.	Spinsters.	Widows.	Divorced Women.	Spinsters.	Widows.	Divorced Women.	Bachelors.	Widowers.	Divorced.	Spinsters.	Widows.	Divorced.
British Columbia	5451	4577	155	145	202	115	33	168	21	35	89.5	6.4	4.1	90.8	5.3	3.9

TABLE 32.—MARRIAGES—AGES OF BRIDEGROOMS AND BRIDES, BRITISH COLUMBIA, 1936.

| Age of Bridegroom. | Total Grooms. | AGE OF BRIDE. | | |

TABLE 33.—MARRIAGES—DENOMINATIONS OF CONTRACTING PARTIES, BRITISH COLUMBIA, 1936.

DENOMINATION OF GROOM.	TOTAL GROOMS.	DENOMINATION OF BRIDE.																												
		Adventists.	Anglicans.	Baptists.	Brethren.	Christians.	Christian Science.	Church of Christ.	Disciples.	Evangelicals.	Friends.	Greek Catholics.	Greek Orthodox.	Holiness Movement.	Jews.	Lutherans.	Mennonites.	Mormons.	Pentecostal.	Presbyterians.	Protestants.	Roman Catholics.	Salvation Army.	Unitarians.	United Brethren.	United Church.	Oriental Religions.	No Religion.	Other Sects.	Not stated.
Adventists	15	12																							2			1	
Anglicans	1390		824	34	2		8							2	25		1	1	109	27	73	2			266	1	7	8	
Baptists	195		35	66	3							1			6				17	8	7	4	1		44		1	2	
Brethren	12		1		8														1						2				
Christians	16		1	1		10													1		1				2				
Christian Science	21		3				12												2	1					3				
Church of Christ	2							1																	1				
Disciples	2								1																1				
Evangelicals	2															1				1									
Friends	1		1																										
Greek Catholics	18		2									8	1						2		3				1				1
Greek Orthodox	28		3									1	20			1				2	1								
Holiness Movement	1							1																					
Jews	27		2												20				3	2									
Lutherans	305		59	6	1							2	1			133		2	13	9	24				48		3	4	
Mennonites	23		1	2													20												
Mormons	7		1															5			1								
Pentecostal	20				2														13	2					2			1	
Presbyterians	591	1	153	16	1	2	4			1						14				252	16	37	3			88			3	
Protestants	705	1	32	14			2					3	1			5		1	3	11	532	61				37		1	1	
Roman Catholics	651		64	8	1		1					1	1			21	1	1	1	22	39	421	1	1		58		7	2	
Salvation Army	20		1										1						1			1	14			1				
Unitarians	4		2													1								1					
United Brethren	4		1	1																					1				
United Church	1220	1	208	32	1		10	2					1		1	23		1	2	66	18	37		1		802	3	2	8	1
Oriental religions (Buddhists, Confucians, Mohammedans, Shintos, Sikhs, Hindus)	65		1																			1			2	60	1		
No religion	44		12	1		1													1	1	4				3		20	1	
Other sects	55		5	4						1									3	1	2				6			33	
Not stated	7		3																						1				3
Total brides	5451	15	1415	185	19	13	37	4	1	2		15	27		23	229	22	11	21	505	657	674	24	4	1	1371	64	42	65	5

TABLE 34.—MARRIAGES—BIRTHPLACE OF BRIDEGROOMS AND BRIDES, BRITISH COLUMBIA, 1936.

| BIRTHPLACE OF BRIDEGROOM. | TOTAL GROOMS. | BIRTHPLACE OF BRIDE. | | |

TABLE 35.—MARRIAGES—LITERACY OF BRIDEGROOMS AND BRIDES IN BRITISH COLUMBIA, CLASSIFIED BY BIRTHPLACE, 1936.

BIRTHPLACE.	BRIDEGROOMS.			BRIDES.		
	Total.	Illiterate.	Per Cent. Illiterate.	Total.	Illiterate.	Per Cent. Illiterate.
Total	5451	58	1.1	5451	57	1.0
Canada	3282	52	1.6	4073	54	1.3
Prince Edward Island	11	----	----	5	----	----
Nova Scotia	57	2	3.5	38	----	----
New Brunswick	40	----	----	21	----	----
Quebec	67	----	----	47	----	----
Ontario	327	----	----	229	----	----
Manitoba	333	----	----	365	----	----
Saskatchewan	330	----	----	518	----	----
Alberta	341	4	1.2	490	1	0.2
British Columbia	1770	46	2.6	2352	53	2.3
Province not specified	6	----	----	8	----	----
British Isles	1223	1	0.1	763	----	----
England	792	1	0.1	487	----	----
Ireland	78	----	----	35	----	----
Scotland	322	----	----	217	----	----
Wales	27	----	----	21	----	----
Other	4	----	----	3	----	----
British Possessions	65	----	----	41	----	----
Newfoundland	18	----	----	7	----	----
Other	47	----	----	34	----	----
Europe	509	----	----	276	2	0.7
Austria	23	----	----	9	1	11.1
Belgium	5	----	----	2	----	----
Denmark	34	----	----	5	----	----
Finland	33	----	----	33	----	----
France	7	----	----	8	----	----
Germany	52	----	----	25	1	4.0
Holland	12	----	----	1	----	----
Hungary	8	----	----	6	----	----
Italy	31	----	----	21	----	----
Norway	82	----	----	31	----	----
Poland	33	----	----	34	----	----
Roumania	3	----	----	3	----	----
Russia*	49	----	----	50	----	----
Sweden	90	----	----	27	----	----
Other	47	----	----	21	----	----
Asia	88	2	2.3	22	1	4.5
China	22	----	----	9	----	----
Japan	64	2	3.1	13	1	7.7
Other	2	----	----	----	----	----
United States	280	2	0.7	270	----	----
Various	----	----	----	5	----	----
Not specified	4	1	25.0	1	----	----

* Including the Ukraine.

TABLE 36.—BIRTHS OF INDIANS (EXCLUSIVE OF STILL-BIRTHS) BY MONTHS, BRITISH COLUMBIA, 1936.

PROVINCE.	TOTAL.	MONTHS.											
		Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
British Columbia	806	85	82	76	76	74	58	71	63	63	57	47	54

TABLE 37.—BIRTHS OF INDIANS (EXCLUSIVE OF STILL-BIRTHS) CLASSIFIED AS LEGITIMATE OR ILLEGITIMATE, BRITISH COLUMBIA, 1936.

PROVINCE.	TOTAL BIRTHS.			LEGITIMATE.			ILLEGITIMATE.		
	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.
British Columbia	806	417	389	732	380	352	74	37	37

TABLE 38.—BIRTHS OF INDIANS (EXCLUSIVE OF STILL-BIRTHS) CLASSIFIED ACCORDING TO AGES OF PARENTS, BRITISH COLUMBIA, 1936.

| AGE OF FATHER. | TOTAL. | AGE OF MOTHER. | | |

TABLE 39.—DEATHS OF INDIAN CHILDREN UNDER ONE YEAR (EXCLUSIVE OF STILL-BIRTHS) BY MONTHS, BRITISH COLUMBIA, 1936.

PROVINCE.	TOTAL.	MONTHS.											
		Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
British Columbia	124	9	16	12	10	14	9	7	2	8	10	15	12

TABLE 40.—DEATHS OF INDIAN CHILDREN UNDER ONE YEAR (EXCLUSIVE OF STILL-BIRTHS) BY AGE AT DEATH, BRITISH COLUMBIA, 1936.

AGES.		No.
All infants	Total	124
,,	M.	70
,,	F.	54
Under 1 day	Total	7
,,	M.	5
,,	F.	2
1 day	Total	2
,,	M.	1
,,	F.	1
2 days	Total	4
,,	M.	2
,,	F.	2
3 days	Total	5
,,	M.	4
,,	F.	1
4 days	Total	4
,,	M.	2
,,	F.	2
6 days	Total	1
,,	M.	1
Under 1 week	Total	23
,,	M.	15
,,	F.	8
1 week and under 2 weeks	Total	4
,,	M.	2
,,	F.	2
2 weeks and under 3 weeks	Total	2
,,	F.	2
3 weeks and under 1 month	Total	2
,,	M.	1
,,	F.	1
Under 1 month	Total	31
,,	M.	18
,,	F.	13
1 month and under 2 months	Total	8
,,	M.	4
,,	F.	4
2 months and under 3 months	Total	10
,,	M.	7
,,	F.	3
3 months and under 4 months	Total	11
,,	M.	6
,,	F.	5
4 months and under 5 months	Total	8
,,	M.	6
,,	F.	2
5 months and under 6 months	Total	8
,,	M.	6
,,	F.	2
6 months and under 7 months	Total	5
,,	M.	3
,,	F.	2
7 months and under 8 months	Total	8
,,	M.	4
,,	F.	4
8 months and under 9 months	Total	9
,,	M.	5
,,	F.	4
9 months and under 10 months	Total	8
,,	M.	3
,,	F.	5
10 months and under 11 months	Total	6
,,	M.	2
,,	F.	4
11 months and under 12 months	Total	12
,,	M.	6
,,	F.	6

TABLE 41.—DEATHS OF INDIAN CHILDREN (EXCLUSIVE OF STILL-BIRTHS) FROM CERTAIN SPECIFIED CAUSES IN THE FIRST YEAR OF LIFE FOR EACH SEX, BRITISH COLUMBIA, 1936.

Int. List No.	CAUSES OF DEATH.	TOTAL UNDER 1 YEAR.		
		Total.	M.	F.
	All causes	124	70	54
7	Measles	2	----	2
9	Whooping-cough	1	1	----
11	Influenza	7	3	4
23	Tuberculosis of the respiratory system	10	5	5
25–32	Tuberculosis, other forms	3	3	----
34	Syphilis	7	6	1
67	Diseases of the thymus gland	1	----	1
86	Convulsions	3	1	2
106	Bronchitis	5	3	2
107	Bronchopneumonia	10	7	3
108, 109	Pneumonia	17	9	8
116–118	Diseases of the stomach	1	----	1
119	Diarrhœa and enteritis	5	2	3
157	Malformations	3	1	2
	(c.) Congenital malformations of the heart	1	----	1
	(b, d, e.) Others under this title	2	1	1
158	Congenital debility	12	8	4
159	Premature birth	12	6	6
160	Injury at birth	1	----	1
161	Other diseases peculiar to early infancy (under 3 months)	6	5	1
	(a–e.) Specified diseases	3	2	1
	(f.) No cause given, no doctor in attendance	3	3	----
176–198	Other external causes	3	3	----
	Other specified causes	6	3	3
199–200	Unspecified or ill-defined causes	9	4	5

TABLE 42.—TOTAL DEATHS OF INDIANS (EXCLUSIVE OF STILL-BIRTHS) BY MONTHS, BRITISH COLUMBIA, 1936.

PROVINCE.	TOTAL.	MONTHS.											
		Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
British Columbia	539	37	44	57	48	51	46	46	37	36	47	48	42

TABLE 43.—DEATHS OF INDIANS (EXCLUSIVE OF STILL-BIRTHS) BY SINGLE YEARS OF AGE AND BY AGE GROUPS, BRITISH COLUMBIA, 1936.

AGES.	BRITISH COLUMBIA.		
	Total.	M.	F.
All ages	539	272	267
Under 1 year	124	70	54
1 year	24	11	13
2 years	11	7	4
3 ,,	15	5	10
4 ,,	10	6	4
Total under 5 years	184	99	85
5 years	9	5	4
6 ,,	5	2	3
7 ,,	8	6	2
8 ,,	8	5	3
9 ,,	4	1	3
Total 5–9 years	34	19	15
10 years	7	3	4
11 ,,	4	1	3
12 ,,	4	2	2
13 ,,	7	3	4
14 ,,	5	.....	5
Total 10–14 years	27	9	18
15 years	9	5	4
16 ,,	7	4	3
17 ,,	8	3	5
18 ,,	6	3	3
19 ,,	7	6	1
Total 15–19 years	37	21	16
20 years	10	2	8
21 ,,	8	5	3
22 ,,	6	2	4
23 ,,	6	4	2
24 ,,	2	1	1
Total 20–24 years	32	14	18
25 years	4	1	3
26 ,,	5	3	2
27 ,,	6	1	5
28 ,,	7	4	3
29 ,,	5	1	4
Total 25–29 years	27	10	17
30 years	5	4	1
31 ,,	2	1	1
32 ,,	4	2	2
33 ,,	5	3	2
34 ,,	1	.....	1
Total 30–34 years	17	10	7
35 years	5	2	3
36 ,,	2	...	2
37 ,,	3	1	2
38 ,,	4	1	3
39 ,,	2	1	1
Total 35–39 years	16	5	11
40 years	1	.....	1
41 ,,	1	.....	1
43 ,,	3	1	2
Total 40–44 years	5	1	4
45 years	2	...	2
46 ,,	3	3	...
47 ,,	3	2	1
Total 45–49 years	8	5	3
50 years	6	2	4
51 ,,	4	2	2
52 ,,	2	1	1
53 ,,	1	.....	1
54 ,,	2	2	.....
Total 50–54 years	15	7	8
55 years	8	3	5
56 ,,	3	3	.....
57 ,,	4	3	1
58 ,,	2	1	1
59 ,,	2	1	1
Total 55–59 years	19	11	8
60 years	3	1	2
61 ,,	1	1	.....
62 ,,	4	1	3
63 ,,	5	3	2
64 ,,	4	.....	4
Total 60–64 years	17	6	11
65 years	4	2	2
66 ,,	3	1	2
67 ,,	5	4	1
68 ,,	4	3	1
69 ,,	3	.....	3
Total 65–69 years	19	10	9
70 years	11	7	4
71 ,,	4	4	.....
72 ,,	6	4	2
73 ,,	3	2	1
74 ,,	4	3	1
Total 70–74 years	28	20	8
75 years	6	2	4
76 ,,	7	3	4
78 ,,	2	1	1
79 ,,	1	.....	1
Total 75–79 years	16	6	10
80 years	11	4	7
81 ,,	2	1	1
82 ,,	3	1	2
83 ,,	3	3	.....
84 ,,	1	1	.....
Total 80–84 years	20	10	10
85 years	3	1	2
86 ,,	3	3	.....
87 ,,	2	1	1
88 ,,	2	...	2
89 ,,	1	1	.....
Total 85–89 years	11	6	5
90 years	2	1	1
92 ,,	1	.....	1
94 ,,	1	.....	1
Total 90–94 years	4	1	3
97 years	1	1	.....
Total 95–99 years	1	1	.....
100 years and over	1	1	.....
Not stated	1	.....	1

TABLE 44.—CAUSES OF DEATHS OF INDIANS BY SEX AND AGE, BRITISH COLUMBIA, 1936.

Int. List No.	CAUSES OF DEATH.		TOTAL.	AGES. Under 1 Year.	1 Year.	2 Years.	3 Years.	4 Years.	5–9 Yrs.	10–14 Yrs.	15–19 Yrs.	20–24 Yrs.	25–29 Yrs.	30–34 Yrs.	35–39 Yrs.	40–44 Yrs.	45–49 Yrs.	50–54 Yrs.	55–59 Yrs.	60–64 Yrs.	65–69 Yrs.	70–74 Yrs.	75–79 Yrs.	80–84 Yrs.	85–89 Yrs.	90–94 Yrs.	95–99 Yrs.	100 Years and over.	Not stated.
	Deaths, all causes	Total	539	124	24	11	15	10	34	27	37	32	27	17	16	5	8	15	19	17	19	28	16	20	11	4	1	1	1
	,,	M.	272	70	11	7	5	6	19	9	21	14	10	10	5	1	5	7	11	6	10	20	6	10	6	1	1	1	...
	,,	F.	267	54	13	4	10	4	15	18	16	18	17	7	11	4	3	8	8	11	9	8	10	10	5	3	...	...	1
	Class I. Infectious and parasitic diseases	Total	233	32	11	7	9	7	23	18	30	24	17	12	10	2	5	3	5	4	4	4	5	...	...	...	...	...	1
	,,	M.	106	19	4	5	4	5	11	4	17	10	6	8	2	...	2	...	2	1	2	3	1	...	...	...	...	...	...
	,,	F.	127	13	7	2	5	2	12	14	13	14	11	4	8	2	3	3	3	3	2	1	4	...	...	...	...	...	1
7	Measles	M.	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	,,	F.	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
9	Whooping-cough	M.	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	,,	F.	5	...	2	1	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
11	Influenza	M.	8	3	...	...	1	...	...	...	...	...	...	1	1	...	1	...	...	...	...	1	...	...	...	...	...	...	...
	,,	F.	11	4	1	...	1	...	1	...	...	...	...	1	...	...	...	...	...	1	1	...	1	...	...	...	...	...	...
	(a.) Sole cause	M.	3	2	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	,,	F.	2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	(c.) With pneumonia	M.	4	1	...	...	...	...	...	...	...	...	...	1	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...
	,,	F.	7	3	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...
	(e.) With intestinal complications	F.	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	(f.) With other causes	M.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...
	,,	F.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
13	Dysentery	M.	2	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
17	Lethargic or epidemic encephalitis	F.	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
23–	Tuberculosis	M.	85	8	3	5	3	5	10	3	17	10	6	7	1	...	1	...	1	1	2	1	1	...	...	...	...	...	...
32	,,	F.	103	5	4	1	2	2	10	14	12	13	11	3	8	2	3	2	3	2	1	1	3	...	...	...	...	...	1
23	Tuberculosis of the respiratory system	M.	65	5	...	3	2	3	5	3	14	9	6	7	1	...	1	...	1	1	2	1	1	...	...	...	...	...	...
	,,	F.	90	5	3	...	2	1	7	9	12	13	10	3	8	2	3	2	3	2	1	1	2	...	...	...	...	...	1
24	Tuberculosis of the meninges and central nervous system	M.	12	...	2	2	1	2	4	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	,,	F.	6	...	...	1	...	1	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
25	Tuberculosis of the intestines and peritoneum	M.	2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	,,	F.	3	...	...	...	...	...	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
27	Tuberculosis of the bones and joints (vertebral column excepted)	M.	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Ditto	F.	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	(b.) Of joints	M.	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	,,	F.	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
29	Tuberculosis of the lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted)	M.	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
30	Tuberculosis of the genito-urinary system	F.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...
32	Disseminated tuberculosis	M.	4	2	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	,,	F.	2	...	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	(a.) Acute	M.	3	2	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	,,	F.	2	...	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	(c.) Not specified	M.	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
34	Syphilis	M.	8	6	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...
	,,	F.	3	1	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...
42	Other diseases caused by helminths	F.	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
44	Other infectious or parasitic diseases	M.	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	,,	F.	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...

TABLE 44.—CAUSES OF DEATHS OF INDIANS BY SEX AND AGE, BRITISH COLUMBIA, 1936—*Continued.*

Int. List No.	CAUSES OF DEATH.		TOTAL.	AGES. Under 1 Year.	1 Year.	2 Years.	3 Years.	4 Years.	5–9 Yrs.	10–14 Yrs.	15–19 Yrs.	20–24 Yrs.	25–29 Yrs.	30–34 Yrs.	35–39 Yrs.	40–44 Yrs.	45–49 Yrs.	50–54 Yrs.	55–59 Yrs.	60–64 Yrs.	65–69 Yrs.	70–74 Yrs.	75–79 Yrs.	80–84 Yrs.	85–89 Yrs.	90–94 Yrs.	95–99 Yrs.	100 Years and over.	Not stated.
	Other infectious or parasitic diseases—*Continued.*																											
	(a.) Chicken-pox	M.	1	1																								
	,,	F.	1	1																								
	Class II. Cancer and other tumours	Total	17									1						3	2	4	2	1	2	2				
	,,	M.	4																1	1			2					
	,,	F.	13									1						3	1	3	2	1		2				
45–53	Cancer and other malignant tumours	M.	4																1	1			2					
	,,	F.	13									1						3	1	3	2	1		2				
45	Cancer of the buccal cavity and pharynx	M.	1																1									
	,,	F.	1																1									
46	Cancer of the digestive tract and peritoneum	M.	1																	1								
	,,	F.	7															3		2	1			1				
	(b.) Of the stomach and duodenum	F.	5															3		1	1							
	(d.) Of the liver and biliary ducts	M.	1																	1								
	,,	F.	1																	1								
	(e.) Of the pancreas	F.	1																					1				
48	Cancer of the uterus	F.	4									1								1		1		1				
	(a.) Of the uterus	F.	2																			1		1				
	(b.) Of the cervix uteri	F.	2									1								1								
51	Cancer of the male genito-urinary organs	M.	2																				2					
	(c.) Of the prostate gland	M.	1																				1					
	(e.) Of other male genito-urinary organs	M.	1																				1					
53	Cancer of other or unspecified organs	F.	1																			1						
	(i.) Of the abdomen	F.	1																			1						
	Class III. Rheumatic diseases, diseases of nutrition and of the endocrine glands and other general diseases	Total	6	1			1				1			2											1			
	Ditto	M.	1								1																	
	,,	F.	5	1			1							2											1			
56	Acute rheumatic fever	M.	1								1																	
57	Chronic rheumatism, osteoarthritis	F.	1																						1			
59	Diabetes mellitus	F.	1											1														
66	Diseases of the thyroid and parathyroid glands	F.	1				1																					
	(c.) Myxœdema, cretinism	F.	1				1																					
67	Diseases of the thymus gland	F.	1	1																								
69	Other general diseases	F.	1											1														
	(a.) Fatty or amyloid degeneration	F.	1											1														
	Class IV. Diseases of the blood and blood-forming organs	Total	5									1										1	1	1		1		
	Ditto	F.	5									1										1	1	1		1		
71	Anæmia	F.	1									1																
	(a.) Pernicious anæmia	F.	1									1																
72	Leukæmia and aleukæmia	F.	4																			1	1	1		1		
	(a.) Leukæmia	F.	4																			1	1	1		1		

	Class VI. Diseases of the nervous system and of the organs of special sense	Total	13	3			1			1	1								1	2	1		1		1				1	
	Ditto	M.	9	1							1								1	2	1		1		1				1	
	,,	F.	4	2			1			1																				
81	Other diseases of the spinal cord	M.	1																						1					
82	Cerebral hæmorrhage, cerebral embolism, and thrombosis	M.	5																1	1	1		1						1	
	(a.) Cerebral hæmorrhage	M.	5																1	1	1		1						1	
84	Dementia præcox and other psychoses	M.	2							1										1										
	(a.) Dementia præcox	M.	2							1										1										
86	Convulsions (under 5 years of age)	M.	1	1																										
	,,	F.	2	2																										
89	Diseases of the ear and mastoid process	F.	2				1			1																				
	(a.) Otitis	F.	2				1			1																				
	Class VII. Diseases of the circulatory system	Total	18						1	2					1	1		2				1	5	3		2				
	,,	M.	12						1	2					1			1				1	3	1		2				
	,,	F.	6													1		1					2	2						
90–95	Diseases of the heart	M.	8							1					1			1				1	2	1		1				
	,,	F.	5															1				1	2	2						
92	Chronic endocarditis, valvular diseases	M.	4							1												1	1			1				
	,,	F.	1															1												
	(a.) Endocarditis specified as chronic and other valvular diseases	M.	4							1												1	1			1				
	(b.) *Endocarditis, unspecified* (45 years and over)	F.	1															1												
93	Diseases of the myocardium	M.	3															1					1	1						
	,,	F.	4																				2	2						
	(c.) Chronic myocarditis and myocardial degeneration	M.	3															1					1	1						
	,,	F.	3																				1	2						
	(d.) Myocarditis, unspecified (45 years and over)	F.	1																				1							
94	Diseases of the coronary arteries and angina pectoris	M.	1												1															
	(b.) *Embolism and thrombosis of the coronary arteries*	M.	1												1															
97	Arteriosclerosis (of coronary arteries excepted)	M.	2																				1			1				
102	Idiopathic abnormalities of blood-pressure	F.	1													1														
103	Other diseases of the circulatory system	M.	2						1	1																				
	Class VIII. Diseases of the respiratory system	Total	80	35	6			1	5	2	2	2			1	1			4	4	4	2	3	5	3					
	,,	M.	43	20	4				3	1	1	1							2	1	2	2	1	3	2					
	,,	F.	37	15	2			1	2	1	1	1			1	1			2	3	2		2	2	1					
104	Diseases of the nasal fossæ and annexa	M.	1																					1						
	,,	F.	1	1																										
106	Bronchitis	M.	5	3	2																									
	,,	F.	3	2																				1						
	(a.) Acute	M.	4	3	1																									
	,,	F.	2	2																										
	(b.) Chronic	F.	1																					1						
	(c.) Unspecified	M.	1		1																									
107	Bronchopneumonia	M.	12	7	1				1	1									1				1							
	,,	F.	10	3					1			1							1	2	1		1							
	(a.) Bronchopneumonia	M.	12	7	1				1	1									1				1							
	,,	F.	10	3					1			1							1	2	1		1							
108	Lobar pneumonia	M.	11	3	1				1										1	1	1	1		2						
	,,	F.	11	5							1					1			1		1		1	1						
109	Pneumonia, unspecified	M.	13	6					1		1	1										1	1		2					
	,,	F.	9	3	2				1	1					1										1					
110	Pleurisy	F.	1																	1										
114	Other diseases of the respiratory system (tuberculosis excepted)	M.	1	1																										
	Ditto	F.	2	1				1																						

TABLE 44.—CAUSES OF DEATHS OF INDIANS BY SEX AND AGE, BRITISH COLUMBIA, 1936—*Continued.*

Int. List No.	CAUSES OF DEATH.	TOTAL.	AGES.																											
			Under 1 Year.	1 Year.	2 Years.	3 Years.	4 Years.	5–9 Yrs.	10–14 Yrs.	15–19 Yrs.	20–24 Yrs.	25–29 Yrs.	30–34 Yrs.	35–39 Yrs.	40–44 Yrs.	45–49 Yrs.	50–54 Yrs.	55–59 Yrs.	60–64 Yrs.	65–69 Yrs.	70–74 Yrs.	75–79 Yrs.	80–84 Yrs.	85–89 Yrs.	90–94 Yrs.	95–99 Yrs.	100 Years and over.	Not stated.
	Other diseases of the respiratory system—*Continued.*																													
	(a.) Chronic interstitial pneumonia, including occupational diseases of the respiratory system ..... F.	1					1																							
	(c.) Others under this title ..... M.	1	1																											
	,, ... F.	1	1																											
	Class IX. Diseases of the digestive system ..... Total	32	7	5	2	2	1	3	2	2		1					1	1	1		1	1	1	1						
	,, ... M.	17	3	1	2	1	1	2	1	1									1		1	1	1	1						
	,, ... F.	15	4	4		1		1	1	1		1					1	1												
115	Diseases of the buccal cavity and annexa, and of the pharynx and tonsils (including adenoid vegetations) ..... M.	2		1	1																									
	(c.) Others under this title ..... M.	2		1	1																									
117	Ulcer of the stomach or duodenum ..... M.	1																				1								
	,, ... F.	1																1												
	(a.) Ulcer of the stomach ..... M.	1																				1								
	,, ... F.	1																1												
118	Other diseases of the stomach ..... M.	3					1			1											1									
	,, ... F.	2	1	1																										
119	Diarrhœa and enteritis (under 2 years of age) ..... M.	2	2																											
	,, ... F.	6	3	3																										
120	Diarrhœa and enteritis (2 years and over) ..... M.	3			1	1																1								
	,, ... F.	4				1		1	1			1																		
	(a.) Diarrhœa and enteritis ..... M.	3			1	1																1								
	,, ... F.	4				1		1	1			1																		
121	Appendicitis ..... M.	2						1	1																					
122	Hernia, intestinal obstruction ..... M.	1																						1						
	(a.) Hernia ..... M.	1																						1						
126	Biliary calculi ..... F.	1															1													
127	Other diseases of the gall-bladder and biliary passages ..... M.	1						1																						
	,, ... F.	1								1																				
129	Peritonitis, cause not specified ..... M.	2	1																1											
	Class X. Diseases of the genito-urinary system ..... Total	6								1		1					1	2				1								
	,, ... M.	3															1	1				1								
	,, ... F.	3								1		1						1												
131	Chronic nephritis ..... M.	3															1	1				1								
132	Nephritis, unspecified (10 years and over) ..... F.	1																1												
133	Other diseases of the kidneys and ureters ..... F.	1								1																				
139	Diseases of the female genital organs (not specified as venereal) ..... F.	1										1																		
	(a.) Of the ovary, Fallopian tube, and parametrium ..... F.	1										1																		
	Class XI. Diseases of pregnancy, childbirth, and the puerperal state ..... Total	6									1	3	1	1																
140	Abortion with septic conditions ..... F.	1										1																		
	(a.) Abortion ..... F.	1										1																		

141	Abortion without mention of septic conditions (hæmorrhage included)	F.	1										1																		
	(a.) Abortion	F.	1										1																		
144	Puerperal hæmorrhage	F.	1											1																	
	(a.) Placenta prævia	F.	1											1																	
149	Other accidents of childbirth	F.	3								1	1			1																
	(e.) Others under this title	F.	3								1	1			1																
	Class XII. Diseases of the skin and cellular tissue	Total	1																			1									
	,,	M.	1																			1									
153	Other diseases of the skin and annexa and of the cellular tissue	M.	1																			1									
	Class XIV. Congenital malformations	Total	3	3																											
	,,	M.	1	1																											
	,,	F.	2	2																											
157	Congenital malformations (still-births excluded)	M.	1	1																											
	,,	F.	2	2																											
	(c.) Congenital malformations of the heart	F.	1	1																											
	(e.) Others under this title	M.	1	1																											
	,,	F.	1	1																											
	Class XV. Diseases of early infancy	Total	31	31																											
	,,	M.	19	19																											
	,,	F.	12	12																											
158	Congenital debility	M.	8	8																											
	,,	F.	4	4																											
159	Premature birth	M.	6	6																											
	,,	F.	6	6																											
160	Injury at birth	F.	1	1																											
	(b.) Without mention of Caesarean operation	F.	1	1																											
161	Other diseases peculiar to early infancy (under 3 months)	M.	5	5																											
	,,	F.	1	1																											
	(e.) Others, including lack of care	M.	2	2																											
	,,	F.	1	1																											
	(f.) No cause given, no doctor in attendance	M.	3	3																											
	Class XVI. Senility	Total	30																	1	3	9		9	4	3	1				
	,,	M.	15																		2	6		4	1	1	1				
	,,	F.	15																	1	1	3		5	3	2					
162	Senility	M.	15																		2	6		4	1	1	1				
	,,	F.	15																	1	1	3		5	3	2					
	(b.) Without senile dementia (70 years and over)	M.	13																			6		4	1	1	1				
	,,	F.	13																			3		5	3	2					
	(c.) Premature senility (55 years but under 70 years)	M.	2																		2										
	,,	F.	2																	1	1										
	Class XVII. Violent or accidental deaths	Total	34	3		1			1	2		3	5	2	3	1	3	3	2	1	1	2	1								
	,,	M.	28	3					1	1		3	4	2	2	1	3	3	2		1	2									
	,,	F.	6			1				1			1		1					1			1								
176–198	Other violent deaths	M.	28	3					1	1		3	4	2	2	1	3	3	2		1	2									
	,,	F.	6			1				1			1		1					1			1								
177	Food poisoning	M.	4	1								1	1	1																	
180	Conflagration	M.	1																		1										
181	Accidental burns (conflagration excepted)	M.	2																1			1									
	,,	F.	2			1				1																					

TABLE 44.—CAUSES OF DEATHS OF INDIANS BY SEX AND AGE, BRITISH COLUMBIA, 1936—*Continued.*

Int. List No.	CAUSES OF DEATH.		TOTAL.	AGES. Under 1 Year.	1 Year.	2 Years.	3 Years.	4 Years.	5–9 Yrs.	10–14 Yrs.	15–19 Yrs.	20–24 Yrs.	25–29 Yrs.	30–34 Yrs.	35–39 Yrs.	40–44 Yrs.	45–49 Yrs.	50–54 Yrs.	55–59 Yrs.	60–64 Yrs.	65–69 Yrs.	70–74 Yrs.	75–79 Yrs.	80–84 Yrs.	85–89 Yrs.	90–94 Yrs.	95–99 Yrs.	100 Years and over.	Not stated.
	Other violent deaths—*Continued.*																												
183	Accidental drowning	M.	10						1	1		1	2		1	1	1	1				1								
	,,	F.	1																	1									
184	Accidental injury by firearms	M.	1									1																	
186	Accidental injury by fall, crushing, or landslide	M.	6	1									1	1			1	2											
	,,	F.	1																				1						
188	Injuries by animals	M.	1																1										
190	Excessive cold	F.	1												1														
194	Other accidents	M.	1	1																									
	,,	F.	1										1																
	(b.) Others under this title	M.	1	1																									
	,,	F.	1										1																
198	Capital punishment	M.	2												1		1												
	Class XVIII. Ill-defined causes of death	Total	24	9	2	1	2	1	1									1	1	1	4	1							
	,,	M.	13	4	2				1									1	1	1	2	1							
	,,	F.	11	5		1	2	1													2								
199	Sudden death	M.	3															1	1			1							
	,,	F.	1	1																									
200	Cause of death not specified or ill-defined	M.	10	4	2				1											1	2								
	,,	F.	10	4		1	2	1													2								

SPECIAL CLASSIFICATION OF ACCIDENTAL DEATHS OF INDIANS, BRITISH COLUMBIA, 1936.

(Included also under the numbers of the International List above.)

C	Railway accidents	M.	1														1												
E	Automobile and motor-cycle accidents	M.	1										1																
F	Other land transportation	M.	1															1											
G	Water transportation	M.	7									1	1		1	1	1	1				1							
	,,	F.	1																	1									

TABLE 45.—DEATHS OF HALF-BREEDS IN BRITISH COLUMBIA FROM CERTAIN CAUSES OF DEATH, 1936.

	Deaths, all causes	Total	10	2			1		1				2	1	1									2					
	,,	M.	4				1		1						1									1					
	,,	F.	6	2									2	1										1					
11	Tuberculosis of the respiratory system	F.	2										2																
12	Other forms of tuberculosis	M.	1				1																						
48	Pneumonia	F.	1	1																									
75	Premature birth (still-births not included)	F.	1	1																									
81	Accident	M.	2						1						1														
	Other causes	M.	1																					1					
	,,	F.	2											1										1					

REPORT OF INSPECTOR OF VITAL STATISTICS.

VICTORIA, B.C., November 1st, 1937.

H. E. Young, Esq., M.D., C.M., LL.D.,
Registrar of Births, Deaths, and Marriages, Victoria, B.C.

SIR,—I have the honour to submit the eighth report of the Inspector appointed pursuant to section 27 of the " Vital Statistics Act " for the period January 1st to December 31st, 1936.

GENERAL.

During 1936 the status of your office as Registrar of Births, Deaths, and Marriages has taken on new aspects with its creation as a Division of the Provincial Board of Health, rendering services to the other Divisions, not only with the preparation of their statistics, but also as a clearing-house for all the record systems and forms. During 1937 we hope to survey the record systems of the Divisions of Tuberculosis Control, Venereal Disease Control, and Laboratories. It is felt that with one unit responsible for this work a great deal of overlapping will be eliminated and record procedures will be placed upon a uniform basis. We are also assisting the Nurses' Committee in setting up the record system to be used throughout the several Health Units and Nursing Services in the Province.

On February 1st, 1937, through the efforts of Dr. H. M. Cassidy, Director of Social Welfare, Mr. J. D. B. Scott, a graduate of the University of British Columbia with a degree of Bachelor of Commerce, is being appointed as Statistician to the Division of Vital Statistics. The present section which deals with statistics will be split—one section will be known as the Tabulating Section and will be responsible for all the machine-work now being done for most departments of the Government service, with Mr. J. H. B. Gann as Supervisor; while Mr. Scott will head up the new section giving statistical service.

We wish to acknowledge the assistance and advice we have received from the Dominion Bureau of Statistics, particularly from Mr. W. R. Tracey, of the Vital Statistics section, and we trust that the continued relationship between both will be of mutual benefit to the Federal and Provincial Governments.

LEGISLATION.

As recommended in my last report, the " Vital Statistics Act " was amended at the 1936 Fall Session of the Legislature.

Section 2 of the amendment defined the word " birth " to include the birth of a still-born child, and defined the word " death " to include the death of a still-born child. This removes any question as to whether or not the Division of Vital Statistics has the power to demand the registration of still-born children.

Section 3 of the amendment provided that section 10 of the " Vital Statistics Act " of 1933, which allows for the alteration or addition of names, should apply to Christian or given names only.

We are still working on the establishment of a registry for recording the changes of a surname, but up to the present time have not been able to present such a Bill to the Legislature. We hope to secure this legislation in the near future—there being a very considerable number of British Columbia people waiting to take advantage of the provisions of such an Act as we propose.

SCHOOL REPORT.

Again we have received the whole-hearted co-operation of the school-teachers of this Province in supplying us with the dates and places of birth, and the present addresses of the parents or guardians of children entering school for the " school-year 1936–37." The value of this work has once again been amply demonstrated, and your Division of Vital Statistics has been enabled to render assistance to the public by such means as securing delayed registrations of births of which we had no previous knowledge; the correction of dates of birth; the straightening-out of adoptions never properly completed, and many other problems which appear in registration-work.

For the " school-year 1935–36 " we received reports from a total of 1,116 teachers from 1,001 schools. These reports cover the first year of elementary grades only, and a total of

11,360 children were reported—8,735 as having been born in British Columbia, and 2,625 in other Provinces of Canada, the United States, Great Britain, and other countries.

"First searches," when the actual date of birth and the names of the children as reported by the teachers were searched, revealed that the births of 7,223 children were duly registered, leaving 1,512 births not located in this "first search." In the "second search," the month preceding and the month following the date given as the date of birth were searched; then the year preceding and the year following; then search was made in the index-books under Christian names different from those given on the teachers' reports. As a result of these "second searches," 528 more births were found to be registered, leaving 984 births of which no trace of registration could be found.

The results of the searches are shown in the following table:—

	Born in British Columbia.	Born outside British Columbia.	Births registered.	Births not registered.
City schools	4,702	1,116	4,227	477
Municipal schools	1,651	694	1,501	150
Rural schools	2,382	765	2,025	357
Totals	8,735	2,625	7,751	984

Notices were sent out to the parents or guardians of 984 children whose birth registrations were not located in this "second search," and upon being supplied with correct information by the parents or guardians the births of 296 children were found to have been duly registered, and 66 children were found to have been born outside the Province. Sixty-three letters were returned by the Post Office Department marked "Removed" or "Gone, no forwarding address," etc.

Eight delayed registrations of births were accepted from parents who were on relief, the fees for which were waived by virtue of a special Order in Council.

The sum of $58.75 has been collected to date from delayed registrations, correction fees, etc.

An analysis of the information contained in these school reports provides much enlightening information as to the number of people who are immigrating into British Columbia from the other Provinces of Canada and the United States. We must remember that these are the children of families who have immigrated into the Province within the last six years, as they are the children who at the time of entering the school are in the "six-year age group." Therefore, although the group represents only a portion of the total North American immigration population which is arriving in British Columbia, it does provide a very good sample index as to the load which is being placed upon the Government and the people of British Columbia by these new residents, who naturally require rehabilitation and adjustment of life when locating in another Province. If we use the same ratio of persons per family as was found to obtain in the census of 1931—namely, 4.5—we find that from this group who entered school in the year 1935–36 there is produced at least 12,209 additional persons who have come into British Columbia since the last census.

REGISTRATION DISTRICTS.

Porter Landing transferred to McDame Creek.

For some years we have not been receiving returns from the District Registrar of Births, Deaths, and Marriages at Porter Landing, and although the Division has tried to trace the previous incumbent in the office, our efforts have been without success. In September, 1936, we consulted with the Assistant Commissioner of the B.C. Provincial Police regarding the appointment of a constable for this district, and acting on his suggestion the location of the office was transferred to McDame Creek within the Porter Landing Registration District as constituted under the "Vital Statistics Act." This office was in charge of Constable R. J. Meek, who was appointed District Registrar of Births, Deaths, and Marriages pursuant to subsection (1) of section 25 of the "Vital Statistics Act," and a Marriage Commissioner

pursuant to section 30 of the "Marriage Act." This action was taken owing to the increased activity in this northern area of the Province.

AGASSIZ.

On November 17th, 1936, representations were made to the Honourable the Provincial Secretary by the Agassiz Board of Trade for the establishment of a registration office at Agassiz. This was the outcome of complaints emanating from the residents of that area of the Province lying to the north of the Fraser River, but situated within the Registration District of Chilliwack as constituted under the "Vital Statistics Act."

Upon investigation it was found that much inconvenience was being experienced when the services of a registration official were required. Therefore, a sub-registration office to Chilliwack was opened at Agassiz on December 1st, 1936. This office was placed in the charge of Mr. W. G. Harris, who was appointed Deputy District Registrar of Births, Deaths, and Marriages pursuant to subsection (2) of section 25 of the "Vital Statistics Act," and Marriage Commissioner pursuant to section 30 of the "Marriage Act."

FRAUDULENT REGISTRATIONS.

In 1936, eleven registrations of births were found to have been fraudulently or improperly obtained. I would point out in this report that in practically every instance these fraudulent registrations had been filed not with any deliberate attempt of fraud, but rather with the idea of covering up the stigma of illegitimacy, in an effort to protect the child born out of wedlock, more than the person actually perpetrating the fraud. Therefore no action was taken against the offenders.

The following table shows the number of hearings over which you were required to preside during the year, pursuant to section 13 of the "Vital Statistics Act":—

Date.	Hearings.
February 17th, 1936	1
April 15th, 1936	2
June 6th, 1936	1
September 21st, 1936 (in Vancouver)	1
September 28th, 1936	1
September 30th, 1936	1
October 3rd, 1936	1
November 9th, 1936	1
November 20th, 1936	1
December 16th, 1936 (in Vancouver)	1
Total	11

In every case the registrations under review at the hearings were ordered cancelled. There was one appeal against your decision, but your action was upheld.

REGISTRATION OF ADOPTIONS.

GENERAL.

I am happy to report that the registration of adoption orders and their correlation with the birth registration during the year 1936 has presented very few difficulties, and British Columbia's "Adoption Act," together with the follow-up procedures set forth in the "Vital Statistics Act," is now generally recognized as one of the best pieces of legislation of its kind. The close relationship between the Children's Division of the Welfare Branch and the Division of Vital Statistics has continued, and has been such as to formulate a programme beneficial to both divisions and in the best interests of all parties concerned in the adoptions. The co-operation we have received from the District Registrars of the Supreme Court has been excellent.

Orders filed.

Orders of adoption relating to eighty children adopted pursuant to the "Adoption Act" were received, filed, and indexed, and notations made upon the relative birth registrations during the year 1936, making a total of 2,000 orders filed since the Act came into operation in April, 1921. All documents filed in 1936 were Court orders—there being no certificates issued by the Provincial Secretary pursuant to section 15 of the "Adoption Act."

The following tables present a recapitulation of the adoption particulars for the year 1936 added to those for the previous years:—

TABLE 1.—ADOPTION ORDERS FILED IN THE DIVISION OF VITAL STATISTICS DURING EACH MONTH OF 1936, AND THE MONTHLY TOTALS FROM MAY, 1920, TO DECEMBER 31ST, 1935, AND DECEMBER 31ST, 1936.

Year filed.	Month filed.												Total.
	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	
1936	6	4	6	6	3	7	6	6	5	12	10	7	80*
Totals (May, 1920, to December 31st, 1935)	142	164	177	161	202	242	127	123	138	165	130	149	1,920
Totals (May, 1920, to December 31st, 1936)	148	168	183	167	205	249	133	129	143	177	140	156	2,000

* Includes two adoption orders received in 1935, but not completed until July, 1936.

TABLE 2.—ADOPTION ORDERS FILED IN THE DIVISION OF VITAL STATISTICS DURING 1936, BY YEAR OF COURT ORDER AND SEX OF CHILDREN.

Year Adoption ordered.	Number of Orders entered and Certificates issued.		
	Males.	Females.	Total.
1920	1	1	2
1921	1	1	2
1926	1	----	1
1930	1	----	1
1932	----	2	2
1933	----	1	1
1934	2	----	2
1935	3	----	3
1936	27	39	66
Totals	36	44	80

TABLE 3.—ADOPTION ORDERS FILED IN THE DIVISION OF VITAL STATISTICS DURING 1936, BY YEAR OF COURT ORDER AND BY SEX AND LEGITIMACY OF CHILDREN.

Year Adoption ordered.	Legitimate Births.			Illegitimate Births.			Not given or Unknown.			Total.
	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.	Total.	
1920	1	1	2	----	----	----	----	----	----	2
1921	----	----	----	1	1	2	----	----	----	2
1926	1	----	1	----	----	----	----	----	----	1
1930	1	----	1	----	----	----	----	----	----	1
1932	----	----	----	----	2	2	----	----	----	2
1933	----	1	1	----	----	----	----	----	----	1
1934	1	----	1	1	----	1	----	----	----	2
1935	----	----	----	3	----	3	----	----	----	3
1936	12	13	25	15	25	40	----	1	1	66
Totals	16	15	31	20	28	48	----	1	1	80

TABLE 4.—ADOPTION ORDERS FILED IN THE DIVISION OF VITAL STATISTICS DURING 1936, BY YEAR OF COURT ORDER, BY MAN AND WIFE, BY MAN ONLY, AND BY WOMAN ONLY.

Year Adoption ordered.	Adopted by			Total.
	Man and Wife.	Man only.	Woman only.	
1920	2	----	----	2
1921	1	----	1	2
1926	1	----	----	1
1930	1	----	----	1
1932	2	----	----	2
1933	1	----	----	1
1934	2	----	----	2
1935	3	----	----	3
1936	62	----	4	66
Totals	75	----	5	80

TABLE 5.—ADOPTION ORDERS FILED IN THE DIVISION OF VITAL STATISTICS DURING 1936, AND AS AT DECEMBER 31ST, 1935, AND DECEMBER 31ST, 1936, BY BIRTHPLACE OF THE CHILDREN.

Place of Birth.	Filed in 1936.	April, 1920, to Dec., 1935.	April, 1920, to Dec., 1936.	Place of Birth.	Filed in 1936.	April, 1920, to Dec., 1935.	April, 1920, to Dec., 1936.
British Columbia	72	1,644	1,716	Scotland	----	9	9
Alberta	2	44	46	Wales	----	2	2
Manitoba	----	30	30	Other British Possessions	----	3	3
New Brunswick	----	2	2	Asia	----	1	1
Nova Scotia	----	1	1	Europe	----	14	14
Ontario	1	22	23	Other countries	----	1	1
Quebec	----	8	8	United States	2	58	60
Saskatchewan	1	31	32	Not given or unknown	2	11	13
Newfoundland	----	1	1				
England	----	38	38	Totals	80*	1,920	2,000

* Includes two adoption orders received in 1935, but not completed until July, 1936.

REGISTRATION OF DIVORCES.

During the year 1936, 451 decrees of dissolution of marriage and 11 of nullity of marriage were filed, making a total of 462, as compared with 264, 16, and 280 respectively for 1935, making a grand total of 742 decrees filed since the Act came into force in April, 1935. There were no judicial separation orders filed. In one instance an action was dismissed, for which an order of the Court was filed.

The following tables show the year 1935 in comparison with the year 1936:—

TABLE 6.—DECREES OF DISSOLUTION AND NULLITY OF MARRIAGE FILED IN THE DIVISION OF VITAL STATISTICS DURING 1935 AND 1936, BY THE MONTH FILED AND BY THE SEX OF THE PETITIONER.

Month.	Dissolutions of Marriage.						Nullities of Marriage.					
	Sex of Petitioners.				Total.		Sex of Petitioners.				Total.	
	Males.		Females.				Males.		Females.			
	1935.	1936.	1935.	1936.	1935.	1936.	1935.	1936.	1935.	1936.	1935.	1936.
January	*	14	*	28	*	42	*	.....	*	1	*	1
February	*	16	*	22	*	38	*	.....	*	.....	*	.....
March	*	18	*	31	*	49	*	.....	*	.....	*	.....
April	3	12	1	26	4	38	.....	1	.....	1	.....	2
May	12	11	15	19	27	30	2	.....	1	2	3	2
June	14	20	18	26	32	46	1	1	.....	1	1	2
July	17	9	30	32	47	41	2	.....	2	.....	4	.....
August	14	5	23	22	37	27	2	.....	1	.....	3	.....
September	1	3	3	8	4	11	.....	.....	.....	.....	.....	.....
October	7	8	12	21	19	29	1	.....	.....	1	1	1
November	13	13	31	37	44	50	3	.....	1	2	4	2
December	21	21	29	29	50	50	.....	1	.....	.....	.....	1
Totals	102	150	162	301	264	451	11	3	5	8	16	11

* Act not in force.

TABLE 7.—SHOWING THE DECREES OF DISSOLUTION AND NULLITY OF MARRIAGE FILED IN THE DIVISION OF VITAL STATISTICS DURING 1935 AND 1936, BY THE TIME ELAPSED BETWEEN MARRIAGE AND OBTAINING OF THE DECREES IN YEARS ONLY.

Year.	Number.		Year.	Number.	
	1935.	1936.		1935.	1936.
Less than 1 year	5	12	Over 14 years	5	9
Over 1 year	13	12	,, 15 ,,	15	13
,, 2 years	10	19	,, 16 ,,	5	14
,, 3 ,,	19	19	,, 17 ,,	6	17
,, 4 ,,	22	24	,, 18 ,,	11	6
,, 5 ,,	22	31	,, 19 ,,	5	7
,, 6 ,,	23	39	Over 20 years but less than 25 years	13	38
,, 7 ,,	15	33	Over 25 years but less than 30 years	16	15
,, 8 ,,	16	26	Over 30 years but less than 40 years	4	9
,, 9 ,,	18	29	Over 40 years	.....	1
,, 10 ,,	13	26			
,, 11 ,,	8	29			
,, 12 ,,	11	18			
,, 13 ,,	5	16	Totals	280	462

TABLE 8.—SHOWING THE NUMBER OF MINOR CHILDREN AFFECTED BY THE DECREES OF DISSOLUTION AND NULLITY OF MARRIAGE FILED IN THE DIVISION OF VITAL STATISTICS DURING 1935 AND 1936, BY AWARD OF CUSTODY AND BY SEX.

	MALES.		FEMALES.		TOTAL.	
	1935.	1936.	1935.	1936.	1935.	1936.
To the petitioner	90	153	75	163	165	316
To the respondent	9	6	7	3	16	9
Custody not awarded	4	2	1	8	5	10
Totals	103	161	83	174	186	335

REGISTRATION OF MINISTERS AND CLERGYMEN.

Pursuant to the authority of the " Marriage Act " of 1930, the registration of ministers and clergymen during 1936 was still carried on. At the end of the year there were 1,042 names on the Register for all denominations, as compared with 989 for the year 1935—an increase of 53 during the year.

TABLE 9.

In the following table is shown a recapitulation of the number of ministers and clergymen whose registration has been authorized and cancelled for the period September 1st, 1930, to December 31st, 1936:—

	Permanent.	Temporary.	Total.
Total authorized during 1930	852	6	858
Total authorized during 1931	80	6	86
Total authorized during 1932	90	6	96
Total authorized during 1933	85	4	89
Total authorized during 1934	83	17	100
Total authorized during 1935	82	8	90
Total authorized during 1936	113	14	127
Total cancelled during 1930	14	5	19
Total cancelled during 1931	29	6	35
Total cancelled during 1932	56	7	63
Total cancelled during 1933	56	4	60
Total cancelled during 1934	64	17	81
Total cancelled during 1935	66	6	72
Total cancelled during 1936	61	13	74
Total authorized from September 1st, 1930, to December 31st, 1936	1,385	61	1,446
Total cancelled from September 1st, 1930, to December 31st, 1936	346	58	404
Number on Register, December 31st, 1930	838	1	839
Number on Register, December 31st, 1931	889	1	890
Number on Register, December 31st, 1932	923	----	923
Number on Register, December 31st, 1933	952	----	952
Number on Register, December 31st, 1934	971	----	971
Number on Register, December 31st, 1935	987	2	989
Number on Register, December 31st, 1936	1,039	3	1,042

TABLE 10.

In the following table is shown the denominational distribution of the ministers and clergymen on Register as at December 31st, 1936:—

Denomination.	1935.	1936.	Increase or Decrease.
Apostolic Church of the Pentecost	2	2	.....
Baptist Churches	63	68	5
Buddhist Churches of North America	8	8	.....
Catholic Apostolic Church	2	2	.....
Christadelphians	4	4	.....
Christian Missionary Alliance	1	2	1
Christian Reformed Church	1	1	.....
Church of England in Canada	213	221	8
Church of Jesus Christ of Latter Day Saints	15	15	.....
Church of the Nazarene	7	7	.....
First Christian Church, Vancouver	1	1	.....
Free Church of England	1	1	.....
Free Church of Scotland	1	2	1
Free Methodist Church of North America	3	5	2
Free Presbyterian Church of Scotland	2	2	.....
Greek Orthodox Church	1	1	.....
Holiness Movement	5	5	.....
International Apostolic Congress	1	1	.....
International Foursquare Gospel Lighthouse	7	8	1
Jewish	4	4	.....
Liberal Catholic Church	4	5	1
Lutheran Churches	30	31	1
Mennonite Brethren	17	23	6
Metropolitan Tabernacle	1	1	.....
Moravian Church	3	2	—1
New Thought Alliance	1	1	.....
Pacific Coast Missionary Society	1	1	.....
Pentecostal Assemblies	24	24	.....
Plymouth Brethren	5	6	1
Presbyterian Church	70	75	5
Reformed Episcopal Church	4	4	.....
Roman Catholic Church	168	183	15
Russian Orthodox Greek Catholic Church	2	2	.....
Salvation Army	28	30	2
Seventh Day Adventists	6	6	.....
Society of Friends	3	3	.....
Swedish Evangelical Mission Covenant	1	1	.....
Ukrainian Orthodox Church	1	1	.....
Unitarian Churches	2	2	.....
United Church of Canada	276	281	5
Totals	989	1,042	53

MONTHLY BULLETIN.

Volume 6 of the Monthly Bulletin of the Provincial Board of Health has been completed, and once again we are pleased to report the publication of some fine articles, notably those entitled: "Secret Diseases," by Dr. G. A. Ootmar; "First Full Time Health Unit at Saanich in British Columbia," by Dr. David Berman, with "Foreword—The Formation of the Saanich Health Nursing Service," by Mrs. V. S. MacLachlan; "Trachoma Survey in Williams Lake," by Dr. J. J. Wall, of the Department of Indian Affairs, Canada; "Epidemiology of Scarlet Fever" and "Typhoid Carriers," by Dr. A. M. Menzies; "Organization and Supervision," by Miss Henrietta Adams, Director of Nursing Education, University of Washington; "Rocky Mountain Spotted Fever," by G. J. Spencer, of the Entomological Laboratory at Kamloops; and "The New Captain of the Men of Death—Syphilis," by our old friend Dr. Thurman B. Rice, of the Indiana State Board of Health.

From the *Millbank Memorial Fund Quarterly* we reprinted an article entitled "Health Insurance in England," by Sir Henry B. Brackenbury. Dr. H. W. Hill completed his series

of articles on " Public Health " during 1936. This series of articles makes an outstanding contribution to the history of modern methods as applied in the field of Public Health to-day, and has brought forth many complimentary letters and flattering references from all over the North American Continent.

The " First Report of the Division of Tuberculosis Control," by Dr. W. H. Hatfield, was published as a supplement during February, 1936, and in May, 1936, a supplement outlining " The Statistical Methods as applied to the Division of Tuberculosis Control," as prepared by myself, was published. By request, I also contributed articles entitled: " Highlights of British Columbia's Registration of Births, Deaths, and Marriages during the year 1935," and " Violent Deaths in Industry in British Columbia, January 1st to December 31st, 1935."

Under the title of " Arsenical Poisoning Dermatitis," we published two articles—one from the *Canadian Public Health Journal* by Dr. C. A. Cleland, Director of the Mental Clinic at Brockville, Ontario; and the other from the *Journal of the American Medical Association* by Oliver S. Ormsby, M.D., which was part of an article entitled " Treatment of Early Syphilis," under the sub-title of " Reactions, Local and General, Requiring Attention."

In November a supplement was published, which presented: " Part I.: The Industrial Code "; " Part II.: The Occupational Code "; and " Part III.: The Index to the Occupational Code," as used by the Division of Vital Statistics for statistical analysis.

Once again I would like to express my thanks to all those whose co-operation has made the publication of the Bulletin possible, and at the same time to report that the Bulletin now has a circulation of over 1,100 copies per month—not only within British Columbia, but in every Province of the Dominion, and every State of the Union, as well as in Europe and other countries. The editing of such a Bulletin would be impossible without the co-operation of your whole staff.

RELATIONS WITH THE DIVISION OF TUBERCULOSIS CONTROL.

In accordance with your instructions to comply with the request of Dr. W. H. Hatfield, Medical Director of the Division of Tuberculosis Control, on March 1st, 1936, I proceeded to Vancouver for the purpose of reviewing the needs of that Division for setting up the methods to be applied in the statistical analysis and correlation of the data being assembled in the reports and clinical and therapeutic records of the Division.

Dr. Hatfield required a system which would provide not only for the assembling of information for reports and checking the work of the various units scattered about the Province, but at the same time machinery which would provide the means whereby any phase of examination and treatment given might be rapidly analysed as and when required, both from an administrative and therapeutic view-point. In other words, that the Tuberculosis Division might have an epidemiological index as to where and when its efforts should be concentrated in dealing with the Tuberculosis problem.

On March 19th, 1936, I returned to Victoria and prepared my report, which was presented in a supplementary bulletin.* The compilation of the data was applied to the " Hollerith punch-card method," and it would appear that the whole structure has worked out fairly satisfactorily. We have experienced difficulties, and some minor adjustments have been made, but in " pioneer work " of this nature this is to be expected.

The company from whom this Division received its tabulating equipment loaned us Mr. J. B. Dickie, one of their representatives, who assisted in the drafting of the report forms and the punch-cards.

The action of Dr. John Ferrell, of the International Health Board of the Rockefeller Foundation, in having Miss Pursis Putnam, of his statistical staff, criticize the report was particularly appreciated. Her treatment of our proposed methods has proved most helpful. In this type of work there are ever present certain " kinks " which might not be apparent at first, but with the criticism and co-operation of many of our interested colleagues in Public Health and our own actual experience, we have " ironed out " the majority of our difficulties most satisfactorily.

Dr. Hatfield has requested that, in the very near future, the Division of Vital Statistics be made responsible for the standardizing of records, hospital charts, and other institutional forms used in his Division. The system of filing the medical charts has also to be carefully

* Monthly Bulletin of the Provincial Board of Health, Vol. 6, No. 7.

checked over with a view to having transference of records and charts with each patient as they are moved from the care of one unit to another. It is hoped that the proposed survey will eliminate unnecessary duplication, overlapping, and greatly reduce the number of forms now in use. We shall not be able to undertake this work until the fall of 1937, and in all probability it will be the spring of 1938 before the final report is ready for publication.

May I take this opportunity of thanking Dr. Hatfield and all members of his staff of the Division of Tuberculosis Control for their help and the many courtesies shown to me in this work.

CO-OPERATION WITH THE DIVISION OF VENEREAL DISEASE CONTROL.

In recent years there have been such radical changes in the mode of treatment for syphilis and gonorrhœa that the present record system is felt by the Medical Director to be inadequate for the purposes of the Division of Venereal Disease Control. It is therefore the intention that the whole field be surveyed, in order that the present needs may be met.

The Division of Vital Statistics has been requested to survey the complete record system of the Division of Venereal Disease Control as early as possible in 1937, and a full report of this work, when completed, will be issued in the monthly Bulletin.

MORBIDITY CODE FOR CANADA.

Your Division of Vital Statistics has been co-operating with the Department of Pensions and National Health for Canada and the Dominion Bureau of Statistics at Ottawa in the setting-up of a code for the classification of sickness incidence.

At the present time there is not in existence a code which may be used for statistical purposes, whereby morbidity may be studied in direct relationship with mortality. As a code for mortality, the International List of Causes of Death, as revised decennially by the International Commission appointed for that purpose, is universally adopted throughout the world, and has been in use in British Columbia since 1913. The morbidity code, however, presented a much more difficult problem. We therefore started to prepare a morbidity code, using the International List of Causes of Death as a basis. Just as we were commencing work, a letter was received from Dr. Wodehouse, of the Department of Pensions and National Health at Ottawa, having particular reference to the set-up and the adoption of a morbidity code which it was hoped would be used as a standard code for studying the incidence of sickness and disease throughout the Dominion.

Through your own efforts, discussion of this code was placed upon the agenda of the November, 1936, meeting of the Dominion Council of Health, and a very strong committee was appointed to act in an advisory capacity to the two Federal departments in the setting up and maintaining of the morbidity code for use in Canada.

This code is being drawn up in such a way that it will dovetail into and be comparative with the International List of Causes of Death, setting up sickness and mortality statistics upon a relative basis. We have received the first draft of the code which was not adopted—British Columbia making several objections to its set-up as a result of experience obtained through a recent hospital survey.

The major job with regard to this Code is now one of preparing an Index to Terminology, which will assist coders in determining to which rubric should be assigned the various terminologies of disease which may be enumerated. It is hoped that this Index will lead to uniform classification.

A more detailed account of this work will appear in my next annual report.

STATISTICAL AND TABULATING SECTION.

The increased demand for statistics by the various departments of the Government has necessitated additions to the Tabulating Section. Another Horizontal Sorter has been installed, while a Summary Punch, together with several additional mechanical features, has been added to the Tabulator. These additions to the machinery have greatly increased the efficiency of the whole Division. The following is an outline of the work which has been undertaken in this section during 1936. It should be remembered, however, when we make the statement that over 10,000 cards were analysed, that this does not actually represent the work done, as these cards may have to pass through the machines quite a number of times to complete the analyses.

PROVINCIAL BOARD OF HEALTH.

Division of Vital Statistics.

The yearly tabulations for the tables relating to the registrations filed in the office of the Registrar of Births, Deaths, and Marriages during 1935 required the analysis of some 26,630 cards, namely: 103 adoptions, 11,219 births, 6,929 deaths, 5,020 marriages, and 279 divorces.

The monthly tabulations for the tables relating to the registrations filed in the office of the Registrar of Births, Deaths, and Marriages during 1936 required the average monthly analysis of some 2,076 cards, namely: 7 adoptions, 950 births, 625 deaths, 455 marriages, and 39 divorces.

In addition to the above regular tabulations, runs were made to cover special studies, such as those in "The Highlights of the Registration Year 1935" and "Violent Deaths in Industry"; demands on the Division for data required by students writing their University theses; special material for the reports of local Medical Health Officers, etc.

Division of Tuberculosis Control.

The complete statistics of the Division of Tuberculosis Control were applied to the "punch-card method" in 1936. Since May we have been preparing the statistics for the monthly report, and in the spring of 1937 will prepare the annual report for this Division. This involves the analysis of an average of 400 cards per month and approximately 5,000 cards per year. There are special studies incorporated in these statistics, which are in the course of preparation and will be completed early in 1937. It is impossible to estimate the number of cards that will be involved. In May and June, 1936, we completed an analysis of over 28,000 cards which were made up from the results of the examination of all persons who had passed through the Vancouver Institution for diseases of the chest.

DEPARTMENT OF THE PROVINCIAL SECRETARY.

Hospital Survey.

An analysis of all patients treated from July 1st to December 31st, 1935, in the twenty-two larger hospitals of the Province was completed during the fall of 1936. Over 26,000 cards were punched and analysed and four tables in sixteen parts were prepared.

Health Insurance.

In October, 1936, we punched 10,000 cards from the Employers' Returns made under the "Health Insurance Act." No analysis was made, as the Health Insurance Commission installed their own tabulating equipment in January, 1937. In December, 1936, we commenced punching another 10,000 additional cards from the same source, which was required for a study of seasonal employment.

WELFARE BRANCH.

Welfare Field Service and Children's Division.

Since April, 1936, we have been making an analysis from the Daily Reports of the Visitors in the Welfare Field Service. Some 400 cards were punched and tabulated each month, the report being delivered to the Supervisor. At the end of the year an annual report will be compiled from the amalgamation of cards punched during the year. This work will be commenced about May, 1937. Preparations have been made for the punching of the statistics relating to the "Neglect Division" and the "Unmarried Parents Division." We have not made any analysis of this work up to the present time as certain data will not be ready for punching until the end of March, 1937.

DEPARTMENT OF THE ATTORNEY-GENERAL.

Provincial Police—Criminal Investigation Branch.

Preparation of the Annual Report of the Criminal Investigation Branch, requiring the analysis of 16,000 crime reports, 700 general reports, and 2,000 duty and mileage reports, was made in June, 1936. This was for the year 1935, and it is estimated that at least four months will be saved by the application of this work to the "punch-card method."

Provincial Police—Motor-vehicle Branch.

Since January 1st, 1936, we have been making a monthly analysis of all motor accidents in the Province. An average of some 550 cards per month were analysed, covering 400 accidents and 150 victims. We were required to make a report covering the whole Province and a special report for the City of Vancouver. The Annual Report for the Branch will be prepared from the cards punched monthly. This will require the tabulation of some 7,000 cards.

DEPARTMENT OF LABOUR.

General Office.

In June, 1936, we completed the analysis for the 1935 Annual Report of the Department of Labour, which covers all industrial reports received by that Department. This meant the analysation of over 40,000 cards. This application is of a peculiarly intricate nature, and the results can only be obtained by the continual use of a summary punch attached to the Tabulator.

Unemployment Relief Branch.

For this Branch a general analysis of all persons in receipt of unemployment relief was made as follows:—

	Cards.
For March, 1936	36,200
For June, 1936	31,200
For September, 1936	26,300

While an abbreviated analysis of those persons going "on" and "off" relief was made as follows:—

	Cards.
For November, 1935	4,800
For December, 1935	4,190
For January, 1936	4,960
For February, 1936	4,300

We were also required to prepare a monthly report for the Department of Labour at Ottawa. This involved another analysis of the cards referred to above, and was undertaken each month from January until September, inclusive.

After September, 1936, this work was undertaken for the whole of Canada by the Dominion Government.

DEPARTMENT OF MINES.

The Department of Mines had the problem of sorting each year into alphabetical order some 15,000 applications for free miners' certificates. While this was not a statistical application, they appealed to the Division of Vital Statistics to apply this sorting to the "punch-card method," in order to save the long and laborious hand sorting. The cards were punched and sorted on 34 columns, which placed them in alphabetical order. As a result, 1,020,000 cards passed through the sorting machine.

The Department of Mines has now called upon us to do a statistical job for them, being an analysis of expenditure made since 1917 on the trails in British Columbia under the provisions of the "Mines Development Act." We estimate that this will involve the punching and analysing of, roughly, 10,000 cards.

DEPARTMENT OF PUBIC WORKS.

Highway Traffic Division.

Since January, 1936, we have been making analyses of the distribution of fees received by the Highway Traffic Division from the licences of commercial vehicles operating in the Province. We are required to supply a daily listing of applications received. At the end of each month a monthly analysis is prepared, together with a control statement showing the grand totals for the year to date.

This work had been carried on during the year 1935 in the Service Bureau of a private company. When we took over, there had been a little short of 1,800 cards punched and analysed. At the end of December, 1936, over 10,500 cards had been analysed. From these we have made two special analyses, which were required in a hurry by the Deputy Minister

of Public Works. These analyses were delivered within half a day. Officials in the Public Works Department had estimated that it would take four or five persons of their regular staff at least a week to ten days to obtain this information from their files by the "manual method."

Codes and Coding.

Before the raw data can be transferred to the punch-cards, it is necessary to code all schedules, report forms, questionnaires, etc., and to meet this requirement we have a staff of three coders attached to the Tabulating Section. Standard codes are used for all jobs, regardless of Department. This ensures a uniform analysis of the data, and permits analysis of statistics upon a basis capable of comparison and correlation. Codes have been set up for:—

(1.) Standard Statistical Publication Areas.
(2.) Electoral Districts.
(3.) Cities, District and Village Municipalities.
(4.) Mineral Survey Districts and Mining Divisions.
(5.) Provincial Police Divisions, Districts, and Detachments.
(6.) Registration Districts as constituted under the "Vital Statistics Act."
(7.) Occupations (with Alphabetical Index).
(8.) Industries.
(9.) Countries of the World (used as birthplace codes, etc.).
(10.) Racial Origins.
(11.) Nationalities.
(12.) Religious Denominations.
(13.) Public and Private Hospitals.
(14.) Mortality (International List of Causes of Death).
(15.) Special Age Grouping.

During 1937 codes will be established for medical practitioners registered in the Province, for morbidity, institutions, and others as required.

As pointed out in my last report, the overcrowded conditions in the Division of Vital Statistics still prevail and the problem of space is becoming very acute. The staff are working under conditions which are neither conducive to good work nor good health, and we sincerely trust that something can be done to alleviate the conditions.

In closing, may I once again express my thanks to the District Registrars of Births, Deaths, and Marriages and all officers of the Provincial Police for their assistance in dealing with "registration and investigation problems"; to Miss Laura Holland, Supervisor of Welfare Field Service, and all her staff, and Miss Isobel Harvey, Superintendent of Neglected Children, for their assistance in dealing with "social problems," which this year have been very numerous; and on behalf of every one engaged in Vital Statistics work in this Province, may I express to you, Sir, and to Mr. French, the Deputy Registrar of Births, Deaths, and Marriages, our very sincere appreciation of the kindly, sympathetic consideration and wise counsel which has been extended to each and every one of us during a year of strenuous activities.

I have, etc.,

J. T. Marshall,
Inspector of Vital Statistics.

VICTORIA, B.C.:
Printed by Charles F. Banfield, Printer to the King's Most Excellent Majesty.
1938.

625-138-9678